



US00D745943S

(12) **United States Design Patent**
Geissele

(10) **Patent No.:** **US D745,943 S**
(45) **Date of Patent:** **** Dec. 22, 2015**

(54) **COMPONENT OF A TRIGGER MECHANISM FOR A FIREARM**

(71) Applicant: **William H. Geissele**, Lower Gwynedd, PA (US)

(72) Inventor: **William H. Geissele**, Lower Gwynedd, PA (US)

(73) Assignee: **WHG Properties, LLC**, North Wales, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/500,695**

(22) Filed: **Aug. 27, 2014**

(51) **LOC (10) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/108**

(58) **Field of Classification Search**

USPC D22/103, 108
CPC F41A 19/11; F41A 19/21; F41A 19/10;
F41A 17/46; F41A 35/00; F41C 27/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,499,684	A *	2/1985	Repa	F41A 19/17 42/69.01
H144	H *	10/1986	Savioli	F41A 19/33 89/142
6,760,991	B1 *	7/2004	Gentry	F41A 3/10 42/23
7,331,136	B2	2/2008	Geissele		
7,600,338	B2	10/2009	Geissele		

(Continued)

OTHER PUBLICATIONS

Tavor Sar, Semi-automatic rifle Operator manual, printed Jul. 18, 2013, 96 pgs.
Infinity Firearms; Infinity Products: Trigger Group; Oct. 29, 2014; 6 pages.

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Merchant & Gould, P.C.


(57) **CLAIM**

The ornamental design for a component of a trigger mechanism for a firearm, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a first embodiment of the component of a trigger mechanism for a firearm;
FIG. 2 is a front elevation view of the component of a trigger mechanism for a firearm of FIG. 1;
FIG. 3 is a rear elevation view of the component of a trigger mechanism for a firearm of FIG. 1;
FIG. 4 is a right side elevation view of the component of a trigger mechanism for a firearm of FIG. 1;
FIG. 5 is a left side elevation view of the component of a trigger mechanism for a firearm of FIG. 1;
FIG. 6 is a top view of the component of a trigger mechanism for a firearm of FIG. 1;
FIG. 7 is a bottom view of the component of a trigger mechanism for a firearm of FIG. 1;
FIG. 8 is an isometric view of a second embodiment of a component of a trigger mechanism for a firearm;
FIG. 9 is a front elevation view of the component of a trigger mechanism for a firearm of FIG. 8;
FIG. 10 is a rear elevation view of the component of a trigger mechanism for a firearm of FIG. 8;
FIG. 11 is a right side elevation view of the component of a trigger mechanism for a firearm of FIG. 8;
FIG. 12 is a left side elevation view of the component of a trigger mechanism for a firearm of FIG. 8;
FIG. 13 is a top view of the component of a trigger mechanism for a firearm of FIG. 8; and,
FIG. 14 is a bottom view of the component of a trigger mechanism for a firearm of FIG. 8.
The broken lines in the Figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,069,602 B2 12/2011 Geissele
8,074,393 B2 12/2011 Geissele
8,443,536 B1 5/2013 Geissele
9,046,313 B1 * 6/2015 Lutton F41A 17/46
9,140,510 B1 * 9/2015 Muska F41A 19/42
2005/0246933 A1 * 11/2005 McGarry F41A 17/36
42/70.02
2006/0086031 A1 * 4/2006 Geissele F41A 19/16
42/69.03

2007/0051236 A1 * 3/2007 Groves F41A 19/46
89/142
2009/0183414 A1 * 7/2009 Geissele F41A 19/10
42/69.03
2014/0246003 A1 * 9/2014 Lipowski F41A 17/46
124/25
2015/0153126 A1 * 6/2015 Bender F41A 19/14
42/69.01
2015/0241156 A1 * 8/2015 Alicea, Jr. F41A 19/69
89/28.1
2015/0253095 A1 * 9/2015 Wilson F41A 19/14
42/69.01

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14