



US00D745976S

(12) **United States Design Patent**
Haynes

(10) **Patent No.:** **US D745,976 S**
(45) **Date of Patent:** **** Dec. 22, 2015**

(54) **SCALP SOOTHER**

(71) Applicant: **Crystal Ann Haynes**, Bellflower, CA
(US)

(72) Inventor: **Crystal Ann Haynes**, Bellflower, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/525,894**

(22) Filed: **May 4, 2015**

Related U.S. Application Data

(63) Continuation of application No. 29/453,033, filed on
Apr. 24, 2013, now Pat. No. Des. 728,815.

(51) **LOC (10) Cl.** **28-03**

(52) **U.S. Cl.**
USPC **D24/215**

(58) **Field of Classification Search**

USPC D24/200, 211, 212, 213, 214, 215;
601/114, 120, 121, 124, 125, 130, 131,
601/134, 135, 136, 137; D14/218; D9/719;
D28/7, 21, 39, 74; D7/653; 30/322,
30/323

CPC A61H 19/30; A61H 19/32; A61H 19/34;
A61H 19/40; A61H 19/44; A61H 19/50;
A61H 19/00; A61H 2201/0153; A61H
2201/0207; A61H 2201/0263; A61H
2201/0111; A61H 2201/1253; A61H
2205/082; A61H 2205/085; A61H 15/0085

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,586,031 A 5/1926 William
2,636,498 A 4/1953 Servilla
2,710,449 A * 6/1955 Crino 30/322

3,768,463 A 10/1973 Curry
D245,918 S * 9/1977 Shen D24/140
4,599,797 A * 7/1986 Bax 30/323
5,217,463 A * 6/1993 Michael 606/88
5,285,774 A 2/1994 Stachurski
5,391,169 A * 2/1995 McGuire 606/79
5,655,257 A 8/1997 Chavez
5,937,526 A 8/1999 Wahl
5,997,567 A * 12/1999 Cangelosi 606/210
D432,875 S * 10/2000 Begley et al. D7/683
6,457,476 B1 10/2002 Elmer

(Continued)

Primary Examiner — Sandra Snapp

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.

(57) **CLAIM**

The ornamental design for a scalp soother, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a scalp soother from the side, showing my design;

FIG. 2 is a front view of the apparatus thereof;

FIG. 3 is a back view of the apparatus thereof;

FIG. 4 is a right side view of the apparatus thereof;

FIG. 5 is a left side view of the apparatus thereof;

FIG. 6 is a top view of the apparatus thereof;

FIG. 7 is a bottom view of the apparatus thereof.

FIG. 8 is a perspective view of a scalp soother from the side, showing my design;

FIG. 9 is a front view of the apparatus thereof;

FIG. 10 is a back view of the apparatus thereof;

FIG. 11 is a right side view of the apparatus thereof;


FIG. 12 is a left side view of the apparatus thereof;

FIG. 13 is a top view of the apparatus thereof; and,

FIG. 14 is a bottom view of the apparatus thereof.

The broken (dash) lines illustrate environmental features that form no part of the claimed design. The broken (dot-dash) lines indicate boundaries of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D481,168 S 10/2003 Shannon
D513,689 S * 1/2006 Bodum D7/653
6,997,889 B1 2/2006 Thomas
7,013,900 B2 3/2006 Silva
8,342,188 B2 1/2013 Pabari

D728,815 S * 5/2015 Haynes D24/215
D732,255 S * 6/2015 Edwins D32/49
2004/0097890 A1 5/2004 Wilkinson
2011/0108048 A1 5/2011 Park
2011/0245811 A1 10/2011 Sabal
2012/0121313 A1 5/2012 Thiebaut
2012/0288351 A1 11/2012 Nirmel
2013/0042880 A1 2/2013 Arpey

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14