



US00D745986S

(12) **United States Design Patent**
Gorsten Schuenemann et al.

(10) **Patent No.:** **US D745,986 S**
(45) **Date of Patent:** **** Dec. 22, 2015**

(54) **HEADLIGHT FOR A VEHICLE**

(71) Applicant: **Daimler AG**, Stuttgart (DE)
(72) Inventors: **Felipe Gorsten Schuenemann**, Stuttgart (DE); **Oliver Stick**, Aidlingen (DE); **Benoit Tallec**, Boeblingen (DE); **Gorden Wagener**, Gaeufelden (DE)
(73) Assignee: **Daimler AG**, Stuttgart (DE)
(**) Term: **14 Years**

(21) Appl. No.: **29/488,855**

(22) Filed: **Apr. 24, 2014**

(30) **Foreign Application Priority Data**

Oct. 25, 2013 (EM) 002333468-0005
Oct. 25, 2013 (EM) 002333468-0006

(51) **LOC (10) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**

USPC D26/28-36, 113, 118, 121, 138-140;
362/362, 364-366, 368-373, 459-463,
362/473-478, 485-487, 496, 509, 512, 523,
362/538, 539, 546-549, 600, 611, 615, 632,
362/633
CPC B62J 6/02; B62J 6/00; B62J 6/04;
F21S 48/335; F21S 48/00; F21S 48/1233;
F21S 48/10; F21S 48/1258; B60Q 1/0047;
B60Q 1/18; B60Q 1/2696; B60Q 1/46
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D557,832 S * 12/2007 Higashikawa D26/28
D640,826 S * 6/2011 Beigel D26/139

(Continued)

OTHER PUBLICATIONS

“Mercedes-Benz Vans, World premiere of the new Mercedes-Benz V-Class,” Press Information, Mercedes-Benz, Jan. 30, 2014.

Primary Examiner — Cynthia Ramirez
Assistant Examiner — Llorellys Martinez-Rivera
(74) *Attorney, Agent, or Firm* — Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a headlight for a vehicle, as shown and described.

DESCRIPTION

This application contains subject matter related to the following co-pending U.S. design patent applications:

Application Ser. No. 29/488,853, filed herewith and entitled “Headlight for a Vehicle”; and
Application Ser. No. 29/488,854, filed herewith and entitled “Headlight for a Vehicle”.

FIG. 1 is a right side perspective view of a first embodiment of a headlight for a vehicle showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is another right side perspective view of the headlight for a vehicle of FIG. 1;

FIG. 5 is a front view thereof;

FIG. 6 right side view thereof;

FIG. 7 is a left side perspective view of a second embodiment of a headlight for a vehicle showing our new design;

FIG. 8 is a front view thereof;

FIG. 9 is a left side view thereof;

FIG. 10 is another left side perspective view of the headlight for a vehicle of FIG. 7;


FIG. 11 is a front view thereof; and,

FIG. 12 is a left side view thereof.

The broken lines in the drawings illustrate environmental subject matter only and form no part of the claimed design.

Also enclosed is a set of photographs of an embodiment of the design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D660,481 S *	5/2012	Gotschke	D26/28	D719,692 S *	12/2014	Yamaguchi	D26/28
D672,067 S *	12/2012	Frenzel	D26/28	D720,870 S *	1/2015	Lim	D26/28
D708,366 S *	7/2014	Minamisawa	D26/28	D722,188 S *	2/2015	Futschik	D26/28
D709,213 S *	7/2014	Futschik	D26/28	D728,133 S *	4/2015	Bieling	D26/28
D717,974 S *	11/2014	Futschik	D26/28	D728,135 S *	4/2015	Ha	D26/28
				D730,551 S *	5/2015	George	D26/28
				D738,008 S *	9/2015	Gorsten Schuenemann ..	D26/28
				D738,010 S *	9/2015	Futschik	D26/28

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12