



US00D746178S

(12) **United States Design Patent**
Guetersloh

(10) **Patent No.:** **US D746,178 S**

(45) **Date of Patent:** **** Dec. 29, 2015**

(54) **BOX-TYPE WHEEL PROTECTOR SKID FOR TRAILERS**

(71) Applicant: **Charles Guetersloh**, Murphysboro, IL (US)

(72) Inventor: **Charles Guetersloh**, Murphysboro, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/492,204**

(22) Filed: **May 29, 2014**

4,129,974 A	12/1978	Ojalvo	
4,133,577 A	1/1979	Pilant	
4,147,379 A	4/1979	Winslow	
4,385,476 A	5/1983	Slager	
4,434,995 A	3/1984	Toy	
5,269,544 A	12/1993	Park	
5,806,871 A	9/1998	Eggleston	
D440,931 S *	4/2001	Knight et al.	D12/203
6,523,846 B1 *	2/2003	Bennett et al.	280/163
D471,848 S *	3/2003	Farkash	D12/203
D471,849 S *	3/2003	Farkash	D12/203
6,634,153 B1	10/2003	Peterson	
6,641,160 B1	11/2003	Veal	
D495,977 S *	9/2004	Stinson	D12/106
7,677,587 B2	3/2010	Fisk et al.	
7,789,453 B2	9/2010	Roush et al.	
8,210,599 B2	7/2012	Butler	

(Continued)

Related U.S. Application Data

(63) Continuation-in-part of application No. 13/458,688, filed on Apr. 27, 2012, now Pat. No. 8,888,119.

(51) **LOC (10) Cl.** **12-10**

(52) **U.S. Cl.**
USPC **D12/106**

(58) **Field of Classification Search**
USPC D12/106, 100-105, 19, 129, 111-112;
D21/425, 435; D34/21-26, 12, 16-19
CPC B62D 35/02; B60P 3/10; B60P 3/1033
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,360,720 A	11/1920	Edward et al.
1,712,485 A	5/1929	Tokita
2,392,674 A	1/1946	Lachman et al.
2,519,113 A	8/1950	Louis et al.
2,968,413 A	1/1961	Heckman
3,013,805 A	12/1961	Weigel
3,694,990 A	10/1972	Pamer
3,794,130 A	2/1974	Malmgren et al.
3,883,159 A	5/1975	Whitley
4,046,391 A	9/1977	Restad et al.

FOREIGN PATENT DOCUMENTS

AU	200197073 A	12/2001
AU	2008234962 A1	5/2010
JP	2004034869 A	2/2004

Primary Examiner — Katrina A Betton

(74) *Attorney, Agent, or Firm* — Julie A. Tennyson


(57) **CLAIM**

I claim the ornamental design for box-type wheel protector skid for trailers, as shown and described.

DESCRIPTION

FIG. 1 is side view of the invention attached to a trailer
FIG. 2 is a side view showing a spring shackle inserted.
FIG. 3 is a rear view.
FIG. 4 is a front view.
FIG. 5 is a top view.
FIG. 6 is a bottom view; and,
FIG. 7 is an isometric view of the top and sides.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,276,972	B2 *	10/2012	Domo et al.	296/180.1	2005/0179231	A1	8/2005	Roberts, Jr.	
8,322,778	B1	12/2012	Pfaff		2007/0187924	A1	8/2007	Warren	
8,376,450	B1	2/2013	Long et al.		2008/0122197	A1	5/2008	Spence	
2005/0051991	A1	3/2005	Saxon et al.		2008/0296930	A1 *	12/2008	Roush et al.	296/180.4
2005/0161976	A1	7/2005	Ortega et al.		2009/0127839	A1	5/2009	Long	
					2011/0285167	A1 *	11/2011	Butler	296/180.1
					2015/0015029	A1 *	1/2015	Wiegel	296/180.4
					2015/0217814	A1 *	8/2015	Wiegel	

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7