



US00D746476S

(12) **United States Design Patent**  
**Noda et al.**

(10) **Patent No.:** **US D746,476 S**  
(45) **Date of Patent:** **\*\* Dec. 29, 2015**

(54) **COMPONENT ANALYZER**  
(71) Applicant: **Hitachi High-Technologies Corporation**, Tokyo (JP)  
(72) Inventors: **Hiroyuki Noda**, Kokubunji (JP); **Hidetoshi Morokuma**, Hitachinaka (JP); **Koji Ishiguro**, Hitachinaka (JP)  
(73) Assignee: **HITACHI HIGH-TECHNOLOGIES CORPORATION**, Tokyo (JP)

D621,515 S \* 8/2010 Chua et al. .... D24/186  
D644,544 S \* 9/2011 Yukikado ..... D10/81  
D657,061 S \* 4/2012 Wu et al. .... D24/186  
D665,917 S \* 8/2012 TerMaat et al. .... D24/216  
D670,587 S \* 11/2012 Fitzpatrick et al. .... D10/81  
D670,812 S \* 11/2012 Huang ..... D24/169  
D689,193 S \* 9/2013 Shinohara et al. .... D24/216

(Continued)

**FOREIGN PATENT DOCUMENTS**

CN 301505794 S 4/2011  
CN 301966120 S 6/2012

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/409,008, filed Dec. 20, 2011, Noda.

(Continued)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/466,163**

(22) Filed: **Sep. 5, 2013**

(30) **Foreign Application Priority Data**

Mar. 14, 2013 (JP) ..... 2013-005662

(51) **LOC (10) Cl.** ..... **24-01**

(52) **U.S. Cl.**  
USPC ..... **D24/186; D24/216**

(58) **Field of Classification Search**  
USPC ..... D24/114, 133, 169, 175, 186, 172, 200,  
D24/188, 216, 164-165, 110; 600/365, 345,  
600/309-310, 322, 368, 485, 481, 529,  
600/544; D10/81; 604/66; 422/68.1;  
205/792; 435/287.1, 14  
CPC ..... A61B 5/14532; A61B 5/1455; A61B  
5/14546; A61B 5/14551; A61B 5/14552;  
A61B 5/0476; A61B 5/021; A61B 7/003;  
C12Q 1/006

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D392,739 S 3/1998 Bertagnole et al.  
D550,366 S \* 9/2007 Zhou ..... D24/186  
D551,769 S \* 9/2007 Skwarek et al. .... D24/186  
D607,569 S \* 1/2010 Yukikado et al. .... D10/81

*Primary Examiner* — T. Chase Nelson  
*Assistant Examiner* — Mark Cavanna  
(74) *Attorney, Agent, or Firm* — Baker Botts L.L.P.


(57) **CLAIM**

The ornamental design for a component analyzer, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a component analyzer with a cover portion attached showing our new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof; and,  
FIG. 8 is a perspective view of the component analyzer seen in FIG. 1, with a cover portion removed.  
The broken lines are included for the purposes of illustrating unclaimed portions of the component analyzer and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

**OTHER PUBLICATIONS**

U.S. PATENT DOCUMENTS

D717,459 S \* 11/2014 Lin et al. .... D24/216  
2011/0004086 A1 \* 1/2011 Asakura ..... 600/365  
2011/0020852 A1 \* 1/2011 Kojima et al. .... 435/14

GE Security, Perceptive Itemiser® Desktop Explosives and Narcotics Detection, publication date before Jan. 2007 in English.

\* cited by examiner






FIG. 1



*FIG. 2*



*FIG. 3*




FIG. 4




FIG. 5





FIG. 6



*FIG. 7*




FIG. 8