



US00D746535S

(12) **United States Design Patent**
Herbeck

(10) **Patent No.:** **US D746,535 S**
(45) **Date of Patent:** **** Dec. 29, 2015**

(54) **BOTTOM FOR A FOLDABLE PALLET**
(71) Applicant: **Design Pallets, Inc.**, Apopka, FL (US)
(72) Inventor: **Joshua Daniel Herbeck**, Elizabeth, CO (US)
(73) Assignee: **DESIGN PALLETS, INC.**, Apopka, FL (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/474,526**

4,100,859 A 7/1978 Clark, Jr.
4,433,807 A 2/1984 Ganz
D283,456 S * 4/1986 Kero et al. D34/38
D288,977 S * 3/1987 Wind D34/38
4,875,419 A 10/1989 Helton et al.
5,176,090 A 1/1993 Roberts et al.
5,285,732 A 2/1994 Gottlieb
5,350,066 A 9/1994 Mendoza et al.
5,355,812 A 10/1994 Kilpatrick et al.
5,448,956 A 9/1995 Ong et al.
5,562,048 A 10/1996 Gottlieb
5,784,971 A 7/1998 Chang
D400,681 S * 11/1998 Sadr D34/38
6,029,582 A 2/2000 Ogilvie, Jr. et al.

(Continued)

(22) Filed: **Oct. 17, 2014**
(51) **LOC (10) Cl.** **09-08**
(52) **U.S. Cl.**
USPC **D34/38**
(58) **Field of Classification Search**
USPC D34/38, 28; 229/117.05, 110, 113, 117,
229/120.11, 122.28, 125.26, 122.21;
248/346.02; 108/51.11, 53.3, 55.3,
108/56.1, 57.28, 57.25, 51.3, 52.1, 53.1,
108/57.1
CPC B65D 2519/00044; B65D 2519/00194;
B65D 2519/00502; B65D 2519/00771; B65D
2519/00791; B65D 19/0075; B65D
2519/00457; B65D 2519/00925; B65D
2519/00985
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

DE 2137703 A1 2/1973
WO 0055057 A1 9/2000

(Continued)

Primary Examiner — Cynthia Ramirez
Assistant Examiner — Gino Colan
(74) *Attorney, Agent, or Firm* — Dorsey & Whitney LLP

(57) **CLAIM**


I claim the ornamental design for a bottom for a foldable pallet, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a bottom for a foldable pallet.
FIG. 2 is a top plan view of the bottom of FIG. 1.
FIG. 3 is a bottom plan view of the bottom of FIG. 1.
FIG. 4 is a front elevation view of the bottom of FIG. 1.
FIG. 5 is a rear elevation view of the bottom of FIG. 1.
FIG. 6 is a left-side elevation view of the bottom p of FIG. 1;
and,
FIG. 7 is a right-side elevation view of the bottom of FIG. 1.
The broken lines represent fold lines of the claimed design.

1 Claim, 5 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS
2,576,715 A 11/1951 Farrel
2,908,464 A 10/1959 Traudt et al.
3,216,376 A 11/1965 Anderson et al.
3,302,593 A 2/1967 Roberts
3,308,772 A 3/1967 Thomas, Jr.
3,952,672 A 4/1976 Gordon et al.



(56)

References Cited

U.S. PATENT DOCUMENTS

6,173,658	B1	1/2001	Moberg	
D453,057	S *	1/2002	Sewell	D34/38
7,007,613	B2	3/2006	Sketo	
7,234,402	B2	6/2007	Olvey et al.	
7,328,833	B1 *	2/2008	Wiley	229/117.05
7,426,890	B2	9/2008	Olvey	
D623,821	S *	9/2010	Grainger	D34/38
7,980,184	B2	7/2011	Olvey	
8,365,677	B2	2/2013	Olvey	
8,479,666	B2	7/2013	Olvey	
2001/0025589	A1	10/2001	Moberg	
2002/0069796	A1	6/2002	Olvey et al.	

2005/0098067	A1 *	5/2005	Sketo	108/51.3
2005/0247240	A1	11/2005	Nelson	
2007/0068426	A1 *	3/2007	Teags et al.	108/51.3
2008/0223262	A1 *	9/2008	Chew et al.	108/53.3
2011/0245059	A1	10/2011	Olvey et al.	
2012/0312200	A1	12/2012	Monteith	
2013/0180437	A1	7/2013	Wilcox et al.	

FOREIGN PATENT DOCUMENTS

WO	2006094268	A2	9/2006
WO	2006094311	A3	9/2006
WO	2014003823	A1	1/2014
WO	2014004742	A1	1/2014

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6



FIG. 7