



US00D746568S

(12) **United States Design Patent**
Piontkowski

(10) **Patent No.:** **US D746,568 S**
(45) **Date of Patent:** **** Jan. 5, 2016**

- (54) **INSOLE PADS**
- (71) Applicant: **Sharone Piontkowski**, New York, NY
(US)
- (72) Inventor: **Sharone Piontkowski**, New York, NY
(US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/493,264**
- (22) Filed: **Jun. 6, 2014**
- (51) **LOC (10) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/961**
- (58) **Field of Classification Search**
USPC D2/896, 946, 947, 961, 968, 976;
36/83, 88, 89, 91, 92, 93, 25 R, 28, 29,
36/30 R, 30 A, 32 R, 34 R, 35 R, 34 A, 43,
36/44, 145, 153, 155, 71; D24/124, 126,
D24/189
CPC A43B 7/14; A43B 7/1405; A43B 7/141;
A43B 7/1415; A43B 7/142; A43B 7/1425;
A43B 7/143; A43B 7/1435; A43B 7/144;
A43B 7/145; A43B 7/1455; A43B 7/146;
A43B 7/1465; A43B 7/1475; A43B 7/148;
A43B 7/1485; A43B 7/149; A43B 7/28;
A43B 7/30; A43B 7/32; A43B 13/00; A43B
13/02; A43B 13/04; A43B 13/14; A43B
13/141; A43B 13/40; A43B 13/38; A43B
9/00; A43B 9/125; A43B 17/00; A43B
17/003; A43B 17/006; A43B 17/03; A43B
17/02; A43B 17/14; A43B 5/0405; A43B
5/0407; A43B 17/026; A43B 21/32
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,268,777 A * 1/1942 Scholl A61F 13/02
128/894

2,904,814 A * 9/1959 Scholl A45D 33/34
15/244.1

(Continued)

OTHER PUBLICATIONS

Polyvore.com, Invisasock Shoe Liner-Black, http://www.polyvore.com/invisasock_shoe_liner_black/.thing?id=435 . . . , Printed Sep. 4, 2012, date of publication unknown, 2 pages.

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Brad M. Behar & Associates, PLLC


(57) **CLAIM**

The ornamental design for insole pads, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of insole pads showing my new design;
 FIG. 2 is a top view thereof;
 FIG. 3 is a bottom view thereof;
 FIG. 4 is a left side view thereof;
 FIG. 5 is a cross sectional view taken along line 5-5 in FIG. 2;
 FIG. 6 is a right side view thereof;
 FIG. 7 is a front view thereof;
 FIG. 8 is a cross sectional view taken along line 8-8 in FIG. 2;
 FIG. 9 is a cross sectional view taken along line 9-9 in FIG. 2;
 FIG. 10 is a back side view thereof;
 FIG. 11 is a front perspective view thereof, shown in a used condition on a foot in broken lines;
 FIG. 12 is a bottom view of FIG. 11;
 FIG. 13 is a left side view of FIG. 11;
 FIG. 14 is a right side view of FIG. 11;
 FIG. 15 is a front view of FIG. 11; and,
 FIG. 16 is a back side view of FIG. 11.
 The broken lines shown in the drawings form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D300,084 S * 3/1989 Ito D2/961
 D300,085 S * 3/1989 Ito D2/961
 D336,718 S * 6/1993 Schroer, Jr. D2/961
 D396,341 S * 7/1998 Lozano D2/961
 D396,343 S * 7/1998 Foxen D2/961
 5,782,015 A 7/1998 Dananberg
 D397,238 S * 8/1998 Lozano D2/961
 D414,024 S * 9/1999 Kress D2/961
 D446,637 S * 8/2001 Patterson D2/961
 D446,913 S * 8/2001 Holden D2/896
 D455,002 S * 4/2002 Holden D2/896
 D476,798 S * 7/2003 Reynolds D2/946
 D496,466 S * 9/2004 Slautterback D2/952
 6,883,253 B2 * 4/2005 Smith A43B 7/141
 36/28
 D531,790 S * 11/2006 Wurzburg D2/961
 D570,488 S * 6/2008 Kirksey D24/189
 7,614,163 B2 * 11/2009 Fujii A43B 7/08
 36/28
 D612,139 S * 3/2010 Ford D2/946
 D663,931 S * 7/2012 Allen D2/961
 D664,755 S * 8/2012 Gavrieli D2/962
 D674,587 S * 1/2013 Grainger D2/961
 D718,027 S * 11/2014 Mungo D2/961
 D736,511 S * 8/2015 Mungo D2/961
 2005/0120463 A1 6/2005 Cacioppo
 2006/0086005 A1 * 4/2006 Yerian A43B 1/0027
 36/71
 2007/0224356 A1 * 9/2007 Leonard A43B 1/0072
 427/387
 2007/0294920 A1 12/2007 Baychar
 2008/0069848 A1 3/2008 Peters
 2008/0229482 A1 9/2008 Millet
 2008/0229612 A1 9/2008 Sommer et al.
 2010/0005566 A1 1/2010 Gabe

2010/0050322 A1 3/2010 Zagula
 2010/0050469 A1 3/2010 Chen
 2011/0000106 A1 1/2011 Baychar

OTHER PUBLICATIONS

Chueng, Jason Tak-Man, et al., A 3-Dimensional Finite Element Analysis of the Human Foot and Ankle for Insole Design, Arch Phys Med Rehabil, Feb. 2005, pp. 353-358, vol. 36,—6 pages.
 Lawrence A. Lavery et al., Wear and Biomechanical Characteristics of a Novel Shear-Reducing Insole with Implications for High-Risk Persons with Diabetes, Diabetes Technology & Therapeutics, 2005, pp. 638-646, vol. 7-4,—9 pages.
 Charlie Sorrel, 'Foot Stickers': The Most Minimal Sneakers Around, www.wired.com/gadgetlab/2010/12/foot-stickers-the-most-minimal-sneakers-around/, print date unknown, date of publication unknown, 3 pages.
 Wei-Hsien Hong, Ph.D. et al., Influence of Heel Height and Shoe Insert on Comfort Perception and Biomechanical Performance of Young Female Adults During Walking, Foot & Ankle International, Dec. 2005, pp. 1042-1048, vol. 26-12, 7 pages.
 John A. Jenney, M.D., et al., Sock Inner Sole, The American Journal of Surgery, Jul. 1969, pp. 83-85, vol. 118, 3 pages.
 A.B. Putt MCh et al., Foot pressure differences in men and women, Foot and Ankle Surgery, 2010, pp. 21-24, vol. 16, Elsevier Ltd., 4 pages.
 Bowman, Gerald D., New Concepts in the Orthotic Management of the Adult Hyperpronated Foot: Preliminary Findings, J Prosthetics and Orthotics, 1997, vol. 9, Num 2, p. 77, www.oandp.org/jpo/library/printArticle.asp?printArticleId=1997_02_077, print date unknown; 6 pages.
 Lee, Yung-Hui, et al., Effects of Shoe Inserts and Heel Height on Foot Pressure, Impact Force, and Perceived Comfort During Walking, Applied Ergonomics, 2005, pp. 355-362, vol. 36, Elsevier Ltd., 8 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15




FIG. 16