



US00D746642S

(12) **United States Design Patent**  
**Rolfes**

(10) **Patent No.:** **US D746,642 S**  
(45) **Date of Patent:** **\*\* Jan. 5, 2016**

- (54) **ILLUMINATED COOLER RECEPTACLE**
- (71) Applicant: **Thomas Rolfes**, Baldwin, MO (US)
- (72) Inventor: **Thomas Rolfes**, Baldwin, MO (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/512,270**
- (22) Filed: **Dec. 17, 2014**

**Related U.S. Application Data**

- (63) Continuation-in-part of application No. 13/924,058, filed on Jun. 21, 2013, now abandoned.
- (51) **LOC (10) Cl.** ..... **07-01**
- (52) **U.S. Cl.**  
USPC ..... **D7/605**
- (58) **Field of Classification Search**  
USPC ..... D7/603–607, 629, 630, 602; 220/915.1, 220/915.2, 592.09, 592.01, 592.12, 592.17, 220/592.19, 592.16, 592.27; 62/457.1–457.9, 371, 372, 264; 362/92, 101, 154, 94  
CPC ..... A45C 11/20; A45C 9/00; F25D 3/08; F25D 2400/08; F25D 31/005; F25D 27/00; B62B 3/003  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 2,644,882 A \* 7/1953 Voda ..... 362/94
- 4,024,731 A \* 5/1977 Branscum ..... 62/457.2
- 4,577,262 A \* 3/1986 Buteaux ..... 362/155
- 5,219,446 A \* 6/1993 Klepac ..... 362/154
- 6,182,462 B1 \* 2/2001 Bania et al. .... 62/264
- 6,966,450 B2 \* 11/2005 Askew ..... 220/529

- D560,102 S \* 1/2008 Sumter ..... D7/605
- D634,982 S \* 3/2011 Melchert et al. .... D7/605
- D652,262 S \* 1/2012 Yang et al. .... D7/605
- 2006/0144077 A1 \* 7/2006 Morris ..... 62/459
- 2006/0279947 A1 \* 12/2006 Henley et al. .... 362/154
- 2008/0245793 A1 \* 10/2008 Hanson et al. .... 220/263
- 2013/0112694 A1 \* 5/2013 Bentley ..... 220/592.2

\* cited by examiner

*Primary Examiner* — Terry Wallace

(57) **CLAIM**

The ornamental design for an illuminated cooler receptacle, as shown.

**DESCRIPTION**

FIG. 1 illustrates a front view prospective of an illuminated cooler receptacle in a closed position in accordance with the present invention.

FIG. 2 illustrates a front view of an illuminated cooler receptacle in a closed position in accordance with the present invention.

FIG. 3 illustrates a rear view of an illuminated cooler receptacle in a closed position in accordance with the present invention.


FIG. 4 illustrates a first side view of an illuminated cooler receptacle in a closed position in accordance with the present invention.

FIG. 5 illustrates a top view of an illuminated cooler receptacle in a closed position in accordance with the present invention.

FIG. 6 illustrates a front prospective view of an illuminated cooler receptacle in an open position in accordance with the present invention; and,

FIG. 7 illustrates a rear prospective view of an illuminated cooler receptacle in an open position with the lid removed in accordance with the present invention.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7