



US00D746748S

(12) **United States Design Patent**  
**Miansian**

(10) **Patent No.:** **US D746,748 S**

(45) **Date of Patent:** **\*\* Jan. 5, 2016**

(54) **WHEEL WITH SPOKE DESIGN**

(71) Applicant: **James K. Miansian**, Lake Forest, CA  
(US)

(72) Inventor: **James K. Miansian**, Lake Forest, CA  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/457,193**

(22) Filed: **Jun. 7, 2013**

(51) **LOC (10) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/205**

(58) **Field of Classification Search**

USPC ..... D12/204–213; D21/333, 563  
CPC ..... B60B 7/00; B60B 7/02; B60B 7/04;  
B60B 7/01; B60B 7/06; B60B 3/02; B60B  
3/04; B60B 3/06; B60B 3/10; B60B 1/00;  
B60B 1/08; B60B 1/10; B60B 1/12

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D236,107 S	*	7/1975	Scott	.....	D12/211
D301,864 S	*	6/1989	Hempelmann	.....	D12/205
D387,027 S	*	12/1997	Bradley	.....	D12/205
D429,777 S	*	8/2000	Shearer	.....	D21/563
D460,035 S	*	7/2002	Wiesinger	.....	D12/211
D466,951 S	*	12/2002	Hang	.....	D21/333
D578,052 S	*	10/2008	McMath	.....	D12/205
D609,153 S	*	2/2010	Wakim	.....	D12/205

\* cited by examiner

*Primary Examiner* — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Eric Karich; Karich & Associates

(57) **CLAIM**

The ornamental design for a “wheel with spoke design,” as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a wheel with spoke design, showing my new design, illustrating a wheel having a pair of decorative outer support structures and a decorative inner structure positioned between the decorative outer support structures;

FIG. 2 is a front elevational view thereof, illustrating the decorative inner structure locked in a position behind one of the decorative outer support structures;

FIG. 3 is a perspective view of one of the decorative outer support structures, the outer support structure being shown apart from the entire wheel for ease of illustration;

FIG. 4 is a perspective view of the decorative inner structure, the decorative inner structure being shown apart from the entire wheel for ease of illustration;

FIG. 5 is a left side elevational view of FIG. 1, with the right side elevational view, the top plan view, and the bottom plan view being mirror images thereof;

FIG. 6 is a rear elevational view of FIG. 1;



FIG. 7 is a front perspective view of the wheel, illustrating the decorative inner structure locked in a first position with respect to the decorative outer support structures;


FIG. 8 is a front elevational view of the wheel, illustrating the decorative inner structure locked in a second position with respect to the decorative outer support structures;

FIG. 9 is a front elevational view of the wheel, illustrating the decorative inner structure locked in a third position with respect to the decorative outer support structures; and,


FIG. 10 is a front elevational view of the wheel, illustrating the decorative inner structure locked in a fourth position with respect to the decorative outer support structures.

**1 Claim, 10 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*




*Fig. 6*




*Fig. 7*






*Fig. 8*



*Fig. 9*



*Fig. 10*