



US00D746914S

(12) **United States Design Patent**
Hart

(10) **Patent No.:** **US D746,914 S**

(45) **Date of Patent:** **** *Jan. 5, 2016**

(54) **CODING MATRIX TOOL**

(71) Applicant: **Optum, Inc.**, Minnetonka, MN (US)

(72) Inventor: **Anita C. Hart**, White Stone, VA (US)

(73) Assignee: **OPTUM, INC.**, Minnetonka, MN (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/511,150**

(22) Filed: **Dec. 8, 2014**

(51) **LOC (10) Cl.** **19-01**

(52) **U.S. Cl.**
USPC **D19/1**

(58) **Field of Classification Search**

USPC D19/1-12, 20-34; 206/449, 232, 495.5, 206/494; 40/124.01-124.15, 672, 776, 726; 229/72, 92, 92.1, 300-303, 87.06, 229/87.08, 87.14; 281/2-5, 16, 22, 51; 705/3; 283/2-3, 115, 900, 74-75, 103, 283/105-106; 428/42.3; D9/703, 707, 709, D9/713, 424, 414, 720, 418, 416; 426/106; 222/92, 107; 383/127, 106-108, 901, 383/200, 203, 207, 210; D20/10, 22, 40, D20/42, 11; D3/303, 203.1
CPC .. B42D 15/022; B42D 15/042; B42D 15/045; B42D 15/027; B42D 25/00; B42D 25/20; B42D 25/23; B42D 25/26; B42D 25/29; B42D 25/30; B42D 25/40; B42D 2033/20; B42D 2033/30; B42D 2033/02; B42D 2033/04; B42D 2033/08; B42D 2033/10; B42D 2033/16; B42D 2033/18; B42D 2033/28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D400,919 S 11/1998 Pickel
D414,574 S 9/1999 Chen

(Continued)

Primary Examiner — Caron D Veynar

Assistant Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Dorsey & Whitney LLP

(57) **CLAIM**

The ornamental design for a coding matrix tool, as shown and described.

DESCRIPTION

A portion of the disclosure of this patent document contains material to which a claim for copyright is made. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office patent file or records, but reserves all other copyright rights whatsoever.

FIG. 1 is a first perspective view of a coding matrix tool in unfolded configuration showing my new design;

FIG. 2 is a second perspective view thereof;

FIG. 3 is an elevation view of a first matrix sheet or panel thereof;

FIG. 4 is an elevation view of a second matrix sheet or panel thereof;

FIG. 5 is an elevation view of a third matrix sheet or panel thereof;

FIG. 6 is an elevation view of a fourth matrix sheet or panel thereof;

FIG. 7 is an elevation view of a fifth matrix sheet or panel thereof;

FIG. 8 is an elevation view of a sixth matrix sheet or panel thereof;

FIG. 9 is an elevation view of a seventh matrix sheet or panel thereof;


FIG. 10 is an elevation view of an eighth matrix sheet or panel thereof;

FIG. 11 is an elevation view of a ninth matrix sheet or panel thereof; and,

FIG. 12 is an elevation view of a tenth matrix sheet or panel thereof.

The broken lines in the figures represent portions of the coding matrix tool which are not part of the claimed design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D432,570 S 10/2000 Donaldson
D555,724 S 11/2007 Brodie
D600,746 S 9/2009 Kudimi
D602,167 S 10/2009 Coyne, III et al.

D650,009 S 12/2011 Tetrault
D662,976 S 7/2012 Tetrault
D664,195 S 7/2012 Rosenthal et al.
D677,329 S 3/2013 Rosenthal et al.
D686,660 S 7/2013 Wang
D687,486 S * 8/2013 Worthington et al. D19/1
D719,213 S 12/2014 Hart
* cited by examiner




FIG. 1




FIG. 2

ICD-10-CM											
Family Practice											
ANEMIA											
	Congenital	Acute	Chronic	Iron deficiency	Other	Unspecified					
Aplastic	D51.00	D51.1	D51.2	D51.3	D51.80	D51.9					
	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	
Deficiency	D52.0	D52.1	D52.2	D52.3	D52.4	D52.5	D52.6	D52.7	D52.8	D52.9	
	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	
Due to	D53	D54	D55	D56	D57	D58	D59	D60	D61	D62	
	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	
Other	D63	D64	D65	D66	D67	D68	D69	D70	D71	D72	
	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	Iron deficiency	
Note: For code D63.1, code first the underlying chronic kidney disease, such as CKD (stage 5 N18.5) or ESRD (N18.6). For code D63.2, code first the hemiparesis (I60-I69)—see code book for complete code selection.											
ANOMALIES, CONGENITAL											
	Bilateral lip	Hard palate	Hard or soft palate	Soft lip	Soft palate	Unilateral lip	Other	Unspecified			
Cleft palate/lip											
Lip only	Q36.0	---	---	---	---	---	---	---	---	---	
Palate only	---	Q37.1	---	---	---	---	---	---	---	---	
Palate w/ lip	---	---	---	---	---	---	---	---	---	---	
w/ Bilateral lip	Q36.0	Q37.1	Q37.2	Q37.3	Q37.4	---	---	---	---	---	
w/ Unilateral lip	Q36.1	Q37.1	Q37.3	Q37.5	Q37.6	---	---	---	---	---	
	Unilateral lip	Hard palate	Hard or soft palate	Soft palate	Unspecified						
Down syndrome	Q90.0	Q90.1	Q90.2	Q90.3	Q90.4						
Ventricular septal defect	Q21.0										
ASTHMA											
	Allergic asthma	Childhood	Intermittent mild	Severe	Non-allergic asthma	Unspecified					
Other	J45.901, J45.9	J45.901, J45.9	J45.901, J45.9	J45.901, J45.9	J45.901, J45.9	J45.901, J45.9					
	Mild	Moderate	Severe								
Persistent	J45.901, J45.9	J45.901, J45.9	J45.901, J45.9								
	Cough variant	Exercise induced bronchospasm	Other								
Unspecified	J45.901	J45.902	J45.903								
With COPD, chronic obstructive bronchitis—see COPD											
1st or 2nd character meanings as indicated: 1=atypical, 2=status asthmaticus, 3=atypical, unspecified											
BEHAVIORAL DISORDERS											
	Anxiety disorder	Anxiety disorder	Generalized	Other	Other	Other	Unspecified				
Anxiety	F41.0	F41.1	F41.2	F41.3	F41.4	F41.5	F41.9				
	Generalized type	Other type	Other type	Other							
Attention deficit	F90.0	F90.1	F90.2	F90.3	F90.4						
	Hyperactive/impulsive	Inattentive	Combined	Other	Unspecified						
Develop, pervasive	F84.0	F84.1	F84.2	F84.3	F84.4	F84.5	F84.6	F84.7	F84.8	F84.9	
	Autistic disorder	Asperger's disorder	Other	Other	Other	Other	Other	Other	Other	Other	
Eating d/o	F63.0	F63.1	F63.2	F63.3	F63.4	F63.5	F63.6	F63.7	F63.8	F63.9	
Stress reaction, acute	F43.0	---	---	---	---	---	---	---	---	---	

FIG. 3

BODY MASS INDEX (BMI)											
	19 or <	20.0-20.9	21.0-21.9	22.0-22.9	23.0-23.9	24.0-24.9	25.0-25.9	26.0-26.9	27.0-27.9	28.0-28.9	29.0-29.9
Adult < 30	Z61.1	Z61.20	Z61.21	Z61.22	Z61.23	Z61.24	Z61.25	Z61.26	Z61.27	Z61.28	Z61.29
30-39	Z61.30	Z61.31	Z61.32	Z61.33	Z61.34	Z61.35	Z61.36	Z61.37	Z61.38	Z61.39	
40 or >	Z61.40	Z61.41	Z61.42	Z61.43	Z61.44	Z61.45					
	< 5th percentile	5th-8th percentile	8th-15th percentile	15th-25th percentile	25th-50th percentile	50th-75th percentile	75th-85th percentile	85th-95th percentile	95th-98th percentile	98th-99th percentile	99th-100th percentile
Pediatric ages 2-20	Z62.1	Z62.2	Z62.3	Z62.4	Z62.5	Z62.6	Z62.7	Z62.8	Z62.9	Z62.0	Z62.1

BRONCHITIS										
	Controllable	Recurrent	Rel. acute	Non-specific	Parasitic	Respiratory	RTT	Respiratory	Other	Unsp.
Acute, subacute										
By specific organism	J20.3	J20.7	J20.1	J20.8	J20.4	J20.6	J20.5	J20.2	J20.8	J20.9
	Escherichia	Mixed	Non-specific	Non-specific	Parasitic	Parasitic	Respiratory	Respiratory	Other	Unsp.
Chronic	J44.0	J41.8	J41.1	J41.0	J44.0	J41.1	J41.0	J41.0	J41.0	J41.0
	Diffuse	Fibrinous	Recurrent	Infective	Non-specific					
Not spec. as acute or chr.	J40	J40	J40	J40	J40					
Asthmatic—see ASTHMA, or COPD/obstructive—see COPD, or influenza—see INFLUENZA										

BURN										
	Acute	Chronic	Finger, multiple	Finger, single	Forearm	Hand, back of				
Upper limb										
1st degree	T22.1A1.2.9(A,D,S)	T22.1A1.2.9(A,D,S)	T22.1A1.2.9(A,D,S)	T22.1A1.2.9(A,D,S)	T22.1A1.2.9(A,D,S)	T22.1A1.2.9(A,D,S)				
2nd degree	T22.2A1.2.9(A,D,S)	T22.2A1.2.9(A,D,S)	T22.2A1.2.9(A,D,S)	T22.2A1.2.9(A,D,S)	T22.2A1.2.9(A,D,S)	T22.2A1.2.9(A,D,S)				
	Hand, palm	Hand, wrist	Hand, wrist	Scapular	Shoulder	Throat, oral				
1st degree	T22.1A1.2.9(A,D,S)	T22.1A1.2.9(A,D,S)	T22.1A1.2.9(A,D,S)	T22.1A1.2.9(A,D,S)	T22.1A1.2.9(A,D,S)	T22.1A1.2.9(A,D,S)				
2nd degree	T22.2A1.2.9(A,D,S)	T22.2A1.2.9(A,D,S)	T22.2A1.2.9(A,D,S)	T22.2A1.2.9(A,D,S)	T22.2A1.2.9(A,D,S)	T22.2A1.2.9(A,D,S)				
	Acute		Chronic							
Lower limb										
1st degree	T25.1A1.2.9(A,D,S)		T25.1A1.2.9(A,D,S)	T24.1A1.2.9(A,D,S)	T24.1A1.2.9(A,D,S)	T24.1A1.2.9(A,D,S)				
2nd degree	T25.2A1.2.9(A,D,S)		T25.2A1.2.9(A,D,S)	T24.2A1.2.9(A,D,S)	T24.2A1.2.9(A,D,S)	T24.2A1.2.9(A,D,S)				
	Plantar surface, ankle/foot		Plantar surface, ankle/foot	Thigh		Thigh				
1st degree	T25.1A1.2.9(A,D,S)		T25.1A1.2.9(A,D,S)	T24.1A1.2.9(A,D,S)		T25.1A1.2.9(A,D,S)				
2nd degree	T25.2A1.2.9(A,D,S)		T25.2A1.2.9(A,D,S)	T24.2A1.2.9(A,D,S)		T25.2A1.2.9(A,D,S)				
8th character meanings as indicated: 1 right, 2 left, 9 unspecified										
7th character meanings as indicated: A initial encounter, B subsequent encounter, S unspecified										

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE)			
Decompensated	or Acute exacerbation	or Acute lower respiratory infect.	Unspecified
J44.1	J44.1	J44.0	J44.0

Note: For code J44.0, code also the identified infection—see CHD-ASE, INFLUENZA, or Organism.

COLITIS/ENTERITIS/GASTROENTERITIS							
	Acute onset	Allergic/food	Chronic onset	C. difficile	Enterocolitis		
Non-infective	K52.0	K52.2	K52.0	A04.7	K52.02		
	Hemorrhagic	Infectious onset	Non-infective	Shigellosis	Other specified	Unspecified	
	K52.0	A09	K52.0	A04.1	K52.89	K52.0	
	or Abscess	or Toxic	or Obstructive	or Hemorrhagic	or unspecified	Other enteric	Unsp. enteric
Ulcerative							
Other	K51.814	K51.813	K51.812	K51.811	K51.80	K51.818	K51.819
	Chronic	or Abscess	or Toxic	or Obstructive	or Hemorrhagic	or Unsp.	Other enteric
Unspecified	K51.80	K51.814	K51.813	K51.812	K51.811	K51.80	K51.818

Note: Use additional code to identify manifestation, such as pyoderma gangrenosum (L86).

FIG. 4

CONJUNCTIVITIS							
	Acute	Chronic	Other	Unspecified	Other	Unspecified	Other
Acute	H10.10-12.9	H10.20-12.9	H10.30-12.9	H10.40-12.9	H10.50-12.9	H10.60-12.9	H10.70-12.9
Chronic	H10.40	H10.40-12.9	H10.41-12.9	H10.42-12.9	H10.43	H10.44	H10.45-12.9
Other	Other	Other	Other	Other	Other	Other	Other
Unspecified	H10.10-12.9	H10.20-12.9	H10.30-12.9	H10.40-12.9	H10.50-12.9	H10.60-12.9	H10.70-12.9
5th or 6th character meanings as indicated: 1 right, 2 left, 3 bilateral, 4 or 9 unspecified							

CONSTIPATION				
	Constipation	Other	Unspecified	Other
Constipation	K59.0	K59.1	K59.2	K59.9
Other	Other	Other	Other	Other
Unspecified	K59.0	K59.1	K59.2	K59.9

CONTUSION						
	Head	Face	Trunk	Upper extremity	Lower extremity	Unspecified
Head	S80.00-12.9	S80.01-12.9	S80.02-12.9	S80.03-12.9	S80.04-12.9	S80.05-12.9
Face	S80.10-12.9	S80.11-12.9	S80.12-12.9	S80.13-12.9	S80.14-12.9	S80.15-12.9
Trunk	S80.20-12.9	S80.21-12.9	S80.22-12.9	S80.23-12.9	S80.24-12.9	S80.25-12.9
Upper extremity	S80.30-12.9	S80.31-12.9	S80.32-12.9	S80.33-12.9	S80.34-12.9	S80.35-12.9
Lower extremity	S80.40-12.9	S80.41-12.9	S80.42-12.9	S80.43-12.9	S80.44-12.9	S80.45-12.9
Unspecified	S80.00-12.9	S80.10-12.9	S80.20-12.9	S80.30-12.9	S80.40-12.9	S80.50-12.9
5th and 6th character meanings as indicated: 1 right, 2 left, 3 bilateral, 4 or 9 unspecified						

CONVULSIONS/SEIZURES (NONEPILEPTIC)				DEMENTIA		
	Partial	General	Unspecified	Alzheimer's	Presenile	Other
Partial	R54.0	R54.1	R54.2	G20	F02.00	F02.90
General	R54.3	R54.4	R54.5	G20	F02.01	F02.91
Unspecified	R54.0	R54.1	R54.2	G20	F02.00	F02.90

DERMATITIS										
	Allergic	Irritant	Subacute	Diaper	Other	Unspecified	Other	Unspecified	Other	Unspecified
Allergic	L23.0	L23.1	L23.2	L23.3	L23.4	L23.5	L23.6	L23.7	L23.8	L23.9
Irritant	L24.0	L24.1	L24.2	L24.3	L24.4	L24.5	L24.6	L24.7	L24.8	L24.9
Subacute	L25.0	L25.1	L25.2	L25.3	L25.4	L25.5	L25.6	L25.7	L25.8	L25.9
Diaper	L26.0	L26.1	L26.2	L26.3	L26.4	L26.5	L26.6	L26.7	L26.8	L26.9
Other	L27.0	L27.1	L27.2	L27.3	L27.4	L27.5	L27.6	L27.7	L27.8	L27.9
Unspecified	L23.0	L23.1	L23.2	L23.3	L23.4	L23.5	L23.6	L23.7	L23.8	L23.9

DIABETES						
	Type 1	Type 2	Other	Unspecified	Other	Unspecified
Type 1	E10.0	E10.1	E10.2	E10.3	E10.4	E10.5
Type 2	E11.0	E11.1	E11.2	E11.3	E11.4	E11.5
Other	E10.0	E10.1	E10.2	E10.3	E10.4	E10.5
Unspecified	E10.0	E10.1	E10.2	E10.3	E10.4	E10.5

DIARRHEA										
	Bacterial	Chemical	Other	Unspecified	Other	Unspecified	Other	Unspecified	Other	Unspecified
Bacterial	K59.0	K59.1	K59.2	K59.3	K59.4	K59.5	K59.6	K59.7	K59.8	K59.9
Chemical	K59.10	K59.11	K59.12	K59.13	K59.14	K59.15	K59.16	K59.17	K59.18	K59.19
Other	K59.20	K59.21	K59.22	K59.23	K59.24	K59.25	K59.26	K59.27	K59.28	K59.29
Unspecified	K59.0	K59.1	K59.2	K59.3	K59.4	K59.5	K59.6	K59.7	K59.8	K59.9

DISEASE, INFECTIOUS						
	Chicken pox	Other	Unspecified	Other	Unspecified	Other
Chicken pox	B01.1	B01.2	B01.3	B01.4	B01.5	B01.6
Other	B01.7	B01.8	B01.9	B01.0	B01.1	B01.2
Unspecified	B01.1	B01.2	B01.3	B01.4	B01.5	B01.6

(Continued on next page)

FIG. 5

DISEASE, INFECTIOUS (Continued)								
	Head							
Cold (common)	J00							
Croup	J05.0							
Fifth disease	B08.7							
	Breakouts	Rashes	Folliculitis	Rosacea	Herpesive	Other		
Impetigo	L01.02	L01.03	L01.02	L01.01	L01.02	L01.09		
	or Encephalitis	or Toxic conjunct	or Keratitis	or Meningitis	or Otitis	or Pharyngitis	or Conjunct	or Other conjunct
Measles	B05.0	B05.4	B05.01	B05.1	B05.1	B05.2	B05.3	B05.19
	or Strep pneumoniae		Meningitis	Other bacterial	Pneumococcal	Unspecified		
Meningitis	G60.2, I95.3		I90.0	I90.0	I90.1	I90.9		
Molluscum contagiosum	B08.1							
	or Meningitis	or Postherpetic	or Other conjunct	or Conjunct				
Mononucleosis, unsp	B27.02	B27.01	B27.02	B27.03				
	or Antibiotic	or Encephalitis	or Meningitis	or Pharyngitis	or Rubella	or Toxic conjunct	or Conjunct	
Mumps	B26.00	B26.3	B26.1	B26.02	B26.00	B26.0	B26.09	B26.9
	B. tuberculosis	B. pneumoniae	MSSA	Strep A	Strep B	S. pneumoniae		
S/I Organism, bacteria	I96.3	B96.0	B96.02	B96.01	B96.0	B96.1	B96.3	
	Staphylococcus	Streptococcus	Staphylococcus	Strep	Strep			
S/I Organism, virus	B97.0	B97.11	B97.09	B97.4	E97.21			
	or Antibiotic	or Encephalitis	or Meningitis	or Pharyngitis	or Other conjunct	or Conjunct		
Plumbeum (Enterobacter)	I90							
Rubella	B06.02	B06.01	B06.02	B06.01	B06.00	B06.9		
	or Meningitis	or Other conjunct	or Conjunct					
Scarlet fever	A30.1	A31.0	A31.0	A31.9				
Strep throat	B27.0							
	or B. pertussis or pneumoniae		or B. pertussis or pneumoniae		Other virus	Other virus pneumoniae	Strep virus pneumoniae	Strep virus pneumoniae
Whooping cough	A37.01		A37.00		A37.01	A37.00	A37.01	A37.00

DISORDERS, JOINT								
	Acute	Chronic	Foot	Hand/Wrist	Hip	Knee	Shoulder	Other
Joints								
Ankylosis	M24.07(1,2,3)	M24.02(1,2,3)	M24.07(4,5,6)	M24.04(1,2,3)	M24.03(1,2,3)	M24.06(1,2,3)	M24.01(1,2,3)	M24.01(1,2,3)
Art cart, other	M24.17(1,2)	M24.12(1,2,3)	M24.17(4,5,6)	M24.14(1,2,3)	M24.13(1,2,3)	M24.16(1,2,3)	M24.11(1,2,3)	M24.11(1,2,3)
Contracture	M24.57(1,2)	M24.52(1,2,3)	M24.57(4,5,6)	M24.54(1,2,3)	M24.53(1,2,3)	M24.56(1,2,3)	M24.51(1,2,3)	M24.51(1,2,3)
Effusion	M25.47(1,2)	M25.42(1,2,3)	M25.47(4,5,6)	M25.44(1,2,3)	M25.43(1,2,3)	M25.46(1,2,3)	M25.41(1,2,3)	M25.41(1,2,3)
Fistula	M25.17(1,2)	M25.12(1,2,3)	M25.17(4,5,6)	M25.14(1,2,3)	M25.13(1,2,3)	M25.16(1,2,3)	M25.11(1,2,3)	M25.11(1,2,3)
Flail joint	M25.27(1,2,3)	M25.22(1,2,3)	M25.27(4,5,6)	M25.24(1,2,3)	M25.23(1,2,3)	---	M25.21(1,2,3)	M25.21(1,2,3)
Hemarthrosis	M25.07(1,2)	M25.02(1,2,3)	M25.07(4,5,6)	M25.04(1,2,3)	M25.03(1,2,3)	M25.06(1,2,3)	M25.01(1,2,3)	M25.01(1,2,3)
Instability, other	M25.37(1,2)	M25.32(1,2,3)	M25.37(4,5,6)	M25.34(1,2,3)	M25.33(1,2,3)	M25.36(1,2,3)	M25.31(1,2,3)	M25.31(1,2,3)
Loose body, except knee	M24.07(1,2)	M24.02(1,2,3)	M24.07(4,5,6)	M24.04(1,2,3)	M24.03(1,2,3)	---	M24.01(1,2,3)	M24.01(1,2,3)
Osteophyte	M25.77(1,2)	M25.72(1,2,3)	M25.77(4,5,6)	M25.74(1,2,3)	M25.73(1,2,3)	M25.76(1,2,3)	M25.71(1,2,3)	M25.71(1,2,3)
Other	M24.87(1,2)	M24.82(1,2,3)	M24.87(4,5,6)	M24.84(1,2,3)	M24.83(1,2,3)	---	M24.81(1,2,3)	M24.81(1,2,3)
Pain	M25.57(1,2,3)	M25.52(1,2,3)	M25.57(4,5,6)	M25.54(1,2,3)	M25.53(1,2,3)	M25.56(1,2,3)	M25.51(1,2,3)	M25.51(1,2,3)
Path dislocation	M24.17(1,2)	M24.12(1,2,3)	M24.17(4,5,6)	M24.14(1,2,3)	M24.13(1,2,3)	M24.16(1,2,3)	M24.11(1,2,3)	M24.11(1,2,3)
Recurrent dislocation	M24.47(1,2)	M24.42(1,2,3)	M24.47(4,5,6)	M24.44(1,2,3)	M24.43(1,2,3)	M24.46(1,2,3)	M24.41(1,2,3)	M24.41(1,2,3)
Stiffness	M25.67(1,2)	M25.62(1,2,3)	M25.67(4,5,6)	M25.64(1,2,3)	M25.63(1,2,3)	M25.66(1,2,3)	M25.61(1,2,3)	M25.61(1,2,3)
OTH character missing as indicated: 1 or 4 digit, 2 or 3 digit, 3, 4 or 5, unspecified								

ENTERITIS								
	or Abdom	or Fetus	or Female genital	or Fossil blood	or Compaction	OTH unspecified	Other unspecified	Other unspecified
Regional (Ehrh's)								
Large and small intestine	K58.014	K58.013	K58.012	K58.011	K58.00	K58.01R	K58.019	
Large intestine	K58.114	K58.113	K58.112	K58.111	K58.10	K58.11R	K58.119	
Small intestine	K58.014	K58.013	K58.012	K58.011	K58.00	K58.01R	K58.019	
Unspecified	K58.914	K58.913	K58.912	K58.911	K58.90	K58.91R	K58.919	
Note: Use additional code to identify manifestations, such as pyoderma gangrenosum (L88).								

FIG. 6

ESOPHAGITIS										
Acute	Chronic	Acute w/ bleed	Eosinophilic	Reflex	Stress	Stress w/ bleed	Other	Unspecified		
K21.9	K21.9	K21.8	K20.0	K21.0	K22.16	K22.11	K20.8	K20.9		
FEEDING PROBLEMS, NEWBORN										
Refusal to suck	Diff at breast	Fail to thrive	Diff cooiting	Overfeeding	Regurg & vomiting	Slow feeding	Underfeeding	Other	Unspecified	
P92.01	P92.5	P92.6	P92.09	P92.4	P92.1	P92.2	P92.3	P92.8	P92.9	
Note: Excludes feeding problems in children over 28 days old (P63.3)										
FOREIGN BODY IN										
	Ear	Eye conjunctiva	Eye cornea	Nose						
	T16.22(A,D,S)	T15.18.1.2(A,D,S)	T15.08.1.2(A,D,S)	T17.10(A,D,S)						
	4th or 5th character meanings as indicated: 1 right 2 left 8 or 9 unspecified									
	Food	Gastro contents	Other foreign body	Superficial	Unspecified					
Esophagus	T18.120.8(A,D,S)	T18.118.8(A,D,S)	T18.198.8(A,D,S)	S18.15(A,D,S)	T18.188.8(A,D,S)					
Larynx	T17.338.8(A,D,S)	T17.318.8(A,D,S)	T17.398.8(A,D,S)	S18.15(A,D,S)	T17.388.8(A,D,S)					
Pharynx	T17.228.8(A,D,S)	T17.218.8(A,D,S)	T17.298.8(A,D,S)	S18.15(A,D,S)	T17.288.8(A,D,S)					
Trachea	T17.428.8(A,D,S)	T17.418.8(A,D,S)	T17.498.8(A,D,S)	S18.15(A,D,S)	T17.488.8(A,D,S)					
	8th character meanings as indicated: 8 causing asphyxiation 8 causing other injury									
	2th character meanings as indicated: A initial encounter D subsequent encounter S sequelae									
GASTRITIS										
	Atrophic	Bile refluxed	Chronic	Superficial	Unspecified					
Chronic, w/o bleed	K29.40	K29.38	K29.08	K29.39	K29.58					
w/ bleed	K29.41	K29.31	K29.51	K29.31	K29.51					
	Acute	Atrophic	Dr. Dietzel	Eosinophilic	Hemorrhagic	Spontaneous	Viral	Other	Unspecified	
Other specified, w/o bleed	K29.08	K29.28	E03.5	K27.81	F54	K29.68	A08.4	K29.08	K29.78	
w/ bleed	K29.01	K29.21	---	---	---	K29.61	---	K29.81	K29.71	
GASTROENTERITIS						GASTRO-ESOPHAGEAL REFLUX DZ (GERD)				
Acute	Allergy/bleed	Chronic	Dr. Dietzel	Dr. Dietzel	Eosinophilic					
K52.9	K52.2	K52.9	K52.1	K52.0	K52.81					
Infectious w/ gastroenteritis	Noninfectious	Viral w/ gastroenteritis	Other	Unspecified						
A09	K52.9	A08.4	K52.89	K52.9						
GASTRO-ESOPHAGEAL REFLUX DZ (GERD)										
w/ Esophagitis					Unspecified					
K21.0					K21.9					
HEADACHE										
	Cluster				Post-traumatic			Tension		
Atergic	Chronic	Episodic	Unspecified	Acute	Chronic	Unspecified	Subacute	Chronic	Episodic	Unspecified
G43.89	G43.82.1.9	G43.81.1.9	G43.80.1.9	G43.31.1.9	G43.32.1.9	G43.38.1.9	G43.48.1	G43.32.1.9	G43.31.1.9	G43.28.1.9
Pre-menstrual--- see MIGRAINE, Menstrual										
5th and 6th character meanings as indicated: 8 or 9 not intractable/unspecified 7 intractable										
HERNIA, INGUINAL										
Congenital, bilateral		Congenital, unilateral		Acquired, bilateral		Acquired, unilateral		Unspecified, bilateral		Unspecified, unilateral
K40.10.1		K40.40.1		K40.80.1		K40.30.1		K40.20.1		K40.90.1
5th character meanings as indicated: 8 not recurrent 7 recurrent										
IMPACTION										
Cornea					Fecal					
H01.210.1.2.3					K56.41					
5th character meanings as indicated: 8 w/imp 7 right 2 left 3 blind										
INFLUENZA										
	Influenza w/ conjunctivitis	Influenza w/ otitis media	Influenza w/ sinusitis	Influenza w/ pneumonia	Influenza w/ bronchitis	Influenza w/ gastroenteritis	Influenza w/ other respiratory tract infection	Influenza w/ unspecified respiratory tract infection	Influenza w/ unspecified respiratory tract infection	
Ident influ virus NEC (H1N1, A/H1N1)	J10.2	J10.01	J10.1	J10.82	J10.89	J10.81	J10.88	J10.88	J10.80	

FIG. 7

INFLUENZA (Continued)									
	Digestive/manifest	Respiratory/manifest	Genitourinary/manifest	Cardiovascular/manifest	Other/manifest	Other/manifest	Other/manifest	Other/manifest	Other/manifest
Ident novel influenza A virus (A/H5N1, avian, bird, swine)	J09.X3	J09.X3	J09.X3	J09.X3	J09.X3	J09.X3	J09.X3	J09.X3	J09.X3
Unidentified/unspecified	J11.2	J11.81	J11.1	J11.82	J11.89	J11.83	J11.86	J11.88	J11.88

INSOMNIA				
Subcategory	Other/manifest	Other/manifest	Other/manifest	Other/manifest
P51.01	P51.01	P51.01	P51.01	P51.01

JAUNDICE, NEONATAL D/T						
Subcategory	Bleeding	Acute/manifest	Chronic/manifest	Other/manifest	Other/manifest	Other/manifest
P59.1	P59.1	P59.1	P59.1	P59.1	P59.1	P59.1
P59.29	P59.29	P59.3	P59.9	P59.5	P59.9	P59.9

METABOLIC DISTURBANCES					
Subcategory	Hypernatremia	Hyperkalemia	Hyperglycemia (non-diabetic)	Hypocalcemia	Hypomagnesemia
E86.0	E86.0	E87.0	E87.0	E87.5	E87.5
E87.2	E87.0	E87.1	E86.1	E86.9	

MIGRAINE													
	Subcategory	w/ Refractory migraines			w/o Refractory migraines			w/ Refractory migraines			w/o Refractory migraines		
		Subcategory	w/ Refractory migraines	w/o Refractory migraines	Subcategory	w/ Refractory migraines	w/o Refractory migraines	Subcategory	w/ Refractory migraines	w/o Refractory migraines	Subcategory	w/ Refractory migraines	w/o Refractory migraines
Abdominal	G43.01	---	---	G43.02	---	---	G43.01	---	---	G43.02	---	---	
Hemiplegic	G43.419	G43.411	G43.419	G43.489	G43.481	G43.489	G43.419	G43.411	G43.419	G43.489	G43.481	G43.489	
Menstrual	G43.819	G43.811	G43.819	G43.819	G43.811	G43.819	G43.819	G43.811	G43.819	G43.819	G43.811	G43.819	
Ophthalmoplegic	G43.91	---	---	G43.99	---	---	G43.91	---	---	G43.91	---	---	
With aura	G43.119	G43.111	G43.119	G43.119	G43.111	G43.119	G43.119	G43.111	G43.119	G43.119	G43.111	G43.119	
Persistent													
w/ Cerebral infarct	G43.619	G43.611	G43.619	G43.689	G43.681	G43.689	G43.619	G43.611	G43.619	G43.689	G43.681	G43.689	
w/o Cerebral infarct	G43.519	G43.511	G43.519	G43.589	G43.581	G43.589	G43.519	G43.511	G43.519	G43.589	G43.581	G43.589	
Without aura	G43.819	G43.811	G43.819	G43.889	G43.881	G43.889	G43.819	G43.811	G43.819	G43.889	G43.881	G43.889	
Chronic	G43.719	G43.711	G43.719	G43.789	G43.781	G43.789	G43.719	G43.711	G43.719	G43.789	G43.781	G43.789	
Unspecified	G43.919	G43.911	G43.919	G43.989	G43.981	G43.989	G43.919	G43.911	G43.919	G43.989	G43.981	G43.989	

MUCOSITIS				
Subcategory	Oral	Other	Other	Unspecified
Oral	K12.31, T45.1X0	K12.33, T44.2	K12.39	K12.39

NAUSEA/VOMITING									
Subcategory	Unspecified	w/ Vomiting	Other	Other	Other	Other	Other	Other	Other
Nausea	R11.0	R11.2							
Vomiting	R11.0	R11.4	P92.01	P92.09	R11.12	R11.13	R11.11	R11.14	R11.14

OBESITY									
Subcategory	Endocrine	Functional	Morbid	Non-morbid	Overweight	Primary	Severe	Unspecified	Unspecified
E66.3	E66.8	E66.8	E66.01	E66.09	E66.3	E23.0	E66.01	E66.9	E66.9

Note: Use an additional code to identify body mass index (BMI) -- see ICD-10

FIG. 8

OTITIS								
External								
Chronic	H60.00-3							
Other	H60.041-3.9							
Unspecified	H60.00-3							
	Nonacute	Acute	Cholesteatoma	Diffuse	Membranous	Malignant	Suppurative ear	Other
Infective	H60.00-3	H60.10-3	H60.40-3	H60.511-3.9	H60.521-3.9	H60.53-3	H60.531-3.9	H60.591-3.9
	Bacterial	Chronic	Conchal	Exostoses	Residual	Other	Unspecified	
Noninfective, acute	H60.511-3.9	H60.521-3.9	H60.531-3.9	H60.541-3.9	H60.551-3.9	H60.591-3.9	H60.591-3.9	
	Bacterial	Allergic	Atrophic	Parosmia	Serous	Squamous	Other	
Middle								
Acute, nonsuppurative	H65.191-3.9							
	Residual	Unspecified						
Support of ear drum rupt	H65.014-7							
with ear drum rupt	H65.024-7							
	Allergic	Exudative	Masses	Perforations	Serous	with Effusion	Other	Unspecified
Chronic, nonsuppurative	H65.411-3.9	H65.491-3.9	H65.50-3	H65.431-3.9	H65.50-3	H65.431-3.9	H65.431-3.9	H65.49-3
	Atrophic	Deaf	Suppurative	Tympanic	Unspecified			
Suppurative	H65.20-3							
	Acute	Chronic	Unspecified					
Unspecified	H65.30-3							
	Acute	Chronic	Unspecified					
5th or 6th character meanings as indicated: 0, 7 or 9 unspecified; 1, ear right; 2, ear left; 3, bilateral								
PAIN								
	Acute	Generalized						
Abdominal	R10.0	R10.69						
	Epigastric	Lower, left	Lower, right	Periumbilical	Upper, left	Upper, right	Upper, lower	Unspecified
Localized	R10.13	R10.12	R10.31	R10.33	R10.12	R10.31	R10.39	R10.10
	Epigastric	Generalized	Lower, left	Lower, right	Periumbilical	Upper, left	Upper, right	Unspecified
Tenderness	R10.21-5	R10.31-7	R10.31-4	R10.31-1	R10.31-5	R10.31-2	R10.31-1	R10.31-7
	Epigastric	Generalized	Lower, left	Lower, right	Periumbilical	Upper, left	Upper, right	Unspecified
Rebound	R10.825	R10.827	R10.824	R10.821	R10.825	R10.822	R10.821	R10.824
	Back, upper	Frontal, lower	Lower, back, upper	Lower, back, lower	Periumbilical	Upper	Upper	Unspecified
Back/underspine	M54.9	M54.2	M54.5	M54.30-1.2	R10.3	M54.30-1.2	M54.6	
5th character meanings as indicated: 0, unspecified; 1, left; 2, left								
PHARYNGITIS								
	Acute, non-ang	Acute, non-ang	Acute, ang	Chronic	Peritonsillar	Pharyngeal	Pharyngeal	Unspecified
Infectious	J02	J02	J02.9	J02.2	J02.9	J02.0	J02.1	J02.9
	Chronic	Chronic	Chronic	Chronic	Chronic	Chronic	Chronic	Chronic
Other	J01.2	J01.2	J01.1	J01.1	J01	J01	J01	J01
With influenza--see INFLUENZA								
PNEUMONIA								
Bacterial, unspecified	Bacterial, unspecified		C, with	Respiratory influenza	Typical	Atypical	Other	Other
J17.0	J18.0	J18.5	J18	J18.2	J18.2	J18.0	J18.1	J18.1
Other	J18.8	J18.8	Peritonsillar	Suppurative	Unspecified	Other	Unspecified	Unspecified
J18.2, J2	J18.2, J1	J18.1	J18.1	J18.1	J18.1	J18.1	J18.1	J18.1
Note: Code first associated influenza if appropriate--see INFLUENZA								
PSORIASIS				REFLUX				
Generalized	Localized	Other	Unspecified	Acid	Esophageal	Esophageal or	Esophageal or	Other
L40.1	L40.0	L40.1	L40.9	K21.0	K21.1	K21.0	K21.0	K21.0
RHINITIS								
Acute	Chronic, simple	Chronic, with	Perennial	Seasonal	Subacute	Unspecified	Unspecified	Unspecified
J31	J31.0	J31	J31	A57.73	A17.0	J31.0	J31.0	J31.0

FIG. 9

RHINITIS (Continued)									
	Allergic	Atrophic	Chronic	Perennial	Seasonal, RSC	RSC	Unspecified		
	138.5	138.1	138.89	138.89	138.2	138.89	138.9		
With asthma—see ASTHMA									
With sore throat—see PHARYNGITIS, Nasopharyngitis									
ROSACEA									
	Acne	Perioral dermatitis	Phlegmon	Other	Unspecified				
	L71.0	L71.8	L71.8	L71.1	L71.8	L71.9			
SALPINGITIS									
	Acute	Chronic	Unspecified						
Eustachian	H68.01(1,2,3,9)	H68.02(1,2,3,9)	H68.00(1,2,3,9)						
8th character meanings as indicated: 1 right, 2 left, 3 bilateral, 9 unspecified									
SCABIES			SEBACEOUS CYST						
	L10		Follicular	Genital/Perineal	Genital/Perineal	Gland	Sore/skin	Skin	
			L72.3	M94.0?	N08.8	L72.3	L72.1	L72.3	
SCOLIOSIS									
	Cervical	Cervicothoracic	Thoracic	Thoracolumbar	Lumbar	Lumbosacral	Sacrocaudal	Sacrocaudal	Unspecified
Idiopathic adolesc	M41.12?	M41.12?	M41.12?	M41.12?	M41.12?	M41.12?	M41.12?	M41.12?	M41.12?
Idiopathic infant	M41.8?	M41.8?	M41.8?	M41.8?	M41.8?	M41.8?	M41.8?	M41.8?	M41.8?
Idiopathic juvenile	M41.11?	M41.11?	M41.11?	M41.11?	M41.11?	M41.11?	M41.11?	M41.11?	M41.11?
Idiopathic other	M41.2?	M41.2?	M41.2?	M41.2?	M41.2?	M41.2?	M41.2?	M41.2?	M41.2?
Nontraumatic	M41.4?	M41.4?	M41.4?	M41.4?	M41.4?	M41.4?	M41.4?	M41.4?	M41.4?
SPRAIN									
	Collateral ligament	Other	Other	Other	Unspecified				
Ankle	S93.41(1,2,9)(A,D,S)	S93.41(1,2,9)(A,D,S)	S93.41(1,2,9)(A,D,S)	S93.41(1,2,9)(A,D,S)	S93.40(1,2,9)(A,D,S)				
	Medial	Lateral	Other	Unspecified					
Knee	S73.11(1,2,9)(A,D,S)	S73.12(1,2,9)(A,D,S)	S73.13(1,2,9)(A,D,S)	S73.10(1,2,9)(A,D,S)					
	Collateral ligament	Cruciate ligament	Other	Unspecified					
Shoulder	S43.41(1,2,9)(A,D,S)	S43.41(1,2,9)(A,D,S)	S43.41(1,2,9)(A,D,S)	S43.41(1,2,9)(A,D,S)	S43.40(1,2,9)(A,D,S)				
	Acromioclavicular	Subacromial	Rotator cuff	Other	Unspecified				
Shoulder	S43.41(1,2,9)(A,D,S)	S43.41(1,2,9)(A,D,S)	S43.41(1,2,9)(A,D,S)	S43.41(1,2,9)(A,D,S)	S43.40(1,2,9)(A,D,S)				
	Acromioclavicular	Subacromial	Rotator cuff	Other	Unspecified				
Shoulder	S43.41(1,2,9)(A,D,S)	S43.41(1,2,9)(A,D,S)	S43.41(1,2,9)(A,D,S)	S43.41(1,2,9)(A,D,S)	S43.40(1,2,9)(A,D,S)				
8th or 9th character meanings as indicated: 1 right, 2 left, 9 unspecified									
	Index	Little	Ring	Other	Unspecified				
Thumb/Fingers	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.60(1,2,9)(A,D,S)				
Interphal jnt	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.60(1,2,9)(A,D,S)				
Metacarpophal jnt	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.60(1,2,9)(A,D,S)				
Other	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.60(1,2,9)(A,D,S)				
Unspecified	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.61(1,2,9)(A,D,S)	S63.60(1,2,9)(A,D,S)				
8th character meanings as indicated for all but subcategories S63.60, S63.61, S63.62 and S63.63: 0,3,4,6 right, 1,3,5,7 left For subcategories S63.60, S63.61, S63.62 and S63.63: 1 right, 2 left, 9 unspecified									
	Great	Lesser	Unspecified						
Toe	S93.51(1,2,9)(A,D,S)	S93.51(1,2,9)(A,D,S)	S93.50(1,2,9)(A,D,S)						
Interphal jnt	S93.51(1,2,9)(A,D,S)	S93.51(1,2,9)(A,D,S)	S93.50(1,2,9)(A,D,S)						
Metatarsophal jnt	S93.51(1,2,9)(A,D,S)	S93.51(1,2,9)(A,D,S)	S93.50(1,2,9)(A,D,S)						
Unspecified	S93.51(1,2,9)(A,D,S)	S93.51(1,2,9)(A,D,S)	S93.50(1,2,9)(A,D,S)						
	Carpal	Metacarpal	Other	Unspecified					
Wrist	S63.51(1,2,9)(A,D,S)	S63.51(1,2,9)(A,D,S)	S63.51(1,2,9)(A,D,S)	S63.51(1,2,9)(A,D,S)	S63.50(1,2,9)(A,D,S)				
Wrist/hand	S63.51(1,2,9)(A,D,S)	S63.51(1,2,9)(A,D,S)	S63.51(1,2,9)(A,D,S)	S63.51(1,2,9)(A,D,S)	S63.50(1,2,9)(A,D,S)				
8th or 9th character meanings as indicated: 1,4 right, 2,5 left, 0,3,6, or 9 unspecified									
7th character meanings as indicated: A initial encounter, D subsequent encounter, 9 unspecified									

FIG. 10

STOMATITIS																																																																																																																																			
Benign	Leukoplakia	Oral lichen planus	Wegener's	Severe	Angular	Chronic	Vesicular	or Gangrenous	Recurrent																																																																																																																										
R08.01	K12.1	K12.1	K12.1	K12.1	K12.1	A68.1	K12.1	K12.1	A69.0	K12.1																																																																																																																									
<table border="1"> <thead> <tr> <th>Epithelium</th> <th>Median's epithelium</th> <th>Non-epithelium</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>Recurrent</td> <td>K12.0</td> <td>K12.0</td> <td>K12.0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>											Epithelium	Median's epithelium	Non-epithelium									Recurrent	K12.0	K12.0	K12.0																																																																																																										
Epithelium	Median's epithelium	Non-epithelium																																																																																																																																	
Recurrent	K12.0	K12.0	K12.0																																																																																																																																
SUBLUXATION AND DISLOCATION																																																																																																																																			
Ankle (talus/tibia/fibula lower)	Dislocation																																																																																																																																		
	Anterior oblique	Lateral oblique	Medial oblique	Posterior oblique	Other																																																																																																																														
Dislocation	S63.11(A,5,6)(A,1)(S)	S63.14(A,5,6)(A,1)(S)	S63.13(A,5,6)(A,1)(S)	S63.12(A,5,6)(A,1)(S)	S63.19(A,1)(S)(A,0,5)																																																																																																																														
Marsemaid's (radial head)	S63.00(1,2)(A,0,5)	---	---	---	---																																																																																																																														
Subluxation	S63.11(1,3,3)(A,0,5)	S63.14(1,3,3)(A,0,5)	S63.13(1,3,3)(A,0,5)	S63.12(1,3,3)(A,0,5)	S63.19(1,3,3)(A,0,5)																																																																																																																														
<i>S63 character meanings as indicated: 1 or 2 right; 3 or 4 left; 5 or 6 unspecified</i>																																																																																																																																			
Elbow	Dislocation																																																																																																																																		
	Index	Elbow	Middle	Ring	Other																																																																																																																														
Dislocation	S63.22(0,1)(A,0,5)	S63.22(0,7)(A,0,5)	S63.22(0,3)(A,0,5)	S63.22(4,5)(A,0,5)	S63.22(0,0,5)																																																																																																																														
Marsemaid's (radial head)	S63.00(1,2)(A,0,5)	---	---	---	---																																																																																																																														
Subluxation	S63.11(1,3,3)(A,0,5)	S63.14(1,3,3)(A,0,5)	S63.13(1,3,3)(A,0,5)	S63.12(1,3,3)(A,0,5)	S63.19(1,3,3)(A,0,5)																																																																																																																														
<i>S63 character meanings as indicated: 1 or 2 right; 3 or 4 left; 5 or 6 unspecified</i>																																																																																																																																			
Finger	Dislocation																																																																																																																																		
	Index	Elbow	Middle	Ring	Other																																																																																																																														
Dislocation	S63.27(0,1)(A,0,5)	S63.27(0,7)(A,0,5)	S63.27(0,3)(A,0,5)	S63.27(4,5)(A,0,5)	S63.27(0,0,5)																																																																																																																														
Distal	S63.24(0,1)(A,0,5)	S63.24(0,7)(A,0,5)	S63.24(0,3)(A,0,5)	S63.24(4,5)(A,0,5)	S63.24(0,0,5)																																																																																																																														
Proximal	S63.23(0,1)(A,0,5)	S63.23(0,7)(A,0,5)	S63.23(0,3)(A,0,5)	S63.23(4,5)(A,0,5)	S63.23(0,0,5)																																																																																																																														
Metacarpophalangeal joint	S63.21(0,1)(A,0,5)	S63.21(0,7)(A,0,5)	S63.21(0,3)(A,0,5)	S63.21(4,5)(A,0,5)	S63.21(0,0,5)																																																																																																																														
<i>S63 character meanings as indicated: 0, 3, 4, 5 right; 1, 2, 3, 7 left</i>																																																																																																																																			
Thumb, subluxation	Dislocation great toe																																																																																																																																		
	Distal IP joint	Interphalangeal joint	Metacarpophalangeal joint	Proximal IP joint																																																																																																																															
Subluxation	S63.14(1,2,3)(A,0,5)	S63.12(1,2,3)(A,0,5)	S63.11(1,2,3)(A,0,5)	S63.13(1,2,3)(A,0,5)																																																																																																																															
<i>S63 character meanings as indicated: 1 or 2 right; 3 or 4 left; 5 unspecified</i>																																																																																																																																			
Toe, subluxation	Dislocation lesser toe																																																																																																																																		
	Distal IP joint	Interphalangeal joint	Metacarpophalangeal joint	Proximal IP joint																																																																																																																															
Subluxation	S63.14(1,2,3)(A,0,5)	S63.12(1,2,3)(A,0,5)	S63.11(1,2,3)(A,0,5)	S63.13(1,2,3)(A,0,5)																																																																																																																															
<i>S63 character meanings as indicated: 1 or 2 right; 3 or 4 left; 5 unspecified</i>																																																																																																																																			
SYMPTOMS																																																																																																																																			
Cough	R06																																																																																																																																		
Dyspnea	R23.0																																																																																																																																		
Palor	R21.1																																																																																																																																		
Stridor	R06.1																																																																																																																																		
<table border="1"> <thead> <tr> <th></th> <th>Orthopnea</th> <th>SOB</th> <th>Other</th> <th>Unspecified</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>Dyspnea</td> <td>R06.01</td> <td>R06.02</td> <td>R06.03</td> <td>R06.00</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>												Orthopnea	SOB	Other	Unspecified							Dyspnea	R06.01	R06.02	R06.03	R06.00																																																																																																									
	Orthopnea	SOB	Other	Unspecified																																																																																																																															
Dyspnea	R06.01	R06.02	R06.03	R06.00																																																																																																																															
Epistaxis (nosebleed)	R04.0																																																																																																																																		
<table border="1"> <thead> <tr> <th></th> <th>Chronic</th> <th>Combat</th> <th>General</th> <th>Heat</th> <th>Muscle</th> <th>Psychogenic</th> <th>Other/cause</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>Fatigue w/malaise</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Fatigue</td> <td>R53.82</td> <td>R53.8</td> <td>R53.83</td> <td>R53.84(A,0,5)</td> <td>R53.89</td> <td>F48.8</td> <td>R53.81</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Malaise</td> <td>R53.01</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="11"> <table border="1"> <thead> <tr> <th></th> <th>Ray (abrupt)</th> <th>Reflexive</th> <th>Spontaneous</th> <th>Stimulus</th> <th>Of unknown origin</th> <th>Psychomotor</th> <th>Psychogenic</th> <th>Unspecified</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>Fever</td> <td>R50.1</td> <td>R50.4</td> <td>R50.5, R50.11</td> <td>R50.9</td> <td>R50.9</td> <td>R50.81</td> <td>R50.9</td> <td>R50.9</td> <td></td> <td></td> </tr> <tr> <td>Flushing</td> <td>R23.3</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Heartburn</td> <td>R12</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hemoptysis</td> <td>R04.2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hyperventilation</td> <td>R06.4</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> </td> </tr> </tbody> </table>												Chronic	Combat	General	Heat	Muscle	Psychogenic	Other/cause				Fatigue w/malaise											Fatigue	R53.82	R53.8	R53.83	R53.84(A,0,5)	R53.89	F48.8	R53.81				Malaise	R53.01	---	---	---	---	---	---				<table border="1"> <thead> <tr> <th></th> <th>Ray (abrupt)</th> <th>Reflexive</th> <th>Spontaneous</th> <th>Stimulus</th> <th>Of unknown origin</th> <th>Psychomotor</th> <th>Psychogenic</th> <th>Unspecified</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>Fever</td> <td>R50.1</td> <td>R50.4</td> <td>R50.5, R50.11</td> <td>R50.9</td> <td>R50.9</td> <td>R50.81</td> <td>R50.9</td> <td>R50.9</td> <td></td> <td></td> </tr> <tr> <td>Flushing</td> <td>R23.3</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Heartburn</td> <td>R12</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hemoptysis</td> <td>R04.2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hyperventilation</td> <td>R06.4</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>												Ray (abrupt)	Reflexive	Spontaneous	Stimulus	Of unknown origin	Psychomotor	Psychogenic	Unspecified			Fever	R50.1	R50.4	R50.5, R50.11	R50.9	R50.9	R50.81	R50.9	R50.9			Flushing	R23.3										Heartburn	R12										Hemoptysis	R04.2										Hyperventilation	R06.4									
	Chronic	Combat	General	Heat	Muscle	Psychogenic	Other/cause																																																																																																																												
Fatigue w/malaise																																																																																																																																			
Fatigue	R53.82	R53.8	R53.83	R53.84(A,0,5)	R53.89	F48.8	R53.81																																																																																																																												
Malaise	R53.01	---	---	---	---	---	---																																																																																																																												
<table border="1"> <thead> <tr> <th></th> <th>Ray (abrupt)</th> <th>Reflexive</th> <th>Spontaneous</th> <th>Stimulus</th> <th>Of unknown origin</th> <th>Psychomotor</th> <th>Psychogenic</th> <th>Unspecified</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>Fever</td> <td>R50.1</td> <td>R50.4</td> <td>R50.5, R50.11</td> <td>R50.9</td> <td>R50.9</td> <td>R50.81</td> <td>R50.9</td> <td>R50.9</td> <td></td> <td></td> </tr> <tr> <td>Flushing</td> <td>R23.3</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Heartburn</td> <td>R12</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hemoptysis</td> <td>R04.2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hyperventilation</td> <td>R06.4</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>												Ray (abrupt)	Reflexive	Spontaneous	Stimulus	Of unknown origin	Psychomotor	Psychogenic	Unspecified			Fever	R50.1	R50.4	R50.5, R50.11	R50.9	R50.9	R50.81	R50.9	R50.9			Flushing	R23.3										Heartburn	R12										Hemoptysis	R04.2										Hyperventilation	R06.4																																																																
	Ray (abrupt)	Reflexive	Spontaneous	Stimulus	Of unknown origin	Psychomotor	Psychogenic	Unspecified																																																																																																																											
Fever	R50.1	R50.4	R50.5, R50.11	R50.9	R50.9	R50.81	R50.9	R50.9																																																																																																																											
Flushing	R23.3																																																																																																																																		
Heartburn	R12																																																																																																																																		
Hemoptysis	R04.2																																																																																																																																		
Hyperventilation	R06.4																																																																																																																																		

FIG. 11

SYMPTOMS (Continued)										
	Fall	Incompetent	Inconspicuous	Organic	Unspecified					
Incontinence, feces	R11.9	R11.6	R11.1	R11.2	R11.9					
Weakness	R53.1									
Whooping	R05.2									
Z79 character meanings as indicated: A initial encounter; B subsequent encounter; S sequelae										
SYNCOPE (PRE) (NEAR)										
Bradycardia	Cardiac	Cardiac	Heart	Psychogenic	Vasospasm	Vasospasm	Vasospasm	Vasospasm	Vasospasm	Unspecified
R00.1	R05	E90.01	T67.10(A,D,S)	F40.8	R55	R55	R55	R55	R55	R55
Z79 character meanings as indicated: A initial encounter; B subsequent encounter; S sequelae										
URTICARIA										
	Allergic	Cholinergic	Chronic	Fixed	Idiosyncratic	Idiosyncratic	Idiosyncratic	Idiosyncratic	Idiosyncratic	Unspecified
	L50.0	L50.5	L50.8	L50.6	L50.3	L50.1	L50.4	L50.8	L50.9	
Due to	L50.2	L50.0	L50.0	L50.8	L50.6	T08.09(A,D,S)				
Z79 character meanings as indicated: A initial encounter; B subsequent encounter; S sequelae										
WARTS										
	Common	Plantar	Plantar	Plantar	Plantar	Plantar	Plantar	Plantar	Plantar	Unspecified
Viral	B07.8	B07.8	B07.9	B07.9	B07.9	B07.9	B07.9	B07.9	B07.9	B07.9
	Inflamed	Severe inflamed	Severe unspecified	Unspecified						
Seborrheic keratosis	L82.0	L82.0	L82.1	L82.1						

GENERAL MEDICAL										
MEDICINE										
	Gain	Loss	Bodyweight							
Abnormal weight	R63.5	R63.4	R63.6							
Note: For obesity--see OBESITY. For code R63.6, use additional code to identify body mass index (BMI)--see BMI.										
Delayed adolescence (880) Failure to thrive Infantile atrophy Lack of period development Other lack of development Other status										
Development childhood/adults										
Child (over 28 days)	R62.0	R62.51	R62.50	R62.54	R62.59	R62.52				
Newborn (under 28 days)	---	R62.6	---	---	---	---				
Adult	---	R62.7	---	---	---	---				
Teething syndrome	R81.7									
ENCOUNTER FOR										
Immunization	Z23									
	Acute (Reflux)	Allergy to medicine (unspecified)	Chronic (reflux)	Chronic (Reflux)	Immunization	Other	Other	Other	Other	Other
Not carried out/d/t	Z28.01	Z28.04	Z28.02	Z28.02	Z28.01	Z28.03	Z28.21	Z28.1	Z28.1	Z28.1

FIG. 12