



US00D746916S

(12) **United States Design Patent**
Hart

(10) **Patent No.:** **US D746,916 S**
(45) **Date of Patent:** **** *Jan. 5, 2016**

(54) **CODING MATRIX TOOL**

- (71) Applicant: **Optum, Inc.**, Minnetonka, MN (US)
- (72) Inventor: **Anita C. Hart**, White Stone, VA (US)
- (73) Assignee: **OPTUM, INC.**, Minnetonka, MN (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/511,154**

(22) Filed: **Dec. 8, 2014**

(51) **LOC (10) Cl.** **19-01**

(52) **U.S. Cl.**
USPC **D19/1**

(58) **Field of Classification Search**

USPC D19/1-12, 20-34; 206/449, 232, 495.5, 206/494; 40/124.01-124.15, 672, 776, 726; 229/72, 92, 92.1, 300-303, 87.06, 229/87.08, 87.14; 281/2-5, 16, 22, 51; 705/3; 283/2-3, 115, 900, 74-75, 103, 283/105-106; 428/42.3; D9/703, 707, 709, D9/713, 424, 414, 720, 418, 416; 426/106; 222/92, 107; 383/127, 106-108, 901, 383/200, 203, 207, 210; D20/10, 22, 40, D20/42, 11; D3/303, 203.1

CPC .. B42D 15/022; B42D 15/042; B42D 15/045; B42D 15/027; B42D 25/00; B42D 25/29; B42D 25/20; B42D 25/23; B42D 25/26; B42D 25/30; B42D 25/40; B42D 2033/20; B42D 2033/33; B42D 2033/02; B42D 2033/04; B42D 2033/08; B42D 2033/10; B42D 2033/16; B42D 2033/18; B42D 2033/28; B42D 2033/30

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D400,919 S 11/1998 Pickel
- D414,574 S 9/1999 Chen
- D432,570 S 10/2000 Donaldson

(Continued)

Primary Examiner — Caron D Veynar

Assistant Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Dorsey & Whitney LLP

(57) **CLAIM**

The ornamental design for a coding matrix tool, as shown and described.

DESCRIPTION

A portion of the disclosure of this patent document contains material to which a claim for copyright is made. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office patent file or records, but reserves all other copyright rights whatsoever.

FIG. 1 is a first perspective view of a coding matrix tool in unfolded configuration showing my new design;

FIG. 2 is a second perspective view thereof;

FIG. 3 is an elevation view of a first matrix sheet or panel thereof;

FIG. 4 is an elevation view of a second matrix sheet or panel thereof;

FIG. 5 is an elevation view of a third matrix sheet or panel thereof;

FIG. 6 is an elevation view of a fourth matrix sheet or panel thereof;

FIG. 7 is an elevation view of a fifth matrix sheet or panel thereof;


FIG. 8 is an elevation view of a sixth matrix sheet or panel thereof;

FIG. 9 is an elevation view of a seventh matrix sheet or panel thereof; and,

FIG. 10 is an elevation view of an eighth matrix sheet or panel thereof.

The broken lines in the figures represent portions of the coding matrix tool which are not part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D555,724 S 11/2007 Brodie
D600,746 S 9/2009 Kudimi
D602,167 S 10/2009 Coyne, III et al.
D650,009 S 12/2011 Tetrault

D662,976 S 7/2012 Tetrault
D664,195 S 7/2012 Rosenthal et al.
D677,329 S 3/2013 Rosenthal et al.
D686,660 S 7/2013 Wang
D687,486 S * 8/2013 Worthington et al. D19/1
D719,213 S 12/2014 Hart

* cited by examiner

The form is a complex medical history sheet divided into several sections, each with a grid of checkboxes and text boxes. The sections include:

- GENERAL MEDICAL**: Includes fields for Demographic Data, History of Present Illness, and Past Medical History.
- SLEEP DISORDERS**: Includes fields for Sleep History, Sleep Apnea, and Narcolepsy.
- PSYCHOSOCIAL CIRCUMSTANCES (Continued)**: Includes fields for Social History, Family History, and Environmental History.
- MOOD AFFECTIVE DISORDERS**: Includes fields for Major Depressive Disorder, Bipolar Disorder, and Anxiety Disorder.
- PERSONALITY DISORDERS**: Includes fields for Personality Disorder, Borderline Personality Disorder, and Narcissistic Personality Disorder.
- PHOBIA**: Includes fields for Specific Phobia, Social Phobia, and Agoraphobia.
- PSYCHOSOCIAL CIRCUMSTANCES**: Includes fields for Current Status, Past History, and Environmental History.
- SOMATIZATION DISORDERS**: Includes fields for Somatization Disorder, Conversion Disorder, and Factitious Disorder.
- STRESS REACTION**: Includes fields for Acute Stress Reaction, Post-Traumatic Stress Disorder, and Adjustment Disorder.
- ANXIAL DISORDERS**: Includes fields for Generalized Anxiety Disorder, Panic Disorder, and Specific Phobia.
- PTIC DISORDERS**: Includes fields for Obsessive Compulsive Disorder, Tic Disorder, and Tourette Syndrome.
- TRAUMATIC BRAIN INJURY**: Includes fields for Head Injury, Concussion, and Skull Fracture.
- PSYCHOSOCIAL CIRCUMSTANCES (Continued)**: Includes fields for Current Status, Past History, and Environmental History.
- SCHEMATIC DISORDER**: Includes fields for Schematic Disorder, Schematic Disorder, and Schematic Disorder.
- LACONIA**: Includes fields for Laconia, Laconia, and Laconia.
- ANXIETY & CARDIOVASCULAR DISEASE**: Includes fields for Anxiety Disorder, Cardiovascular Disease, and Anxiety Disorder.
- STOICIA & TRAUMATIC BRAIN INJURY (TBI)**: Includes fields for Stoic Disorder, Traumatic Brain Injury, and Stoic Disorder.
- SEXUAL DYSFUNCTION**: Includes fields for Sexual Dysfunction, Sexual Dysfunction, and Sexual Dysfunction.

FIG. 2

ICD-10-CM Behavioral Health

ABUSE/MALTREATMENT

	Abandonment	Neglect	Physical abuse	Psychological abuse	Sexual abuse	Unspecified
Adult, confirmed	T74.01X(A,D,S)	T74.01X(A,D,S)	T74.11X(A,D,S)	T74.31X(A,D,S)	T74.21X(A,D,S)	T74.91X(A,D,S)
History of	—	Z91.412	Z91.410	Z91.411	Z91.410	Z91.419
Suspected	T76.01X(A,D,S)	T76.01X(A,D,S)	T76.11X(A,D,S)	T76.31X(A,D,S)	T76.21X(A,D,S)	T76.91X(A,D,S)
Child, confirmed	T74.02X(A,D,S)	T74.02X(A,D,S)	T74.12X(A,D,S)	T74.32X(A,D,S)	T74.22X(A,D,S)	T74.92X(A,D,S)
History of	—	Z62.812	Z62.810	Z62.811	Z62.810	Z62.819
Suspected	T76.02X(A,D,S)	T76.02X(A,D,S)	T76.12X(A,D,S)	T76.32X(A,D,S)	T76.22X(A,D,S)	T76.92X(A,D,S)

7th character meanings as indicated: A initial encounter D subsequent encounter S sequela

ADJUSTMENT DISORDER WITH

Anxiety	Depressed mood	Conduct disturbance	Mixed anxiety & depress	Mixed emotional & conduct	Other	Unspecified
F43.22	F43.21	F43.24	F43.23	F43.25	F43.29	F43.20

ANXIETY

Depressive	Episodic, paroxysmal	Generalized	Neurosis	Panic type	Reaction	State	Other	Unspecified
F41.8	F41.0	F41.1	F41.1	F41.0	F41.1	F41.1	F41.8	F41.9

ALZHEIMER'S DISEASE

	Early onset	Late onset	Other	Unspecified
w/o Behavioral disturbances/unsp	G30.0, F02.80	G30.1, F02.80	G30.8, F02.80	G30.9, F02.80
w/ Behavioral disturbances	G30.0, F02.81	G30.1, F02.81	G30.8, F02.81	G30.9, F02.81

ATTENTION DEFICIT HYPERACTIVITY DISORDER

Combined	Hyperactive	Inattentive	Specified, NEC	Unspecified
F90.2	F90.1	F90.0	F90.8	F90.9

AUTISM

Autistic disorder	F84.0
Atypical	F84.9

BIPOLAR DISORDER

	Depressed	Hypomanic	Manic	Mixed	Unspecified
Most recent in remission					
Full	F31.76	F31.72	F31.74	F31.78	F31.70
Partial	F31.75	F31.71	F31.73	F31.77	F31.70
	Mild	Moderate	Severe w/o psychotic feature	Severe w/ psychotic feature	Unspecified
Type I					
Depressed	F31.31	F31.32	F31.4	F31.5	F31.30
Manic	F31.11	F31.12	F31.13	F31.2	F31.10
Mixed	F31.61	F31.62	F31.63	F31.64	F31.60
	Type II	Other	Unspecified		
Other	F31.81	F31.89	F31.9		

CONDUCT DISORDER

Adolescent-onset	Childhood-onset	Oppositional defiant d/o	Other	Unspecified
F91.2	F91.1	F91.3	F91.8	F91.9

CONVERSION DISORDER

Motor deficit	Seizures	Sensory deficit	Mixed symptom	Other	Unspecified
F44.4	F44.5	F44.6	F44.7	F44.89	F44.9

FIG. 3

COUNSELING FOR

	Non-parental child	Parental child	Rape	Spousal/partner	Other		
Physical abuse							
Victim	Z69.020	Z69.010	Z69.81	Z69.11	Z69.81		
Perpetrator	Z69.021	Z69.011	Z69.82	Z69.12	Z69.82		
	Attitude	Behavior	Combined	Orientation	Third-party	Other	Unspecified
Sexual attitude/behavior/orientation	Z70.0	Z70.1	Z70.3	Z70.1	Z70.2	Z70.8	Z70.9
	Alcohol	Drug	Tobacco				
Substance abuse							
Abuser	Z71.41	Z71.51	Z71.6				
Family member	Z71.42	Z71.52	—				

Note: For category Z71, use additional code for specified alcohol, drug or tobacco dependence/abuse—see DRUG/ALCOHOL RELATED DISORDERS.

DEGENERATION, BRAIN

Alcoholic	Arteriosclerosis	Childhood	Corticobasal	Cystic	Senile	Other	Unspecified
G31.2	I67.2	G31.9	G31.85	G31.89	G31.1	G31.89	G31.9

DEMENTIA

	Alcohol	Lewy bodies	Parkinson's	Parkinsonism						
w/o Behavioral disturb	F10.97	G31.83, F02.80	G20, F02.80	G31.83, F02.80						
w/ Behavioral disturb	—	G31.83, F02.81	G20, F02.81	G31.83, F02.81						
	Arterioscler	Frontal	Infantile	Multi-infarct	Presenile	Senile NOS	Senile, depr	Vascular	w/ Delirium NOS	Unsp
Other	F01.50	G31.09/F02.80	F84.3	F01.50	F03.90	F03.90	F03.90	F01.50	F05	F03.90
w/ Behavioral disturb	F01.51	G31.09/F02.81	—	F01.51	F03.91	F03.91	F03.91	F01.51	—	F03.91

DEPRESSION/DEPRESSIVE DISORDER

	w/ Psych symp	Full remis	Partial remis	Recurrent	Mild	Moderate	Severe	Sev, psych symp	Unspecified
Single episode									
Major	F32.3	F32.5	F32.4	F33.9	F32.0	F32.1	F32.2	F32.3	F32.9
	Agitated	Atypical	Menopausal	Postpartum	Psychotic	Reactive	Severe	Situational	Unspecified
Unspecified	F32.2	F32.8	F32.8	F53	F32.3	F32.3	F32.2	F43.21	F32.9
	Mild	Moderate	Severe	Sev, psych symp	Full remiss	Partial remiss	Remis, unsp	Other	Unspecified
Current episode									
Recurrent	F33.0	F33.1	F33.2	F33.3	F33.42	F33.41	F33.40	F33.8	F33.9

DEVELOPMENTAL DELAY

Global	Intellectual	Language	Learning	Physiological	Reading	Speech	Spelling	Unspecified
F88	F81.9	F80.9	F81.9	R62.50	F81.0	F80.9	F81.81	R62.50

DISASSOCIATIVE DISORDER

Amnesia	Fugue	Identity	Stupor	Other	Unspecified
F44.0	F44.1	F44.81	F44.2	F44.89	F44.9

DISORDER, ALCOHOL RELATED

	<20 mg	20-39 mg	40-59 mg	60-79 mg	80-99 mg	100-119 mg	120-199 mg	200-239 mg	240 +
Blood alcohol level (/100 ml)	Y90.0	Y90.1	Y90.2	Y90.3	Y90.4	Y90.5	Y90.6	Y90.7	Y90.8

Note: Code first any associated alcohol related disorders—see DRUG/ALCOHOL RELATED DISORDERS, Alcohol.

FIG. 4

DRUG/ALCOHOL RELATED DISORDERS

	Abuse	Dependence	Use
Alcohol			
Complication, unspecified	F10.19	F10.29	F10.99
Anxiety	F10.180	F10.280	F10.980
Delusion	F10.150	F10.250	F10.950
Hallucinations	F10.151	F10.251	F10.951
Intoxication	F10.12[0,1,9]	F10.22[0,1,9]	F10.92[0,1,9]
Mood d/o	F10.14	F10.24	F10.94
Other spec complication	F10.188	F10.288	F10.988
Persist amnestic d/o	—	F10.26	F10.96
Persist dementia	—	F10.27	F10.97
Sexual dysfunction	F10.181	F10.281	F10.981
Sleep d/o	F10.182	F10.282	F10.982
Withdrawal	—	F10.23[0,1,2,9]	—
In remission	—	F10.21	—
Uncomplicated	F10.10	F10.20	—
	Abuse	Dependence	Use
Amphetamine, caffeine, and other stimulants			
Complication, unspecified	F15.19	F15.29	F15.99
Anxiety	F15.180	F15.280	F15.980
Delusions	F15.150	F15.250	F15.950
Hallucinations	F15.151	F15.251	F15.951
Intoxication	F15.12[0,1,2,9]	F15.22[0,1,2,9]	F15.92[0,1,2,9]
Mood d/o	F15.14	F15.24	F15.94
Sexual dysfunction	F15.181	F15.281	F15.981
Other spec complication	F15.188	F15.288	F15.988
Sleep d/o	F15.182	F15.282	F15.982
Withdrawal	—	F15.23	F15.93
In remission	—	F15.21	—
Uncomplicated	F15.10	F15.20	F15.90
	Abuse	Dependence	Use
Cannabis induced complications			
Complication, unspecified	F12.19	F12.29	F12.99
Anxiety	F12.180	F12.280	F12.980
Delusions	F12.150	F12.250	F12.950
Hallucinations	F12.151	F12.251	F12.951
Intoxication	F12.12[0,1,2,9]	F12.22[0,1,2,9]	F12.92[0,1,2,9]
Other specified	F12.188	F12.288	F12.988
In remission	—	F12.21	—
Uncomplicated	F12.10	F12.20	F12.90
	Abuse	Dependence	Use
Cocaine			
Complications, unspecified	F14.19	F14.29	F14.99
Anxiety	F14.180	F14.280	F14.980
Delusions	F14.150	F14.250	F14.950
Hallucinations	F14.151	F14.251	F14.951
Intoxication	F14.12[0,1,2,9]	F14.22[0,1,2,9]	F14.92[0,1,2,9]
Mood d/o	F14.14	F14.24	F14.94
Other spec complication	F14.188	F14.288	F14.988
Sexual dysfunction	F14.181	F14.281	F14.981
Sleep d/o	F14.182	F14.282	F14.982
Withdrawal	—	F14.23	—
In remission	—	F14.21	—
Uncomplicated	F14.10	F14.20	F14.90
	Abuse	Dependence	Use
Hallucinogens			
Complications, unspecified	F16.19	F16.29	F16.99
Anxiety	F16.180	F16.280	F16.980
Delusions	F16.150	F16.250	F16.950
Hallucinations	F16.151	F16.251	F16.951
Intoxication	F16.12[0,1,2,9]	F16.22[0,1,9]	F16.92[0,1,9]
Mood d/o	F16.14	F16.24	F16.94
Perception d/o	F16.183	F16.283	F16.983
Other spec complication	F16.188	F16.288	F16.988
In remission	—	F16.21	—
Uncomplicated	F16.10	F16.20	F16.90
	Abuse	Dependence	Use
Opioids			
Complications, unspecified	F11.19	F11.29	F11.99
Delusions	F11.150	F11.250	F11.950
Hallucinations	F11.151	F11.251	F11.951
Intoxication	F11.12[0,1,2,9]	F11.22[0,1,2,9]	F11.92[0,1,2,9]
Mood d/o	F11.14	F11.24	F11.94
Other spec complication	F11.188	F11.288	F11.988
Psych d/o, unspecified	F11.159	F11.259	F11.959
Sexual dysfunction	F11.181	F11.281	F11.981
Sleep d/o	F11.182	F11.282	F11.982
Withdrawal	—	F11.23	F11.93
In remission	—	F11.21	—
Uncomplicated	F11.10	F11.20	F11.90
	Abuse	Dependence	Use
Sedative, hypnotic, or anxiolytic			
Complications, unspecified	F13.19	F13.29	F13.99
Anxiety d/o	F13.180	F13.280	F13.980
Delusions	F13.150	F13.250	F13.950
Hallucinations	F13.151	F13.251	F13.951
Intoxication	F13.12[0,1,9]	F13.22[0,1,9]	F13.92[0,1,9]
Mood d/o	F13.14	F13.24	F13.94
Other spec complication	F13.188	F13.288	F13.988
Persist amnestic	—	F13.26	F13.96
Persist dementia	—	F13.27	F13.97
Psych d/o, unspecified	F13.159	F13.259	F13.959
Sexual dysfunction	F13.181	F13.281	F13.981
Sleep d/o	F13.182	F13.282	F13.982
Withdrawal	—	F13.23[0,1,2,9]	F13.93[0,1,2,9]
In remission	—	F13.21	—
Uncomplicated	F13.10	F13.20	F13.90
	Abuse	Dependence	Use

Note: Use additional code with category F10 for blood alcohol level, if applicable—see DISORDER, ALCOHOL RELATED.

6th character meanings as indicated: 0 uncomplicated 1 w/ delirium 2 w/ perceptual disturbances 9 unspecified

FIG. 5

EATING DISORDERS						
Anorexia nervosa			Bulimia nervosa	Other	Unspecified	
Binge/purge	Restricting	Unspecified				
F50.02	F50.01	F50.00	F50.2	F50.8	F50.9	

ENCEPHALOPATHY								
Acute	Alcoholic	Arteriosclerotic	Degenerative	d/t Drugs	Metabolic	Toxic	Traumatic	Unspecified
G93.40	G31.2	I67.2	G32.89	G92	G93.41	G92	F07.81	G93.40

Note: Code first any causative drug or agent (T51-T65). Use an additional code for any associated alcoholism—see DRUG/ALCOHOL RELATED DISORDERS. For post-traumatic headache—see HEADACHE.

EPILEPSY									
	Absence syndrome	d/t External cause	Generalized idiopathic	Juvenile myoclonic	Localized onset	Simple partial seizures	Complex partial seizures	Other generalized	Unspecified
Localization related									
Intractable	G40.A1[1,9]	—	G40.31[1,9]	G40.B1[1,9]	G40.01[1,9]	G40.11[1,9]	G40.21[1,9]	G40.41[1,9]	G40.91[1,9]
Non-intractable	G40.A0[1,9]	G40.50[1,9]	G40.30[1,9]	G40.B0[1,9]	G40.00[1,9]	G40.10[1,9]	G40.20[1,9]	G40.40[1,9]	G40.90[1,9]
<i>6th character meanings as indicated: 1 w/ status epilepticus 9 w/o status epilepticus</i>									

FATIGUE						
Chronic	Combat	General	Nervous	Psychogenic	Senile	Unspecified
R53.82	F43.0	R53.83	F48.8	F48.8	R54	R53.83

HALLUCINATIONS						
Auditory	Gustatory	Olfactory	Tactile	Visual	Other	Unspecified
R44.0	R44.2	R44.2	R44.2	R44.1	R44.2	R44.3

HEADACHE			
	Chronic	Episodic	Unspecified
Cluster	G44.02[1,9]	G44.01[1,9]	G44.00[1,9]
	Acute	Chronic	Unspecified
Post-traumatic	G44.31[1,9]	G44.32[1,9]	G44.30[1,9]
	Chronic	Episodic	Unspecified
Pre-menstrual—see MIGRAINE, Menstrual			
Tension	G44.22[1,9]	G44.21[1,9]	G44.20[1,9]
	Allergic	Drug induced	Rebound
Other	G44.89	G44.4[0,1]	G44.4[0,1]
<i>5th or 6th character meanings as indicated: 0, 9 not intractable/unsp 1 intractable</i>			

HUNTINGTON'S DISEASE			INTELLECTUAL DISABILITY					
w/ Dementia	w/ Dementia & behav disturb	Unspecified	Mild	Moderate	Profound	Severe	Other	Unspecified
G10, F02.80	G10, F02.81	G10	F70	F71	F73	F72	F78	F79

LEARNING DISABILITY						
Alexia	Dyslexia	Math d/o	Specific reading d/o	Written d/o	Other	Unspecified
R48.0	R48.0	F81.2	F81.0	F81.81	F81.89	F81.9

FIG. 6

MIGRAINE

	Intractable	Not intractable	w/ Refractory migraine	w/o Refractory migraine	Unspecified
Unspecified	G43.91[1,9]	G43.90[1,9]	G43.91[1,9]	G43.90[1,9]	G43.909
Abdominal	G43.D1	G43.D0	G43.D1	G43.D0	G43.D0
Hemiplegic	G43.41[1,9]	G43.40[1,9]	G43.41[1,9]	G43.40[1,9]	G43.409
Menstrual	G43.83[1,9]	G43.82[1,9]	G43.83[1,9]	G43.82[1,9]	G43.829
Ophthalmoplegic	G43.B1	G43.B0	G43.B1	G43.B0	G43.B0
w/ Aura	G43.11[1,9]	G43.10[1,9]	G43.11[1,9]	G43.10[1,9]	G43.109
Persistent	—	—	—	—	G43.509
w/ Cerebral infarct	G43.61[1,9]	G43.60[1,9]	G43.61[1,9]	G43.60[1,9]	G43.609
w/o Cerebral infarct	G43.51[1,9]	G43.50[1,9]	G43.51[1,9]	G43.50[1,9]	G43.509
w/o Aura	G43.01[1,9]	G43.00[1,9]	G43.01[1,9]	G43.00[1,9]	G43.009
Chronic	G43.71[1,9]	G43.70[1,9]	G43.71[1,9]	G43.70[1,9]	G43.709

Note: For code G43.8- code also associated premenstrual tension syndrome (N94.3).

6th character meanings as indicated: 1 w/ status migrainosus 9 w/o status migrainosus/unspecified

MOOD AFFECTIVE DISORDERS

Cyclothymic	Dysthymic	Persistent, unsp	Other	Unspecified
F34.0	F34.1	F34.9	F34.8	F39

PARKINSONISM

Arteriosclerotic	Dementia, NOS	Dementia w/ behav disturb	Drug induced	Neuroleptic	Postencephal	Vascular	Other	Unspecified
G21.4	G31.83, F02.80	G31.83, F02.81	G21.19	G21.11	G21.3	G21.4	G20	G20

PERSONALITY DISORDERS

	Adolescent	Adult	Child						
Antisocial behavior	Z72.810	Z72.811	Z72.810						
	Psycho & physical signs/symptoms		Physical signs/symptoms	Psychological signs/symptoms	Unspecified				
Factitious d/o	F68.13		F68.12		F68.11	F68.10			
	Adolescent/adult	of Childhood	Transsexualism	Other	Unspecified				
Gender identity	F64.1	F64.2	F64.1	F64.8	F64.9				
	Intermit explosive	Kleptomania	Path gambling	Pyromania	Trichotillomania	Other	Unspecified		
Impulse d/o	F63.81	F63.2	F63.0	F63.1	F63.3	F63.89	F63.9		
	Exhibitionism	Fetishism	Frotteurism	Necrophilia	Pedophilia	Sadomaso	Voyeurism	Other	Unspecified
Paraphilias	F65.2	F65.0	F65.81	F65.89	F65.4	F65.50	F65.3	F65.89	F65.9
	Antisocial	Avoidant	Borderline	Dependent	Narcissistic	OCD	Paranoid	Schizoid	Other
Other	F60.2	F60.6	F60.3	F60.7	F60.81	F60.5	F60.0	F60.1	F60.89

PHOBIA

	w/ Panic d/o	w/o Panic d/o	Unspecified						
Agoraphobia	F40.01	F40.02	F40.00						
	Acrophobia	Animal	Clautrophobia	Flying	Men	Spiders	Thunderstorms	Women	Other
Specific	F40.241	F40.218	F40.240	F40.243	F40.290	F40.210	F40.220	F40.291	F40.298

PSYCHOSOCIAL CIRCUMSTANCES

	Discord w/ neighbor	Extreme poverty	Homeless	Inadequate housing	Lack of food/ water	Low income	Residential institution	Other	Unsp
Economic circumstance	Z59.2	Z59.5	Z59.0	Z59.1	Z59.4	Z59.6	Z59.3	Z59.8	Z59.9
	Education maladjustment	Failed exams	Illiteracy/ low literacy	Schooling unavailable	Under-achievement	Other	Unspecified		
Education/literacy	Z55.4	Z55.2	Z55.0	Z55.1	Z55.3	Z55.8	Z55.9		
	Demanding work schedule	Deployment	Discord at work	Job change	Job threat	Sexual harassment	Uncongenial work	Unemploy, NOS	Other
Employment	Z56.3	Z56.82	Z56.4	Z56.1	Z56.2	Z56.81	Z56.5	Z56.0	Z56.89

(Continued on the next panel)

FIG. 7

PSYCHOSOCIAL CIRCUMSTANCES (Continued)								
	Disappearance/ death	Divorce/ separation	Family military deploy	Relationship w/ spouse	Relationship in-laws	Return from deployment		
Family circumstance	Z63.4	Z63.5	Z63.31	Z63.0	Z63.1	Z63.71		
	Burn-out	Inadequate social skill	Lack of relaxation	Social role conflict	Stress, NOS	Type A	Other	Unspecified
Life management	Z73.0	Z73.4	Z73.2	Z73.5	Z73.3	Z73.1	Z73.89	Z73.9
High risk sexual behavior								
	Gambling	Bisexual	Heterosexual	Homosexual	Other	Unspecified		
Lifestyle	Z72.6	Z72.53	Z72.51	Z72.52	Z72.89	Z72.9		
	Adopted	Biological	Estrangement	Foster				
Parent-child conflict	Z62.821	Z62.820	Z62.890	Z62.822				
	Acculturation	Adjustment to life-cycle trans	Living alone	Social excl	Target of discrimination	Other	Unsp	
Social environment	Z60.3	Z60.0	Z60.2	Z60.4	Z60.5	Z60.8	Z60.9	
	Inadequate supervision	Inappr parent pressure	Institutional upbringing	Parent overprotect	Sibling rivalry	Welfare custody		
Upbringing	Z62.0	Z62.6	Z62.22	Z62.1	Z62.891	Z62.21		
	Alcoholism/ drug in family	Exposure to war/disaster	Victim of crime/ terrorism	Other	Unspecified			
Other	Z63.72	Z65.5	Z65.4	Z65.8	Z65.9			

SCHIZOAFFECTIVE DISORDER			
Bipolar	Depressive	Other	Unspecified
F25.0	F25.1	F25.8	F25.9

SCHIZOPHRENIA								
Catatonic	Disorganized	Latent	Paranoid	Residual	Simple	Undifferentiated	Other specified	Unspecified
F20.2	F20.1	F21	F20.0	F20.5	F20.89	F20.3	F20.89	F20.9

SEQUELA OF CEREBROVASCULAR DISEASE						
	Cerebral infarction	Intracerebral hemorr	Intracranial hemorr	Subarachnoid hemorr	Other	Unspecified
Aphasia	I69.320	I69.120	I69.220	I69.020	I69.820	I69.920
Cognitive deficits	I69.31	I69.11	I69.21	I69.01	I69.81	I69.91
Dysarthria	I69.322	I69.122	I69.222	I69.022	I69.822	I69.922
Dysphasia	I69.321	I69.121	I69.221	I69.021	I69.821	I69.921
Fluency d/o	I69.323	I69.123	I69.223	I69.023	I69.823	I69.923
Other speech language	I69.328	I69.128	I69.228	I69.028	I69.828	I69.928
Other	I69.398	I69.198	I69.298	I69.098	I69.898	I69.998
Unspecified	I69.30	I69.10	I69.20	I69.00	I69.80	I69.90

SEQUELA OF TRAUMATIC BRAIN INJURY (TBI)						
Amnesia	Anxiety	Delirium	Dementia w/ behavioral disturb	Dementia w/o behavioral disturb	Emotionally labile	Mild memory disturb
F04	F06.4	F05	F02.81	F02.80	F06.8	F06.8
Mood d/o w/ depression	Mood d/o w/ major depressive episode	Mood d/o w/ manic	Mood d/o w/ mixed	Organic brain syndrome, NOS	Other mental d/o	
F06.31	F06.32	F06.33	F06.34	F09	F06.8	
Other personality/ behavioral d/o	Personality change	Postconcussion syndrome	Psychotic w/ delusions	Psychotic w/ hallucination	Unspecified	
F07.89	F07.0	F07.81	F06.2	F06.0	F07.9	

Note: Code first the type of traumatic brain injury with 7th character S—see TRAUMATIC BRAIN INJURY.

SEXUAL DYSFUNCTION				
Arousal d/o	Aversion	Hypoactive desire	Other	Unspecified
F52.2[1,2]	F52.1	F52.0	F52.8	F52.9

5th character meanings as indicated: 1 male 2 female

FIG. 8

SLEEP DISORDERS

	Alcohol related	d/t Mental	d/t Physiol condition	Idiopathic		Insufficient sleep syn	Primary	Other	NOS	
				w/ Long sleep time	w/o Long sleep time					
Hypersomnia	F10.[1,2,9]82	F51.13	G47.14	G47.11	G47.12	F51.12	F51.11	F51.19	G47.10	
Behavioral of childhood										
	Adjustment	Combined	Limit setting	Sleep-onset	Unspecified	d/t Mental	Paradoxical	Primary	Psycho-physiologic	Other
Insomnia	F51.02	Z73.812	Z73.811	Z73.810	Z73.819	F51.05	F51.03	F51.01	F51.04	F51.09
	Deprivation	Dream anxiety	Inadequate	Night terrors	Nightmare	Sleep terrors	Sleepwalking	Other	Unspecified	
Other	Z72.820	F51.5	Z72.821	F51.4	F51.5	F51.4	F51.3	F51.8	F51.9	
4th character meanings for category as indicated: 1 abuse 2 dependence 9 use, unspecified										

SOMATIFORM DISORDERS

Body dysmorphic	Hypochondrial, unsp	Somatization d/o	Undifferentiated	Other	Unspecified
F45.22	F45.20	F45.0	F45.1	F45.8	F45.9

STRESS REACTION

Acute	PTSD, acute	PTSD, chronic	PTSD, unspecified	Other	Unspecified
F43.0	F43.11	F43.12	F43.10	F43.8	F43.9

SUICIDAL IDEATION

R45.851

TIC DISORDER

Chronic motor/vocal	Tourette's	Transient	Other	Unspecified
F95.1	F95.2	F95.0	F95.8	F95.9

TRAUMATIC BRAIN INJURY

	w/o LOC	LOC 30 m or less	LOC 31m-59m	LOC 1h-5h 59m	LOC 6h-24h	LOC > 24h w/ return to norm	LOC > 24h w/o return to norm	Death prior to regain consc		LOC duration unspecified
								d/t TBI	d/t Other cause	
Cereb edema	S06.1X0[A,D,S]	S06.1X1[A,D,S]	S06.1X2[A,D,S]	S06.1X3[A,D,S]	S06.1X4[A,D,S]	S06.1X5[A,D,S]	S06.1X6[A,D,S]	S06.1X7[A,D,S]	S06.1X8[A,D,S]	S06.1X9[A,D,S]
Concussion	S06.0X0[A,D,S]	S06.0X1[A,D,S]	S06.0X2[A,D,S]	S06.0X3[A,D,S]	S06.0X4[A,D,S]	S06.0X5[A,D,S]	S06.0X6[A,D,S]	S06.0X7[A,D,S]	S06.0X8[A,D,S]	S06.0X9[A,D,S]
Contusion/laceration										
Brain stem	S06.380[A,D,S]	S06.381[A,D,S]	S06.382[A,D,S]	S06.383[A,D,S]	S06.384[A,D,S]	S06.385[A,D,S]	S06.386[A,D,S]	S06.387[A,D,S]	S06.388[A,D,S]	S06.389[A,D,S]
Cerebellum	S06.370[A,D,S]	S06.371[A,D,S]	S06.372[A,D,S]	S06.373[A,D,S]	S06.374[A,D,S]	S06.375[A,D,S]	S06.376[A,D,S]	S06.377[A,D,S]	S06.378[A,D,S]	S06.379[A,D,S]
Cerebrum, lt	S06.320[A,D,S]	S06.321[A,D,S]	S06.322[A,D,S]	S06.323[A,D,S]	S06.324[A,D,S]	S06.325[A,D,S]	S06.326[A,D,S]	S06.327[A,D,S]	S06.328[A,D,S]	S06.329[A,D,S]
Cerebrum, rt	S06.310[A,D,S]	S06.311[A,D,S]	S06.312[A,D,S]	S06.313[A,D,S]	S06.314[A,D,S]	S06.315[A,D,S]	S06.316[A,D,S]	S06.317[A,D,S]	S06.318[A,D,S]	S06.319[A,D,S]
Cerebrum, un	S06.330[A,D,S]	S06.331[A,D,S]	S06.332[A,D,S]	S06.333[A,D,S]	S06.334[A,D,S]	S06.335[A,D,S]	S06.336[A,D,S]	S06.337[A,D,S]	S06.338[A,D,S]	S06.339[A,D,S]
Diffuse	S06.2X0[A,D,S]	S06.2X1[A,D,S]	S06.2X2[A,D,S]	S06.2X3[A,D,S]	S06.2X4[A,D,S]	S06.2X5[A,D,S]	S06.2X6[A,D,S]	S06.2X7[A,D,S]	S06.2X8[A,D,S]	S06.2X9[A,D,S]
Focal, unsp	S06.300[A,D,S]	S06.301[A,D,S]	S06.302[A,D,S]	S06.303[A,D,S]	S06.304[A,D,S]	S06.305[A,D,S]	S06.306[A,D,S]	S06.307[A,D,S]	S06.308[A,D,S]	S06.309[A,D,S]
Hemorrhage										
Brain stem	S06.380[A,D,S]	S06.381[A,D,S]	S06.382[A,D,S]	S06.383[A,D,S]	S06.384[A,D,S]	S06.385[A,D,S]	S06.386[A,D,S]	S06.387[A,D,S]	S06.388[A,D,S]	S06.389[A,D,S]
Cerebellum	S06.370[A,D,S]	S06.371[A,D,S]	S06.372[A,D,S]	S06.373[A,D,S]	S06.374[A,D,S]	S06.375[A,D,S]	S06.376[A,D,S]	S06.377[A,D,S]	S06.378[A,D,S]	S06.379[A,D,S]
Cerebrum, lt	S06.350[A,D,S]	S06.351[A,D,S]	S06.352[A,D,S]	S06.353[A,D,S]	S06.354[A,D,S]	S06.355[A,D,S]	S06.356[A,D,S]	S06.357[A,D,S]	S06.358[A,D,S]	S06.359[A,D,S]
Cerebrum, rt	S06.340[A,D,S]	S06.341[A,D,S]	S06.342[A,D,S]	S06.343[A,D,S]	S06.344[A,D,S]	S06.345[A,D,S]	S06.346[A,D,S]	S06.347[A,D,S]	S06.348[A,D,S]	S06.349[A,D,S]
Cerebrum, un	S06.360[A,D,S]	S06.361[A,D,S]	S06.362[A,D,S]	S06.363[A,D,S]	S06.364[A,D,S]	S06.365[A,D,S]	S06.366[A,D,S]	S06.367[A,D,S]	S06.368[A,D,S]	S06.369[A,D,S]
Epidural	S06.4X0[A,D,S]	S06.4X1[A,D,S]	S06.4X2[A,D,S]	S06.4X3[A,D,S]	S06.4X4[A,D,S]	S06.4X5[A,D,S]	S06.4X6[A,D,S]	S06.4X7[A,D,S]	S06.4X8[A,D,S]	S06.4X9[A,D,S]
Subarachnoid	S06.6X0[A,D,S]	S06.6X1[A,D,S]	S06.6X2[A,D,S]	S06.6X3[A,D,S]	S06.6X4[A,D,S]	S06.6X5[A,D,S]	S06.6X6[A,D,S]	S06.6X7[A,D,S]	S06.6X8[A,D,S]	S06.6X9[A,D,S]
Subdural	S06.5X0[A,D,S]	S06.5X1[A,D,S]	S06.5X2[A,D,S]	S06.5X3[A,D,S]	S06.5X4[A,D,S]	S06.5X5[A,D,S]	S06.5X6[A,D,S]	S06.5X7[A,D,S]	S06.5X8[A,D,S]	S06.5X9[A,D,S]
Other	S06.890[A,D,S]	S06.891[A,D,S]	S06.892[A,D,S]	S06.893[A,D,S]	S06.894[A,D,S]	S06.895[A,D,S]	S06.896[A,D,S]	S06.897[A,D,S]	S06.898[A,D,S]	S06.899[A,D,S]
Unspecified	S06.9X0[A,D,S]	S06.9X1[A,D,S]	S06.9X2[A,D,S]	S06.9X3[A,D,S]	S06.9X4[A,D,S]	S06.9X5[A,D,S]	S06.9X6[A,D,S]	S06.9X7[A,D,S]	S06.9X8[A,D,S]	S06.9X9[A,D,S]
7th character meanings as indicated: A initial encounter D subsequent encounter S sequela										

FIG. 9

GENERAL MEDICAL									
EXAMINATION FOR									
	Alleged adult physical abuse	Alleged child physical abuse	Alleged adult rape	Alleged child rape	General psych exam requested by authority	Other	Unspecified		
Observation for	Z04.71	Z04.72	Z04.41	Z04.42	Z04.6	Z04.8	Z04.9		
	Development disorder		Eye/ear disorder		Genetic dx carrier status	Other	Unspecified		
Screening	Z13.4		Z13.5		Z13.71	Z13.89	Z13.9		
HISTORY OF									
	Alcohol abuse/dep	Intellectual disab	Tobacco abuse/dep	Oth psych substan ab/dep	Oth substance abuse	Oth mental/behav d/o			
Family	Z81.1	Z81.0	Z81.2	Z81.3	Z81.4	Z81.8			
	Neglect	Physical/sexual	Psychological	Unspecified					
Personal									
Adult abuse	Z91.412	Z91.410	Z91.411	Z91.419					
Child abuse	Z62.812	Z62.810	Z62.811	Z62.819					
	Deployment	Self mutilation	Suicide attempt	TBI					
Other	Z91.82	Z91.5	Z91.5	Z87.820					
SIGNS AND SYMPTOMS									
	Brain function	Brain scan	CNS	CSF	Development	ECHO-EG	EEG	Head	Other
Abnormal findings	R94.09	R94.02	R90.89	R83.9	Q89.9	R90.81	R94.01	R93.0	R68.89
	AMS	Alter conscience	Dizziness	Impulsiveness	Irritability	Memory loss	Nervousness		
Other	R41.82	R40.4	R42	R45.87	R45.4	R41.3	R45.0		

FIG. 10