



US00D746977S

(12) **United States Design Patent**
Johnson et al.

(10) **Patent No.:** **US D746,977 S**
(45) **Date of Patent:** **** Jan. 5, 2016**

(54) **INFLATOR**

(71) Applicant: **Acclarent, Inc.**, Menlo Park, CA (US)

(72) Inventors: **Gregory W. Johnson**, Milford, OH (US); **Darius D. Eghbal**, Oakland, CA (US); **Sebastian L. Bachmann**, Redwood City, CA (US); **Charlie Chandra**, San Jose, CA (US); **Radit Tantisira**, Menlo Park, CA (US)

(73) Assignee: **Acclarent, Inc.**, Menlo Park, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/502,032**

(22) Filed: **Sep. 11, 2014**

Related U.S. Application Data

(63) Continuation of application No. 29/466,466, filed on Sep. 9, 2013, now Pat. No. Des. 716,441.

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/112**

(58) **Field of Classification Search**

USPC D24/112-114, 130, 127, 133, 186, 108;
606/181, 185; 604/95.03,
604/96.01-100.01, 264, 272, 115,
604/164.01-164.09, 533, 232, 187, 168.01,
604/192, 19, 48, 93.01, 523, 524, 526;
600/101, 139, 143; 128/200.24,
128/207.14, 207.15
CPC . A61M 25/065; A61M 5/42; A61M 25/0612;
A61M 25/00; A61M 39/00; A61M 27/00;
A61M 25/0043; A61M 25/0067; A61M
25/0097; A61F 2/958

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,655,749	A	4/1987	Fischione	
4,919,121	A	4/1990	Rydell et al.	
D309,663	S *	7/1990	Robinson	D24/111
D330,078	S *	10/1992	Porter	D24/111
D330,763	S *	11/1992	Penny et al.	D24/113
5,284,480	A *	2/1994	Porter et al.	604/97.03
5,449,344	A *	9/1995	Taylor et al.	604/97.03
6,394,977	B1 *	5/2002	Taylor et al.	604/100.03

(Continued)

FOREIGN PATENT DOCUMENTS

WO	WO 92/06735	4/1992
WO	WO 94/15120	7/1994

(Continued)

OTHER PUBLICATIONS

International Search Report dated Dec. 2, 2013 for PCT/US2013/058699, 6 pages.

(Continued)

Primary Examiner — David Muller

(74) *Attorney, Agent, or Firm* — Frost Brown Todd LLC


(57) **CLAIM**

The ornamental design for an inflator, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an inflator, showing our new design;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The gauge, tubing, knob, and button shown in broken lines are unclaimed environment, and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D467,334 S * 12/2002 Homma D24/108
7,207,971 B2 4/2007 Hart et al.
7,241,283 B2 * 7/2007 Putz 604/500
7,775,968 B2 * 8/2010 Mathis 600/104
8,057,430 B2 * 11/2011 Grovender et al. 604/103.04
8,398,588 B1 * 3/2013 Lampropoulos et al. .. 604/97.03
8,496,617 B2 * 7/2013 Caclin 604/97.02
8,540,750 B2 * 9/2013 Tegels 606/213
D716,441 S 10/2014 Johnson et al.
2014/0074140 A1 3/2014 Johnson et al.
2014/0074141 A1 3/2014 Johnson et al.

FOREIGN PATENT DOCUMENTS

WO WO 97/44077 11/1997
WO WO 2006/130491 12/2006

OTHER PUBLICATIONS

International Written Opinion dated Dec. 2, 2013 for PCT/US2013/
058699, 6 pages.
International Search Report dated Dec. 2, 2013 for PCT/US2013/
058702, 6 pages.
International Written Opinion dated Dec. 2, 2013 for PCT/US2013/
058702, 8 pages.

* cited by examiner




Fig. 1




Fig. 2




Fig.3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8