

US00D747032S

(12) **United States Design Patent**
Recker et al.

(10) **Patent No.:** **US D747,032 S**
(45) **Date of Patent:** **** Jan. 5, 2016**

(54) **PORTION OF A MINI NIGHT LIGHT**

(71) Applicants: **Michael V Recker**, Gaithersburg, MD
(US); **David B Levine**, Pepper Pike, OH
(US)

(72) Inventors: **Michael V Recker**, Gaithersburg, MD
(US); **David B Levine**, Pepper Pike, OH
(US)

(73) Assignee: **Wireless Environment, LLC**, Solon,
OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/521,287**

(22) Filed: **Mar. 23, 2015**

Related U.S. Application Data

(62) Division of application No. 29/488,869, filed on Apr.
24, 2014, now Pat. No. Des. 728,144.

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**

USPC **D26/138**; D26/85

(58) **Field of Classification Search**

USPC D26/26, 72, 85, 87, 89, 92, 118, 120,
D26/138

CPC F21S 8/03; F21S 8/033; F21S 8/036;
F21S 8/037; F21S 8/043; F21S 8/06; F21V
21/02; F21V 33/006; F21W 2131/10; F21W
2131/107; F21W 2131/1005

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D135,107 S * 2/1943 Szalla D26/85
D287,408 S * 12/1986 Gaines D26/26

D311,781 S * 10/1990 Usher D26/65
D397,486 S * 8/1998 Engle D26/85
6,095,670 A * 8/2000 Vosika F21V 21/02
362/368
D571,245 S * 6/2008 Dicke D10/114.1
D619,275 S * 7/2010 Pineault D26/26
D633,641 S * 3/2011 Wauters D26/76
D649,673 S * 11/2011 Liang D26/72
D650,506 S * 12/2011 Kaule D26/72
D650,507 S * 12/2011 Osiecki D26/72
D652,549 S * 1/2012 Pineault D26/26
D672,081 S * 12/2012 Sprengers D26/85
D728,144 S * 4/2015 Recker D26/85
2012/0176781 A1 * 7/2012 Witsch F21S 6/003
362/184

* cited by examiner

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Finnegan, Henderson,
Farabow, Garrett & Dunner, LLP

(57) **CLAIM**


The ornamental design for a portion of a mini night light, as
shown and described.

DESCRIPTION

FIG. 1 is a front right top perspective view of a portion of a
mini night light showing our new design;
FIG. 2 is a front left bottom perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a left side view thereof; and,
FIG. 8 is a right side view thereof.

The broken lines of even length shown in the drawings illus-
trate portions of the mini night light that form no part of the
claimed design. The broken lines of uneven length define the
boundary of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8