



US00D747085S

(12) **United States Design Patent**  
**Piontkowski**

(10) **Patent No.:** **US D747,085 S**  
(45) **Date of Patent:** **\*\* Jan. 12, 2016**

(54) **INSOLE**

(71) Applicant: **Sharone Piontkowski**, New York, NY  
(US)

(72) Inventor: **Sharone Piontkowski**, New York, NY  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/493,253**

(22) Filed: **Jun. 6, 2014**

(51) **LOC (10) Cl.** ..... **02-04**

(52) **U.S. Cl.**

USPC ..... **D2/961**

(58) **Field of Classification Search**

USPC ..... D2/896, 946, 947, 961, 968, 976;  
36/83, 88, 89, 91, 92, 93, 25 R, 28, 29,  
36/30 R, 30 A, 32 R, 34 R, 35 R, 34 A, 43,  
36/44, 145, 153, 154, 155, 71; D24/124,  
D24/126, 189

CPC ..... A43B 7/14; A43B 7/1405; A43B 7/141;  
A43B 7/1415; A43B 7/142; A43B 7/1425;  
A43B 7/143; A43B 7/1435; A43B 7/144;  
A43B 7/145; A43B 7/1455; A43B 7/146;  
A43B 7/1465; A43B 7/1475; A43B 7/148;  
A43B 7/1485; A43B 7/149; A43B 7/28;  
A43B 7/30; A43B 7/32; A43B 13/00; A43B  
13/02; A43B 13/04; A43B 13/14; A43B  
13/141; A43B 13/40; A43B 13/38; A43B  
9/00; A43B 9/125; A43B 17/00; A43B  
17/003; A43B 17/006; A43B 17/026; A43B  
17/03; A43B 17/02; A43B 17/14; A43B  
5/0405; A43B 5/0407; A43B 21/32

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,777,855 A \* 10/1930 Oblak ..... A43B 17/00  
36/43  
1,780,574 A \* 11/1930 Williams ..... A43B 17/107  
12/146 C

(Continued)

OTHER PUBLICATIONS

Polyvore.com, Invisasock Shoe Liner-Black, [http://www.polyvore.com/invisasock\\_shoe\\_liner\\_black/.thing?id=435...](http://www.polyvore.com/invisasock_shoe_liner_black/.thing?id=435...), Printed Sep. 4, 2012, date of publication unknown, 2 pages.

(Continued)

*Primary Examiner* — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Brad M. Behar & Associates, PLLC

(57) **CLAIM**

The ornamental design for an insole, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an insole showing my new design;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a cross sectional view taken along line 5-5 in FIG. 2;

FIG. 6 is a right side view thereof;

FIG. 7 is a front view thereof;

FIG. 8 is a cross sectional view taken along line 8-8 in FIG. 2;

FIG. 9 is a cross sectional view taken along line 9-9 in FIG. 2;

FIG. 10 is a cross sectional view taken along line 10-10 in FIG. 2;

FIG. 11 is a back side view thereof;

FIG. 12 is a front perspective view thereof, shown in a used condition on a foot in broken lines;

FIG. 13 is a bottom view of FIG. 12;

FIG. 14 is a left side view of FIG. 12;


FIG. 15 is a right side view of FIG. 12;

FIG. 16 is a front view of FIG. 12; and,

FIG. 17 is a back side view of FIG. 12.

The broken lines shown in the drawings form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

3,058,240 A \* 10/1962 Osgood ..... A43B 23/22  
36/91  
3,257,742 A \* 6/1966 Feinberg ..... A43B 17/00  
12/146 M  
4,627,177 A \* 12/1986 Meyers ..... A43B 3/0057  
36/154  
5,584,130 A \* 12/1996 Perron ..... A43B 7/1455  
36/3 B  
5,632,103 A \* 5/1997 Suenaga ..... A43B 13/181  
36/28  
D393,726 S \* 4/1998 Sweeney ..... D2/961  
5,782,015 A \* 7/1998 Dananberg  
D418,666 S \* 1/2000 Brown ..... D2/961  
D440,711 S \* 4/2001 Archambeault ..... D28/56  
D513,358 S \* 1/2006 Amado ..... D2/946  
D533,336 S \* 12/2006 Walker ..... D2/961  
D535,811 S \* 1/2007 Dananberg ..... D2/961  
D545,532 S \* 7/2007 Sawtelle ..... D2/947  
D594,198 S \* 6/2009 Kosmas ..... D2/961  
D596,388 S \* 7/2009 Hill ..... D2/946  
D615,742 S \* 5/2010 Vasyli ..... D2/961  
D625,501 S \* 10/2010 Lidtke ..... D2/961  
7,854,075 B2 \* 12/2010 Kosmas ..... A43B 7/142  
36/43  
D639,213 S \* 6/2011 McElroy ..... D12/114  
D657,946 S \* 4/2012 Champagne ..... D2/961  
D693,548 S \* 11/2013 Yudelowitz ..... D2/947  
D710,629 S \* 8/2014 Franco ..... D6/608  
D722,757 S \* 2/2015 Vasyli ..... D2/961  
D726,400 S \* 4/2015 Nilsson ..... D2/961  
2005/0120463 A1 6/2005 Cacioppo  
2007/0294920 A1 12/2007 Baychar  
2008/0069848 A1 3/2008 Peters  
2008/0229482 A1 9/2008 Millet  
2008/0229612 A1 9/2008 Sommer et al.  
2010/0005566 A1 1/2010 Gabe  
2010/0050322 A1 3/2010 Zagula

2010/0050469 A1 3/2010 Chen  
2011/0000106 A1 1/2011 Baychar  
2012/0317838 A1\* 12/2012 Segel ..... A43B 13/183  
36/91

OTHER PUBLICATIONS

Chueng, Jason Tak-Man, et al., A 3-Dimensional Finite Element Analysis of the Human Foot and Ankle for Insole Design, Arch Phys Med Rehabil, Feb. 2005, pp. 353-358, vol. 86,—6 pages.  
Lawrence A. Lavery et al., Wear and Biomechanical Characteristics of a Novel Shear-Reducing Insole with Implications for High-Risk Persons with Diabetes, Diabetes Technology & Therapeutics, 2005, pp. 638-646, vol. 7-4,—9 pages.  
Charlie Sorrel, 'Foot Stickers': The Most Minimal Sneakers Around, www.wired.com/gadgetlab/2010/12/foot-stickers-the-most-minimal-sneakers-around/, print date unknown, date of publication unknown, 3 pages.  
Wei-Hsien Hong, Ph.D. et al., Influence of Heel Height and Shoe Insert on Comfort Perception and Biomechanical Performance of Young Female Adults During Walking, Foot & Ankle International, Dec. 2005, pp. 1042-1048, vol. 26-12, 7 pages.  
John A. Jenney, M.D., et al., Sock Inner Sole, The American Journal of Surgery, Jul. 1969, pp. 83-85, vol. 118, 3 pages.  
A.B. Putti MCh et al., Foot pressure differences in men and women, Foot and Ankle Surgery, 2010, pp. 21-24, vol. 16, Elsevier Ltd., 4 pages.  
Bowman, Gerald D., New Concepts in the Orthotic Management of the Adult Hyperpronated Foot: Preliminary Findings, J Prosthetics and Orthotics, 1997, vol. 9, Num 2, p. 77, www.oandp.org/jpo/library/printArticle.asp?printArticleId=1997\_02\_077, print date unknown, 6 pages.  
Lee, Yung-Hui, et al., Effects of Shoe Inserts and Heel Height on Foot Pressure, Impact Force, and Perceived Comfort During Walking, Applied Ergonomics, 2005, pp. 355-362, vol. 36, Elsevier Ltd., 8 pages.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11





FIG. 12




FIG. 13




FIG. 14




FIG. 15



FIG. 16




FIG. 17