



US00D747093S

(12) **United States Design Patent**
Rogers

(10) **Patent No.:** **US D747,093 S**
(45) **Date of Patent:** **** Jan. 12, 2016**

(54) **MOLLE LOCKING STRIP FOR MOUNTING A DEVICE**

5,748,454 A * 5/1998 Nichols et al. 455/90.3
D609,460 S * 2/2010 Riccardi D3/218
D685,991 S * 7/2013 Pearce D3/218
8,523,029 B2 * 9/2013 Rogers et al. 224/182

(71) Applicant: **William H. Rogers**, St. Augustine, FL
(US)

* cited by examiner

(72) Inventor: **William H. Rogers**, St. Augustine, FL
(US)

Primary Examiner — Catheri Oliver-Garcia
(74) *Attorney, Agent, or Firm* — Arthur G. Yeager

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/490,309**

The ornamental design for a molle locking strip for mounting a device, as shown and described herein.

(22) Filed: **May 8, 2014**

DESCRIPTION

(51) **LOC (10) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/218**

(58) **Field of Classification Search**
USPC D3/218–219, 215; 224/182, 191, 197,
224/269, 576, 646, 665, 666, 678; 24/3.7,
24/3.11, 3.12, 615, 667; 379/446, 455;
455/90.3, 92

FIG. 1 is a side elevational view of a molle locking strip for mounting a device according to the invention;
FIG. 2 is a front perspective view thereof;
FIG. 3 is a rear perspective view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left end view thereof;
FIG. 7 is a rear view thereof;
FIG. 8 is a left side elevational view thereof; and,
FIG. 9 is a right end view thereof.

See application file for complete search history.


The broken lines representing the device and mounting elements form no part of the claimed invention.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,419,794 A * 12/1983 Horton et al. 24/667
5,584,423 A * 12/1996 Wang 224/197

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 3




FIG. 2

FIG. 4




FIG. 6




FIG. 5



FIG. 7




FIG. 9




FIG. 8

