



US00D747284S

(12) **United States Design Patent**
Endo et al.

(10) **Patent No.:** **US D747,284 S**
(45) **Date of Patent:** **** Jan. 12, 2016**

(54) **IMAGE DISPLAY DEVICE**

(71) Applicant: **SEMICONDUCTOR ENERGY LABORATORY CO., LTD.**, Atsugi-shi, Kanagawa-ken (JP)

(72) Inventors: **Akjo Endo**, Kanagawa (JP); **Masaaki Hiroki**, Kanagawa (JP)

(73) Assignee: **Semiconductor Energy Laboratory Co., Ltd.**, Kanagawa-ken (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/501,266**

(22) Filed: **Sep. 3, 2014**

(30) **Foreign Application Priority Data**

Mar. 13, 2014 (JP) 2014-005312

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/126**

(58) **Field of Classification Search**
USPC D14/125-134, 239, 371, 136, 374-377, D14/440, 450, 448, 336, 342, 159; 312/7.2; 348/836, 838, 180, 184, 325, 739; 248/917-924, 465; 345/104, 133, 156, 345/168, 87, 173; D21/329, 515, 577, 622, D21/333, 433, 448, 452, 450, 331, 505; D10/15, 26; 446/484, 175, 356; D6/477, 479, 300

CPC ... G06F 1/1601; G06F 1/1643; G06F 1/1616; G06F 1/1652; G06F 1/1647; G06F 1/3265; H05K 5/0004; H05K 5/0017; H05K 5/02; H05K 5/0217; G04M 1/00; H04M 1/0216; H04M 1/0268

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2006/0050169 A1* 3/2006 Misawa 348/333.06
2011/0241998 A1* 10/2011 McKinney et al. 345/168

(Continued)

OTHER PUBLICATIONS

Akio Endo et al., "Image Display Device", U.S. Appl. No. 29/501,265, filed Sep. 3, 2014, Specification and Drawings.

Primary Examiner — Raphael Barkai
(74) *Attorney, Agent, or Firm* — Nixon Peabody LLP; Jeffrey L. Costellia

(57) **CLAIM**

We claim, the ornamental design for an image display device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an image display device showing our new design;

FIG. 2 is a rear view;

FIG. 3 is a right side view;

FIG. 4 is a left side view;

FIG. 5 is a top view;

FIG. 6 is a bottom view;

FIG. 7 is a front view in which a flexible display is folded;

FIG. 8 is a rear view in which the flexible display is folded;

FIG. 9 is a right side view in which the flexible display is folded;

FIG. 10 is a left side view in which the flexible display is folded;

FIG. 11 is a top view in which the flexible display is folded;

FIG. 12 is a bottom view in which the flexible display is folded;

FIG. 13 is a reference drawing illustrating a perspective view of the image display device with the flexible display unfolded; and

FIG. 14 is a reference drawing illustrating a perspective view of the image display device with the flexible display folded; and,


FIG. 15 is a reference drawing illustrating a perspective view of the image display device with the flexible display partly curved.

The color of the image display device shown in the reference drawings forms no part of the claimed design.

The image display device is used in a state in which the image display device includes a flexible display which can be curved.

The image display device includes a flexible display which can be curved. The flexible display is held by two supports. The image display device can be double-folded so that a display screen is curved inward.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2011/0299168	A1 *	12/2011	Combs	359/601	2014/0285433	A1 *	9/2014	Park et al.	345/156
2013/0229324	A1 *	9/2013	Zhang et al.	345/1.3	2014/0285476	A1 *	9/2014	Cho et al.	345/204
2013/0300732	A1 *	11/2013	Hosoya	345/419	2015/0047796	A1 *	2/2015	Peng et al.	160/323.1
2014/0213324	A1 *	7/2014	Tan et al.	455/566	2015/0153777	A1 *	6/2015	Liu et al.	G06F 1/1652
						2015/0198978	A1 *	7/2015	Catchpole	G06F 1/1652
						2015/0220188	A1 *	8/2015	Zhao		

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12



FIG. 13




FIG. 14




FIG. 15

