

US00D747321S

(12) **United States Design Patent**
London et al.

(10) **Patent No.:** **US D747,321 S**
(45) **Date of Patent:** **** Jan. 12, 2016**

(54) **ELECTRONIC DEVICE ENCLOSURE**

(71) Applicant: **Hand Held Products, Inc.**, Fort Mill,
SC (US)

(72) Inventors: **Lisa London**, Syracuse, NY (US);
Timothy R. Fitch, Syracuse, NY (US);
Taylor Smith, Charlotte, NC (US);
Mark Schmidt, Waxhaw, NC (US);
Mark Oberpriller, Atlanta, GA (US)

(73) Assignee: **Hand Held Products, Inc.**, Fort Mills,
SC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/459,620**

(22) Filed: **Jul. 2, 2013**

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/440**

(58) **Field of Classification Search**

USPC D14/250, 251, 253, 240, 217, 496, 440,
D14/203.3, 203.4, 203.5, 203.8, 341, 318;
D3/218, 215, 201, 294, 289, 900;
220/4.02; 248/309.1; 361/679.56;
379/426, 433.11, 455; 455/575.1,
455/575.8, 457.1; 190/100; 206/305, 320,
206/45.2; D21/469; 312/240

CPC G06F 1/16; G06F 1/1626; G06F 1/1633;
G06F 1/1675; G06F 1/1679; G02F 1/1306;
G02F 1/133; G02F 1/133308; G02F 1/153;
G02F 1/1533; G02F 2001/133317; H04M
1/185; H04M 1/0252; H04B 1/3888

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D641,154 S * 7/2011 Smith D3/218
8,016,107 B2 * 9/2011 Emsky 206/320
D660,305 S * 5/2012 Ho et al. D14/447

D674,803 S * 1/2013 Westrup D14/440
D692,432 S * 10/2013 Liu et al. D14/440
D704,200 S * 5/2014 Rayner D14/447
8,746,448 B1 * 6/2014 Bellace 206/320
D707,958 S * 7/2014 Rubin D3/216
D711,866 S * 8/2014 Kawata D14/250
D711,886 S * 8/2014 Kerawala et al. D14/440
D712,412 S * 9/2014 Bleau et al. D14/440
8,863,953 B1 * 10/2014 Fager et al. 206/469
2011/0031287 A1 * 2/2011 Le Gette et al. 224/101
2012/0075799 A1 * 3/2012 Pollex 361/679.56

* cited by examiner

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Additon, Higgins &
Pendleton, P.A.

(57) **CLAIM**

The ornamental design for an electronic device enclosure, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the electronic device enclosure
disclosed herein;

FIG. 2 is a perspective view of the electronic device enclosure
of FIG. 1 with a handle in an upright position;

FIG. 3 is a rear view of the electronic device enclosure of FIG.
1;

FIG. 4 is a front view of the electronic device enclosure of
FIG. 1;

FIG. 5 is a right side view of the electronic device enclosure
of FIG. 1;


FIG. 6 is a left side view of the electronic device enclosure of
FIG. 1;

FIG. 7 is a top plan view of the electronic device enclosure of
FIG. 1; and,

FIG. 8 is a bottom plan view of the electronic device enclou-
sure of FIG. 1.

The broken lines in the drawings depict environmental sub-
ject matter/or parts of the electronic device enclosure and
form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8