



US00D747365S

(12) **United States Design Patent**
Meyer et al.

(10) **Patent No.:** **US D747,365 S**
(45) **Date of Patent:** **** Jan. 12, 2016**

(54) **UNDERCARRIAGE TRACK SYSTEM FOR MOBILE EARTHMOVING MACHINE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Caterpillar Inc.**, Peoria, IL (US)

AU 95684 3/1987
AU 105902 11/1989

(Continued)

(72) Inventors: **Robert L. Meyer**, Metamora, IL (US);
Gregory J. Kaufmann, Metamora, IL (US);
Mark Steven Diekevers, Metamora, IL (US);
Timothy A. Thorson, Morton, IL (US)

OTHER PUBLICATIONS

Caterpillar, "Heavy Duty Track," © 2008.

(Continued)

(73) Assignee: **Caterpillar Inc.**, Peoria, IL (US)

Primary Examiner — Mark Goodwin

(**) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — Saidman DesignLaw Group, LLC

(21) Appl. No.: **29/534,213**

(57) **CLAIM**

The ornamental design for an undercarriage track system for mobile earthmoving machine, as shown and described.

(22) Filed: **Jul. 27, 2015**

DESCRIPTION

Related U.S. Application Data

(63) Continuation of application No. 29/504,586, filed on Oct. 7, 2014, which is a continuation-in-part of application No. 29/426,089, filed on Jun. 29, 2012, now Pat. No. Des. 719,588.

FIG. 1 is a top perspective view of an undercarriage track system for mobile earthmoving machine showing our new design;

(51) **LOC (10) Cl.** **15-03**

(52) **U.S. Cl.**

USPC **D15/28**

(58) **Field of Classification Search**

USPC D15/28, 22-26; 305/196, 106, 119, 202

CPC B62D 55/20; B62D 55/108; B62D 55/12;

B62D 55/14; B62D 55/15; B62D 55/205;

B62D 55/0887; B62D 55/21; F16G 13/06;

F16G 13/00; F16G 13/20; F16G 13/10

See application file for complete search history.

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a left side view thereof, the right side view being identical;

FIG. 5 is a top view thereof, the bottom view being identical;

FIG. 6 is a top perspective view of a second embodiment thereof;

FIG. 7 is a bottom perspective view thereof;

FIG. 8 is a front view thereof;

FIG. 9 is a left side view thereof, the right side view being identical;

FIG. 10 is a top view thereof, the bottom view being identical;

and, FIG. 11 is a partial view thereof.

The broken lines illustrate structure or features that form no part of the claimed design. The pairs of closely spaced jagged dot-dashed lines represent indeterminate length and form no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D53,639 S 7/1919 Moore
1,952,545 A 3/1934 Gotshall

(Continued)

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D107,515 S	12/1937	Grange et al.	6,250,459 B1	6/2001	Coen et al.
2,463,226 A	3/1949	Walden	6,250,726 B1	6/2001	Burdick et al.
2,459,930 A	4/1951	Riegel et al.	RE37,254 E	7/2001	Ketting et al.
2,652,285 A	9/1953	Negri	6,267,458 B1	7/2001	Hansen et al.
2,664,317 A	12/1953	Glynn et al.	6,322,173 B1	11/2001	Maguire et al.
2,874,005 A	2/1959	Ragnar	6,322,473 B1	11/2001	Burdick et al.
D186,214 S	9/1959	Francis	6,354,679 B1	3/2002	Maguire et al.
2,911,252 A	11/1959	Templeton	6,364,438 B1	4/2002	Hasselbusch et al.
3,035,872 A	5/1962	Rich	6,402,862 B1	6/2002	Anderton et al.
3,089,021 A	5/1963	Hawes et al.	6,416,142 B1	7/2002	Oertley
3,372,959 A	3/1968	Watts, Jr.	6,431,665 B1	8/2002	Banerjee et al.
D224,705 S	9/1972	Mattson	6,454,366 B1	9/2002	Egle
3,689,122 A	9/1972	Mazzarins	6,474,754 B1	11/2002	Hasselbusch
3,947,074 A	3/1976	Nelson	6,527,347 B2	3/2003	Brawley et al.
3,955,855 A	5/1976	Massieon et al.	6,536,851 B2	3/2003	Grob et al.
3,972,570 A	8/1976	Massieon	6,631,961 B1	10/2003	Bedford et al.
4,003,608 A	1/1977	Carter	6,733,093 B2	5/2004	Deland et al.
4,021,082 A	5/1977	Rasmussen	6,851,768 B2	2/2005	Takeno et al.
4,099,795 A	7/1978	Roley	6,874,859 B1	4/2005	Duse
RE29,718 E	8/1978	Reinsma et al.	6,948,783 B2	9/2005	Hoff
RE29,723 E	8/1978	Haslett et al.	D510,742 S	10/2005	Stover
4,112,851 A	9/1978	Rousseau et al.	6,951,096 B2	10/2005	Maguire et al.
D251,845 S	5/1979	Joupperi et al.	7,007,360 B2	3/2006	Huenefeld et al.
4,176,887 A	12/1979	Alpers et al.	7,040,080 B2	5/2006	Okawa et al.
4,241,956 A	12/1980	Meisel, Jr.	7,066,289 B2	6/2006	Fujita et al.
4,253,708 A	3/1981	Haslett	7,100,353 B1	9/2006	Maguire
4,257,653 A	3/1981	Meisel, Jr. et al.	7,237,631 B2	7/2007	Livesay et al.
4,324,437 A	4/1982	Narang	D549,244 S	8/2007	Noel
4,371,362 A	2/1983	Dorris	7,252,349 B2	8/2007	Livesay et al.
4,440,095 A	4/1984	Mathieu	7,345,255 B2	3/2008	Jiang et al.
4,444,441 A	4/1984	Parker	7,374,257 B2	5/2008	Oertley
D274,333 S	6/1984	Meisel, Jr. et al.	D598,937 S	8/2009	Lyasko
4,459,124 A	7/1984	Newton	D599,381 S	9/2009	Chiang
4,514,014 A	4/1985	Balzer et al.	D603,880 S	11/2009	Brazier
4,685,184 A	8/1987	Satkamp	7,614,709 B2	11/2009	Oertley
4,763,961 A	8/1988	Parrott	7,644,999 B2	1/2010	Bradberry et al.
D298,632 S	11/1988	Grawey et al.	7,661,774 B2	2/2010	Yamamoto et al.
4,805,968 A	2/1989	Connerley	7,721,864 B2	5/2010	Bluhm
4,825,777 A	5/1989	Cummins	7,776,451 B2	8/2010	Jiang et al.
D302,276 S	7/1989	Briggs et al.	7,806,209 B2	10/2010	Standish et al.
4,890,892 A	1/1990	Haslett	7,832,815 B2	11/2010	VanderVeen
D309,314 S	7/1990	Grawey et al.	7,877,977 B2	2/2011	Johannsen et al.
D314,388 S	2/1991	Brewer et al.	7,896,766 B2	3/2011	Mitzschke et al.
5,005,922 A	4/1991	Edwards et al.	7,914,086 B2	3/2011	Mulligan
D338,020 S	8/1993	Taft	7,922,266 B2	4/2011	Dietrich
5,255,964 A	10/1993	Hara	7,967,087 B2	6/2011	Arulraja et al.
D340,890 S	11/1993	Martin et al.	D644,670 S	9/2011	Barrelmeyer
5,279,377 A	1/1994	Oertley	8,011,740 B2	9/2011	Matthys
5,288,143 A	2/1994	Dester et al.	8,075,069 B2	12/2011	Pech et al.
5,333,710 A	8/1994	Oertley	D660,877 S	5/2012	Caron et al.
5,409,306 A	4/1995	Bentz	8,167,384 B2	5/2012	Tan
5,482,364 A	1/1996	Edwards et al.	8,172,342 B2	5/2012	Diekevers et al.
5,509,359 A	4/1996	Houston	8,360,535 B2	1/2013	Johannsen et al.
D382,570 S	8/1997	Bruns	D709,527 S	7/2014	Meyer et al.
5,692,985 A	12/1997	Hirata et al.	8,770,676 B2	7/2014	Yelistratov
5,725,292 A	3/1998	Keedy et al.	8,770,677 B2	7/2014	Yelistratov
5,752,574 A	5/1998	Oertley	D712,935 S	9/2014	Meyer et al.
5,803,558 A	9/1998	Ketting et al.	D719,588 S	12/2014	Meyer et al.
5,826,884 A	10/1998	Anderton et al.	2002/0070606 A1	6/2002	Poetter
5,873,640 A	2/1999	Oertley	2002/0113489 A1	8/2002	Oertley
5,887,958 A	3/1999	Bissi et al.	2003/0090151 A1	5/2003	Takeno et al.
5,899,825 A	5/1999	Hamphoff et al.	2003/0122423 A1	7/2003	Banerjee et al.
5,913,374 A	6/1999	Becker et al.	2003/0122425 A1	7/2003	Banerjee
5,927,665 A	7/1999	Grabnic	2003/0217453 A1	11/2003	Huenefeld et al.
6,012,784 A	1/2000	Oertley	2003/0217454 A1	11/2003	Maguire et al.
6,017,103 A	1/2000	Villard	2004/0032166 A1	2/2004	Maguire et al.
6,047,969 A	4/2000	Hoeffft et al.	2005/0040708 A1	2/2005	Yamamoto et al.
6,102,408 A	8/2000	Anderton et al.	2005/0104448 A1	5/2005	Hori et al.
6,105,969 A	8/2000	Anderton et al.	2008/0164756 A1	7/2008	Yamamoto et al.
6,120,405 A	9/2000	Oertley et al.	2008/0217994 A1	9/2008	McRae et al.
6,138,820 A *	10/2000	Ewert B65G 17/40 198/850	2008/0265666 A1	10/2008	Livesay et al.
6,186,671 B1	2/2001	Rucks et al.	2009/0026836 A1	1/2009	Maeda
6,220,378 B1	4/2001	Oertley et al.	2009/0102281 A1	4/2009	Diekevers et al.
6,237,877 B1	5/2001	Wallace et al.	2009/0121542 A1	5/2009	Hunold et al.
			2009/0267408 A1	10/2009	Chiang
			2010/0102623 A1	4/2010	Mulligan
			2010/0133898 A1	6/2010	Johannsen et al.
			2010/0139993 A1	6/2010	Sebright et al.
			2010/0141005 A1	6/2010	Mackert

(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0141027 A1 6/2010 Fischer et al.
 2010/0156169 A1 6/2010 Angot et al.
 2012/0012407 A1 1/2012 Daniels et al.
 2012/0103704 A1 5/2012 Beasley et al.
 2012/0121320 A1 5/2012 Abello et al.
 2012/0146398 A1 6/2012 Nebergall et al.
 2012/0146399 A1 6/2012 Nebergall et al.
 2012/0146400 A1 6/2012 Nebergall et al.
 2012/0153714 A1 6/2012 Yelistratov
 2013/0002009 A1 1/2013 Meyer et al.
 2014/0001822 A1 1/2014 Thorson et al.
 2014/0001827 A1 1/2014 Kaufmann et al.
 2014/0001828 A1 1/2014 Meyer et al.
 2014/0001830 A1 1/2014 Meyer et al.
 2014/0001831 A1 1/2014 Thorson et al.

FOREIGN PATENT DOCUMENTS

AU 106480 1/1990
 AU 107028 3/1990
 AU 109960 1/1991
 AU 121710 10/1994
 AU 137779 7/1999
 AU 139354 12/1999
 AU 140881 6/2000
 AU 143748 5/2001
 AU 149531 10/2002
 AU 304403 11/2005
 AU 307970 7/2006
 AU 310269 9/2006
 AU 321833 10/2008
 AU 324833 2/2009
 AU 335858 4/2011
 AU 338612 9/2011
 AU 340737 2/2012
 CL 265-1928 5/1928
 CL 628-1928 10/1928
 CL 145-1939 7/1939
 CL 75-1943 3/1943
 CL 774-1989 11/1989
 CL 773-1989 3/1990
 CL 92-1990 5/1990
 CL 564-1991 7/1991
 CL 2196-1997 12/1998
 CL 1488-2002 9/2002
 CL 2980-2001 8/2003
 CL 331-2009 5/2009
 CL 332-2009 5/2009
 CL 335-2009 5/2009
 CL 336-2009 5/2009
 CL 7-2010 9/2010
 CL 2110-2011 12/2011
 CL 3070-2011 6/2012

EM 000302823-0001 2/2005
 EM 000450028-0003 12/2005
 EM 000450028-0006 12/2005
 EM 000472956-0001 1/2006
 EM 000528807-0001 5/2006
 EM 000528807-0002 5/2006
 EM 000528807-0003 5/2006
 EM 000644976-0001 12/2006
 EP 1834863 9/2007
 EP 2055509 A1 6/2009
 EP 2307712 9/2011
 EP 2367713 9/2011
 GB 1051849 12/1987
 GB 2008967 3/1990
 GB 2067983 7/1997
 GB 2080040 12/1998
 GB 2087930 11/1999
 GB 2092436 4/2000
 GB 2098189 6/2000
 GB 2105696 4/2001
 GB 2105775 5/2001
 GB 3019881 12/2004
 GB 3022180 8/2005
 GB 3022182 8/2005
 GB 4014572 2/2010
 GB 4017607 11/2010
 GB 4025167 6/2012
 JP 57-101681 6/1982
 JP 2002-29462 1/2002
 WO 2005123490 A1 12/2005
 WO 2012/082231 6/2012
 WO 2012/082449 6/2012
 WO 2012/116674 9/2012
 WO 2013/003103 A1 1/2013

OTHER PUBLICATIONS

Caterpillar, "Cat® Enhanced Sealed and Lubricated Track (SALT) Undercarriage," © 2011.
 Caterpillar, "Cat® Undercarriage Assurance Programs," © 2010.
 Caterpillar, "Maximizing Track Life," © 2007.
 Caterpillar, "Rubber Track Undercarriage," © 2009.
 Caterpillar, "Cat® Undercarriage," © 2011.
 Caterpillar, "Cat® Sleeve Bearing Track Undercarriage," © 2006.
 Caterpillar, "Cat® SystemOne™ Undercarriage for Cat® Machines," © 2009.
 Caterpillar, "Undercarriage System and Components," © 2007.
 U.S. Appl. No. 29/426,091, entitled "Undercarriage Track Link for Mobile Earthmoving Machine," filed Jun. 29, 2012, and amended Mar. 13, 2014. (unpublished).
 U.S. Appl. No. 29/426,112, entitled "Undercarriage Track Component for Mobile Earthmoving Machine," filed Jun. 29, 2012. (unpublished).
 Track Shoe photograph taken approximately Feb. 1, 2012, Cheiyabinsk, Russia.

* cited by examiner



Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D747,365 S
APPLICATION NO. : 29/534213
DATED : January 12, 2016
INVENTOR(S) : Robert L. Meyer et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, should read

Related U.S. Application Data

(63) Continuation of application No. 29/504,586, filed on Oct. 7, 2014,
which is a continuation of application No. 29/426,089, filed on
Jun. 29, 2012, now Pat. No. Des. 719,588.

Signed and Sealed this
Thirty-first Day of May, 2016



Michelle K. Lee
Director of the United States Patent and Trademark Office