



US00D747480S

(12) **United States Design Patent**
Geebelen et al.

(10) **Patent No.:** **US D747,480 S**
(45) **Date of Patent:** **** Jan. 12, 2016**

- (54) **SURGICAL GUIDE**
- (71) Applicant: **Materialise N.V.**, Leuven (BE)
- (72) Inventors: **Benjamin Geebelen**, Haasrode (BE);
Nils Faber, Leuven (BE)
- (73) Assignee: **Materialise N.V.**, Leuven (BE)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/503,416**
- (22) Filed: **Sep. 25, 2014**
- (51) **LOC (10) Cl.** **24-02**
- (52) **U.S. Cl.**
USPC **D24/140**
- (58) **Field of Classification Search**
USPC D24/140, 133, 155; 600/410;
606/86 R-91, 96-103, 246, 248;
623/17.11, 17.16
CPC A61B 17/3403; A61B 19/201; A61B
2019/267; A61B 2017/00407; A61M
2025/0213; A61N 1/0539
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D291,003 S *	7/1987	Huckstep	D24/155
5,258,032 A *	11/1993	Bertin	623/20.35
D374,078 S *	9/1996	Johnson et al.	D24/155
D473,307 S *	4/2003	Cooke	D24/155
D618,796 S *	6/2010	Cantu et al.	D24/140
D646,390 S *	10/2011	Bailey et al.	D24/140
D649,639 S *	11/2011	Bertoni et al.	D24/140
D649,640 S *	11/2011	Bailey et al.	D24/140
D651,315 S *	12/2011	Bertoni et al.	D24/140
D651,317 S *	12/2011	May et al.	D24/140
D661,808 S *	6/2012	Kang	D24/155
D669,176 S *	10/2012	Frey	D24/140
D672,038 S *	12/2012	Frey	D24/140
D705,929 S *	5/2014	Frey	D24/140
D733,875 S *	7/2015	Chaney et al.	D24/140

2004/0039450 A1 *	2/2004	Griner et al.	623/20.31
2004/0172137 A1 *	9/2004	Blaylock et al.	623/20.16
2006/0173547 A1 *	8/2006	Ensign	623/20.15
2010/0016987 A1 *	1/2010	Scrafton et al.	623/23.56
2011/0218545 A1 *	9/2011	Catanzarite et al.	606/96
2012/0277751 A1 *	11/2012	Catanzarite et al.	606/88
2013/0274753 A1 *	10/2013	Carroll et al.	606/87
2014/0236305 A1 *	8/2014	Olgiati et al.	623/20.14

* cited by examiner

Primary Examiner — Wan Laymon

Assistant Examiner — Mark Booker

(74) *Attorney, Agent, or Firm* — Fairview IP

(57) **CLAIM**



The ornamental design for a surgical guide, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a surgical guide configured in accordance with the present invention;
 FIG. 2 is another perspective view thereof, shown in the context of a femur;
 FIG. 3 is another perspective view thereof;
 FIG. 4 is a another perspective view thereof, shown in the context of a femur;
 FIG. 5 is a front view thereof;
 FIG. 6 is a rear view thereof;
 FIG. 7 is a right side view thereof;
 FIG. 8 is a left side view thereof;
 FIG. 9 is a top view thereof; and,
 FIG. 10 is a bottom view thereof.

The broken lines illustrating the bones in FIGS. 2 and 4 are directed to environmental structure and form no part of the claimed design. The broken line showing of the surgical guide is included for the purpose of illustrating portions of the “surgical guide” and forms no part of the claimed design. In addition, the surface shading illustrated in the drawings is provided merely to highlight the contour of design; it is not intended to be illustrative of texture or gloss.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

10/10




FIG. 10