



US00D747495S

(12) **United States Design Patent**
Attal et al.

(10) **Patent No.:** **US D747,495 S**
(45) **Date of Patent:** **** Jan. 12, 2016**

(54) **HEADSET FOR BIO-SIGNALS ACQUISITION**

D647,208 S * 10/2011 Rothman D24/187
8,655,428 B2 2/2014 Pradeep et al.
8,706,182 B2 4/2014 Yamashita

(71) Applicant: **MYBRAIN TECHNOLOGIES**, Paris
(FR)

(Continued)

(72) Inventors: **Yohan Attal**, Paris (FR); **Thibaud Dumas**, Paris (FR); **Martin Vandendriessche**, Luzarches (FR)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **MYBRAIN TECHNOLOGIES**, Paris
(FR)

WO 0045701 A1 8/2000
WO 2013126798 A2 8/2013

(**) Term: **14 Years**

Primary Examiner — Anhdao Doan

(21) Appl. No.: **29/513,185**

(74) *Attorney, Agent, or Firm* — Young & Thompson

(22) Filed: **Dec. 29, 2014**

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**

USPC **D24/186**

(58) **Field of Classification Search**

USPC D24/165–168, 186, 187, 107, 200;
D10/70, 75, 97, 98; 600/301, 382–384,
600/386, 390, 483, 500–503, 508, 509,
600/513; 128/DIG. 15; D14/341, 344
CPC A61B 5/6803; A61B 5/681; A61B 5/6824;
A61B 5/6825; A61B 5/024; A61B 5/02405;
A61B 5/02438

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D293,373 S * 12/1987 Beck D16/312
4,709,702 A 12/1987 Sherwin
4,967,038 A 10/1990 Gevins et al.
D326,717 S * 6/1992 Henderson D24/168
D405,537 S * 2/1999 Taylor D24/215
6,154,669 A 11/2000 Hunter et al.
D560,809 S * 1/2008 Causevic D24/187
D565,735 S 4/2008 Washbon
D578,221 S * 10/2008 Sakurai D24/187
D594,127 S * 6/2009 Causevic D24/187


(57) **CLAIM**

The ornamental design for a headset for bio-signals acquisition, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a headset for bio-signals acquisition in accordance with the present invention; FIG. 2 is a rear perspective view of the headset for bio-signals acquisition of FIG. 1; FIG. 3 is a front view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a rear view thereof; FIG. 6 is a left side view thereof; FIG. 7 is a top view thereof; FIG. 8 is a bottom view thereof; FIG. 9 is a front perspective view of another embodiment of a headset for bio-signals acquisition in accordance with the present invention; FIG. 10 is a rear perspective view of the headset for bio-signals acquisition of FIG. 9; FIG. 11 is a front view thereof; FIG. 12 is a right side view thereof; FIG. 13 is a rear view thereof; FIG. 14 is a left side view thereof; FIG. 15 is a top view thereof; and, FIG. 16 is a bottom view thereof. The portions of the design shown in broken lines show unclaimed subject matter.

1 Claim, 16 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,731,633 B2 5/2014 Asjes et al.
2007/0238945 A1 10/2007 Delic et al.
2009/0105576 A1 4/2009 Do et al.

2010/0198042 A1 8/2010 Popescu et al.
2012/0143020 A1 6/2012 Bordoley et al.
2013/0310676 A1 11/2013 Jung

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16