



US00D747534S

(12) **United States Design Patent**
Guercio et al.

(10) **Patent No.:** **US D747,534 S**
(45) **Date of Patent:** **** Jan. 12, 2016**

(54) **CANOPY LED LIGHT FIXTURE WITH FINS**

(71) Applicant: **RAB Lighting Inc.**, Northvale, NJ (US)

(72) Inventors: **Vincenzo Guercio**, Wallkill, NY (US);
Dan Wang-Munson, Bergenfield, NJ (US); **Jiang Hu**, Ningbo (CN)

(73) Assignee: **RAB Lighting Inc.**, Northvale, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/507,307**

(22) Filed: **Oct. 27, 2014**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/89**

(58) **Field of Classification Search**
USPC D26/72, 85, 89, 118, 120
CPC F21S 8/03; F21S 8/033; F21S 8/04;
F21V 3/04; F21V 3/0418; F21V 3/0427;
F21V 3/0436; F21V 3/0445; F21V 21/02;
F21V 21/03; F21V 29/506; F21V 3/049;
F21V 5/045; F21V 7/04; F21V 11/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D211,820 S	7/1968	Pettengill	
D212,899 S	12/1968	Vesely et al.	
D221,181 S	7/1971	Bobrick	
D221,351 S	8/1971	Remington	
3,671,739 A	6/1972	McCain	
4,827,386 A	5/1989	Mackiewicz	
D308,423 S *	6/1990	Galipeau	D26/67
5,228,773 A	7/1993	Win	
D444,903 S	7/2001	Wang	
6,394,628 B1	5/2002	Wang	
7,152,997 B1 *	12/2006	Kovacik	F21V 21/06 362/191
D551,379 S *	9/2007	Maxik	D26/74

D579,138 S	10/2008	Ghini	
7,572,038 B2 *	8/2009	Kinnune	F21V 21/02 248/318
7,780,318 B2	8/2010	Xiao et al.	
D624,686 S	9/2010	Toney, Jr. et al.	
D634,055 S	3/2011	Hokazono et al.	
D641,908 S	7/2011	McKee	
D655,853 S	3/2012	Kim et al.	
8,215,799 B2 *	7/2012	Vanden Eynden	F21V 15/01 362/218
8,220,961 B2 *	7/2012	Belknap	F21V 3/00 362/240
D667,587 S *	9/2012	Wilcox	D26/89

(Continued)

FOREIGN PATENT DOCUMENTS

TW D105607 7/2005

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — SmithAmundsen LLC;
Kelly J. Smith; Dennis S. Schell



(57) **CLAIM**

The ornamental design for a canopy LED light fixture with fins, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the new design;
FIG. 2 is a bottom perspective view of the new design;
FIG. 3 is a top view of the new design;
FIG. 4 is a bottom view of the new design;
FIG. 5 is a left view of the new design; and,
FIG. 6 is a front side view of the new design.
The broken lines shown in the drawings are for the purpose of illustrating portions of the article that form no part of the claimed design. The right side view of the new design is a mirror image of the left side view of the new design and is therefore omitted. Similarly, the rear view of the new design is a mirror image of the front view of the new design and is therefore omitted.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,297,798 B1 10/2012 Pittman et al.
D676,592 S * 2/2013 Salessi D26/89
8,382,340 B2 * 2/2013 Boyer F21S 8/02
362/147
8,465,178 B2 * 6/2013 Wilcox F21V 19/0055

D702,393 S 4/2014 Ansierowicz et al. 362/294
D703,861 S * 4/2014 Holland D26/89
9,121,554 B2 * 9/2015 Shimizu F21K 9/50
2008/0278957 A1 * 11/2008 Pickard F21S 8/02
362/373
2011/0026249 A1 2/2011 Wylde et al.
2011/0110081 A1 5/2011 Belknap et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6