



US00D747603S

(12) **United States Design Patent**
Gaddis

(10) **Patent No.:** **US D747,603 S**
(45) **Date of Patent:** **** Jan. 19, 2016**

(54) **RETAINER DEVICE WITH A JACKET**
(71) Applicant: **Brynetta Gaddis**, Meridianville, AL
(US)
(72) Inventor: **Brynetta Gaddis**, Meridianville, AL
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/533,976**

(22) Filed: **Jul. 23, 2015**

Related U.S. Application Data

(62) Division of application No. 29/458,412, filed on Jun. 19, 2013, now Pat. No. Des. 737,566.

(51) **LOC (10) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/208**

(58) **Field of Classification Search**
USPC D11/1-2, 14, 26-29, 89-92, 44, 48, 81,
D11/99; 63/26-28, 32; D3/207-212; D8/16,
D8/38, 347, 348; 70/456 B, 457, 458,
70/456 R; 206/37.1, 37; D14/434, 435,
D14/435.1, 436, 439, 480.3, 480.1, 480.5,
D14/480.7; D24/174, 173, 480.3
CPC A45C 11/32; A47G 29/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,117,516 A * 5/1938 Skidelsky 206/0.8
2,297,285 A * 9/1942 Bledsoe 40/634
D221,118 S * 7/1971 Chambers D20/22
3,908,418 A * 9/1975 Stoffel 70/456 R
4,358,944 A * 11/1982 Stoffel 70/457
4,789,573 A * 12/1988 Jenkinson 428/28

4,939,917 A * 7/1990 Cartwright 70/456 R
5,040,394 A * 8/1991 Wang 70/457
5,183,153 A * 2/1993 Linn 206/232
5,197,316 A * 3/1993 Gottlieb et al. 70/456 R
D622,955 S * 9/2010 Mudrick et al. D3/208
D627,962 S * 11/2010 Mudrick D3/208
7,849,721 B2 * 12/2010 Bass et al. 70/408
7,857,022 B2 * 12/2010 Kraml 150/149
7,930,918 B2 * 4/2011 Bashan et al. 70/456 R

* cited by examiner

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Lanier Ford Shaver & Payne, P.C.; Ann I. Dennen


(57) **CLAIM**

I claim the ornamental design for a retainer device with a jacket, as shown and described.

DESCRIPTION

FIG. 1 is an exploded front perspective view of a retainer device with a jacket showing my new design;
FIG. 2 is an unexploded front perspective view;
FIG. 3 is an exploded back perspective view;
FIG. 4 is an unexploded back perspective view;
FIG. 5 is a front plan view;
FIG. 6 is a back plan view;
FIG. 7 is a side plan view;
FIG. 8 is a side plan view of the side opposite of that shown in FIG. 7;
FIG. 9 is an end plan view, shown without the broken line attachment fitting; and,
FIG. 10 is an end plan view of the side opposite of that shown in FIG. 9, also shown without the broken line attachment fitting.
The broken lines in the drawings are environmental lines, which do not form part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

FIG. 9




FIG. 10

