



US00D747603S

(12) **United States Design Patent**  
**Gaddis**

(10) **Patent No.:** **US D747,603 S**  
(45) **Date of Patent:** **\*\* Jan. 19, 2016**

(54) **RETAINER DEVICE WITH A JACKET**  
(71) Applicant: **Brynetta Gaddis**, Meridianville, AL  
(US)  
(72) Inventor: **Brynetta Gaddis**, Meridianville, AL  
(US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/533,976**

(22) Filed: **Jul. 23, 2015**

**Related U.S. Application Data**

(62) Division of application No. 29/458,412, filed on Jun. 19, 2013, now Pat. No. Des. 737,566.

(51) **LOC (10) Cl.** ..... **03-01**

(52) **U.S. Cl.**  
USPC ..... **D3/208**

(58) **Field of Classification Search**  
USPC ..... D11/1-2, 14, 26-29, 89-92, 44, 48, 81,  
D11/99; 63/26-28, 32; D3/207-212; D8/16,  
D8/38, 347, 348; 70/456 B, 457, 458,  
70/456 R; 206/37.1, 37; D14/434, 435,  
D14/435.1, 436, 439, 480.3, 480.1, 480.5,  
D14/480.7; D24/174, 173, 480.3  
CPC ..... A45C 11/32; A47G 29/10  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,117,516 A \* 5/1938 Skidelsky ..... 206/0.8  
2,297,285 A \* 9/1942 Bledsoe ..... 40/634  
D221,118 S \* 7/1971 Chambers ..... D20/22  
3,908,418 A \* 9/1975 Stoffel ..... 70/456 R  
4,358,944 A \* 11/1982 Stoffel ..... 70/457  
4,789,573 A \* 12/1988 Jenkinson ..... 428/28

4,939,917 A \* 7/1990 Cartwright ..... 70/456 R  
5,040,394 A \* 8/1991 Wang ..... 70/457  
5,183,153 A \* 2/1993 Linn ..... 206/232  
5,197,316 A \* 3/1993 Gottlieb et al. .... 70/456 R  
D622,955 S \* 9/2010 Mudrick et al. .... D3/208  
D627,962 S \* 11/2010 Mudrick ..... D3/208  
7,849,721 B2 \* 12/2010 Bass et al. .... 70/408  
7,857,022 B2 \* 12/2010 Kraml ..... 150/149  
7,930,918 B2 \* 4/2011 Bashan et al. .... 70/456 R

\* cited by examiner

*Primary Examiner* — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Lanier Ford Shaver & Payne, P.C.; Ann I. Dennen


(57) **CLAIM**

I claim the ornamental design for a retainer device with a jacket, as shown and described.

**DESCRIPTION**

FIG. 1 is an exploded front perspective view of a retainer device with a jacket showing my new design;  
FIG. 2 is an unexploded front perspective view;  
FIG. 3 is an exploded back perspective view;  
FIG. 4 is an unexploded back perspective view;  
FIG. 5 is a front plan view;  
FIG. 6 is a back plan view;  
FIG. 7 is a side plan view;  
FIG. 8 is a side plan view of the side opposite of that shown in FIG. 7;  
FIG. 9 is an end plan view, shown without the broken line attachment fitting; and,  
FIG. 10 is an end plan view of the side opposite of that shown in FIG. 9, also shown without the broken line attachment fitting.  
The broken lines in the drawings are environmental lines, which do not form part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

FIG. 9




FIG. 10

