



US00D747636S

(12) **United States Design Patent**  
**Maier**

(10) **Patent No.:** **US D747,636 S**  
(45) **Date of Patent:** **\*\* Jan. 19, 2016**

(54) **STICK HOLDER**

(71) Applicant: **Peter Joseph Maier**, Thornton (CA)

(72) Inventor: **Peter Joseph Maier**, Thornton (CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/469,240**

(22) Filed: **Oct. 8, 2013**

(30) **Foreign Application Priority Data**

Apr. 9, 2013 (CA) ..... 150672

(51) **LOC (10) CL.** ..... **08-05**

(52) **U.S. Cl.**  
USPC ..... **D8/72**

(58) **Field of Classification Search**  
USPC ..... D8/71-74, 394-399, 354, 355, 356, 59;  
248/62, 63, 72, 74.1, 689, 124.2;  
81/487, 385, 386, 388-390; 269/3, 4,  
269/6, 143, 165, 240, 243, 246-249, 254 R,  
269/147-149; 29/256, 257, 276; D15/140;  
D24/143; 408/103, 104-109; D7/683,  
D7/685, 686; D6/684  
CPC ..... B25B 1/00; B25B 5/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D188,433 S \* 7/1960 Nikitas ..... D7/666  
D317,246 S \* 6/1991 Driscoll ..... D9/434  
D430,699 S \* 9/2000 Coleman, Jr. .... D26/138  
D440,005 S \* 4/2001 Blanton ..... D26/138  
D537,331 S \* 2/2007 Hill ..... D8/395  
D617,382 S \* 6/2010 Guirlinger ..... D19/83  
D632,554 S \* 2/2011 Grzyb ..... D8/395  
D642,040 S \* 7/2011 Romine ..... D8/72

D665,449 S \* 8/2012 Guirlinger ..... D19/83  
D670,159 S \* 11/2012 Bitarchas et al. .... D8/394  
D695,592 S \* 12/2013 White ..... D8/354  
8,733,710 B1 \* 5/2014 Suazo ..... 248/74.1  
2003/0080260 A1 \* 5/2003 Buck ..... 248/58  
2006/0011566 A1 1/2006 Guy

\* cited by examiner

*Primary Examiner* — David Muller

*Assistant Examiner* — Nathan Johnston

(74) *Attorney, Agent, or Firm* — Leason Ellis LLP


(57) **CLAIM**

The ornamental design for a stick holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom plan view of a first embodiment of the stick holder;  
FIG. 2 is a front elevation view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a side elevation view thereof;  
FIG. 5 is a perspective view thereof as viewed from the front;  
FIG. 6 is a bottom plan view of a second embodiment of the stick holder;  
FIG. 7 is a front elevation view thereof;  
FIG. 8 is a top plan view thereof;  
FIG. 9 is a side elevation view thereof;  
FIG. 10 is a perspective view thereof as viewed from the front;  
FIG. 11 is a bottom plan view of a third embodiment of the stick holder;  
FIG. 12 is a front elevation view thereof;  
FIG. 13 is a top plan view thereof;  
FIG. 14 is a side elevation view thereof; and,  
FIG. 15 is a perspective view thereof as viewed from the front.

**1 Claim, 6 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5






Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13






Fig. 14




Fig. 15