



US00D747861S

(12) **United States Design Patent**
Cipriani

(10) **Patent No.:** **US D747,861 S**
(45) **Date of Patent:** **** Jan. 26, 2016**

(54) **INSOLE**
(71) Applicant: **Christine Cipriani**, Los Angeles, CA
(US)
(72) Inventor: **Christine Cipriani**, Los Angeles, CA
(US)
(**) Term: **14 Years**
(21) Appl. No.: **29/515,598**
(22) Filed: **Jan. 23, 2015**
(51) **LOC (10) Cl.** **02-04**
(52) **U.S. Cl.**
USPC **D2/961**
(58) **Field of Classification Search**
USPC D2/896, 946, 947, 950, 951, 954, 955,
D2/956, 961, 976; 36/83, 88, 91, 92, 93,
36/94, 95, 96, 97, 98, 136, 25 R, 28, 30 R,
36/32 R, 36 R, 43, 44, 71
CPC A43B 7/14; A43B 7/1405; A43B 7/141;
A43B 7/1415; A43B 7/142; A43B 7/1425;
A43B 7/143; A43B 7/1435; A43B 7/144;
A43B 7/1445; A43B 7/146; A43B 7/1465;
A43B 7/1475; A43B 7/148; A43B 7/1485;
A43B 7/149; A43B 7/1495; A43B 7/16;
A43B 7/18; A43B 7/19; A43B 7/22; A43B
7/223; A43B 7/226; A43B 7/28; A43B 7/30;
A43B 7/32; A43B 7/34; A43B 7/36; A43B
7/38; A43B 13/38; A43B 13/383; A43B
13/386; A43B 13/39; A43B 13/40; A43B
13/42; A43B 17/14
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
2,121,176 A * 6/1938 Shain A43B 7/142
12/146 M
2,282,934 A * 5/1942 Calderazzo A43B 7/142
36/175

D324,761 S * 3/1992 Soo-Kwan D2/961
5,373,650 A 12/1994 Dananberg et al.
D513,358 S * 1/2006 Amado D2/946
7,047,669 B2 5/2006 Polcek
D625,501 S * 10/2010 Lidtke D2/961
D669,674 S 10/2012 Vidal
D675,004 S * 1/2013 Singleton D2/961
D695,506 S * 12/2013 Faux D2/961
D699,424 S * 2/2014 Hamm D2/961
8,776,399 B2 7/2014 Tsai
D721,880 S * 2/2015 Finn D2/961
D736,510 S * 8/2015 Basile D2/961
D738,083 S * 9/2015 Kojak D2/961
2004/0025376 A1 2/2004 Grisoni et al.
2007/0163150 A1 7/2007 Yang
2010/0146816 A1 6/2010 Cappaert et al.

FOREIGN PATENT DOCUMENTS

JP WO2011067948 6/2011

* cited by examiner


Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — Lowry Blixseth LLP; Scott
M. Lowry

(57) **CLAIM**
The ornamental design for an insole, as shown and described.

DESCRIPTION

1 is a front, top, left side perspective view of an insole showing my new design;
FIG. 2 is a front elevation view of the insole;
FIG. 3 is a rear elevation view of the insole;
FIG. 4 is a left side elevation view of the insole;
FIG. 5 is a right side elevation view of the insole;
FIG. 6 is a top plan view of the insole; and,
FIG. 7 is a bottom plan view of the insole.
The broken lines shown in the drawings represent portions of the insole that form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7