

(12) United States Design Patent (10) Patent No.: US D747,867 S Woodall (45) Date of Patent: ** Jan. 26, 2016

(54) **SHOCK ABSORBER CANE**

- (71) Applicant: Charlene E. Woodall, ShowLow, AZ (US)
- (72) Inventor: Charlene E. Woodall, ShowLow, AZ (US)

(**) Term: **14 Years**

| D329,133 S * | 9/1992 | Ragatz D3/7 |
|---------------|---------|-------------------|
| 5,390,687 A * | 2/1995 | Tsai A61H 3/02 |
| | | 135/65 |
| 5,699,819 A | 12/1997 | Simons |
| 5,875,805 A * | 3/1999 | Nichols A01K 1/04 |
| | | 119/788 |
| 6,055,998 A | 5/2000 | Bader |
| 8,393,342 B2 | 3/2013 | Goldberg et al. |
| 8,607,809 B2 | 12/2013 | Jordan et al. |
| D730,039 S * | 5/2015 | Kizaki D3/7 |

* cited by examiner

(21) Appl. No.: **29/516,805**

(22) Filed: Feb. 5, 2015

Related U.S. Application Data

- (63) Continuation of application No. 14/475,053, filed on Sep. 2, 2014.
- (52) **U.S. Cl.** USPC **D3/7**; D3/16
- (58) Field of Classification Search
 USPC D3/3–17; D12/130, 133; 135/65–73, 135/76–85, 75; D21/775; 280/819, 821
 CPC ... A61H 3/00; A61H 3/02; A61H 2003/0211; A45B 1/00; A63C 11/22; A63C 11/222
 See application file for complete search history.
- (56) **References Cited**

U.S. PATENT DOCUMENTS

764 301 A 7/1904 Osborn

Primary Examiner — John Windmuller
(74) *Attorney, Agent, or Firm* — Mark V. Loen

(57) **CLAIM** The ornamental design for a shock absorber cane, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the shock absorber cane showing a top portion with a curved handle, a telescopic connection, a lower portion, and a spring cushioned ground tip;
FIG. 2 is a right side view of FIG. 1;
FIG. 3 is a left side view of FIG. 1;
FIG. 4 is a bottom view of FIG. 1;
FIG. 5 is a top view of FIG. 1;
FIG. 6 is an enlarged view of the lower portion of the shock absorber cane; and,
FIG. 7 is an isometric view showing an embodied usage configuration of the shock absorber cane.
The broken lines shown in FIG. 7 are for purposes of illus-

trating environmental structure associated with the claimed design in condition of use, and which forms no part of the claimed design.

| 704,301 A | | // 1904 | Osuun |
|-------------|---|---------|-------------------|
| D133,915 S | * | 9/1942 | Penn D3/8 |
| D141,685 S | * | 6/1945 | Green D7/696 |
| 2,802,479 A | | 8/1957 | Hickman |
| D204,849 S | * | 5/1966 | Thomas et al D3/8 |
| 3,987,807 A | | 10/1976 | Varnell |

1 Claim, 2 Drawing Sheets





U.S. Patent Jan. 26, 2016 Sheet 1 of 2 US D747,867 S

FIG. 5







FIG. 4

U.S. Patent US D747,867 S Jan. 26, 2016 Sheet 2 of 2



