



US00D747995S

(12) **United States Design Patent**  
**McLaughlin**

(10) **Patent No.:** **US D747,995 S**  
(45) **Date of Patent:** **\*\* Jan. 26, 2016**

- (54) **NECK STRAP SUPPORTED DEVICE**
- (71) Applicant: **Glimmers Inc.**, San Mateo, CA (US)
- (72) Inventor: **Kevin John McLaughlin**, San Francisco, CA (US)
- (73) Assignee: **Glimmers Inc.**, San Mateo, CA (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/477,988**
- (22) Filed: **Dec. 30, 2013**
- (51) **LOC (10) Cl.** ..... **11-01**
- (52) **U.S. Cl.**  
USPC ..... **D11/1**
- (58) **Field of Classification Search**  
USPC ..... D11/1-50, 53, 56, 63, 65-69, 70, 74,  
D11/77-92, 121, 125, 128, 200, 206, 207;  
63/1.11, 1.12, 1.13, 1.14, 1.15, 1.16,  
63/1.17, 1.18, 3, 3.1, 3.2, 12, 13, 14.1,  
63/14.2, 14.3, 14.4, 14.5, 14.6, 14.7, 14.8,  
63/18, 20, 21, 22, 23, 26, 27, 29.1, 30-33;  
362/570, 571; D28/41; D26/72, 118  
CPC .... A44C 25/001; A44C 25/00; A44C 27/003;  
A44C 3/00; A44C 5/003; A44C 5/2042;  
A44C 7/00; A44C 7/002; A44C 7/003  
See application file for complete search history.

- D670,696 S 11/2012 Cobbett et al.
- 8,419,204 B2 \* 4/2013 Hermann, II ..... G08B 5/36  
362/571
- D684,231 S 6/2013 Albert et al.
- D685,702 S 7/2013 Ujimoto
- D690,218 S 9/2013 Cobbett et al.
- D703,945 S \* 5/2014 Reynolds ..... D11/81
- 2012/0111053 A1 \* 5/2012 Huynh ..... A44C 11/002  
63/3

\* cited by examiner

*Primary Examiner* — Cynthia Ramirez  
*Assistant Examiner* — Llorelys Martinez-Rivera  
(74) *Attorney, Agent, or Firm* — Haynes Beffel & Wolfeld  
LLP; James F. Hann

(57) **CLAIM**  
The ornamental design for a neck strap supported device, as shown and described.


**DESCRIPTION**


FIG. 1 is a perspective view of a neck strap supported device showing my new design;  
FIG. 2 is a top plan view thereof, showing the strap portion in broken lines for ease of illustration;  
FIG. 3 is a front elevation view thereof;  
FIG. 4 is a left side elevation view thereof;  
FIG. 5 is a right side elevation view thereof;  
FIG. 6 is a rear elevation view thereof;  
FIG. 7 is a bottom plan view thereof; and,  
FIG. 8 is a view similar to that of FIG. 3 shown in an internally illuminated state with the radially extending lines representing illumination.

The neck strap supported device and can be worn around the user's neck as an ornamental, affiliation or safety device. The broken lines shown in FIG. 7 illustrate portions of the neck strap supported device which form no part of the claimed design. The broken lines illustrate portions of the neck strap which form no part of the claimed design. The surface texture on the device in FIG. 8 is shown to indicate a reflective, sparkling surface appearance.


**1 Claim, 2 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS
- 1,525,005 A \* 2/1925 Sherman ..... A44C 5/00  
63/1.17
- D389,423 S \* 1/1998 Wein ..... D11/37
- D454,849 S 3/2002 Eckholm
- D459,221 S 6/2002 Springer et al.
- D489,637 S \* 5/2004 Zavilenski ..... D11/40
- D531,079 S \* 10/2006 Scharr ..... D11/86
- D618,210 S \* 6/2010 Andre ..... D14/205
- D621,138 S 8/2010 Roos et al.
- D652,761 S \* 1/2012 Gutierrez ..... D11/87
- D659,584 S \* 5/2012 Veit ..... D11/81







**FIG. 1**




**FIG. 2**




**FIG. 4**




**FIG. 3**




**FIG. 5**



**FIG. 6**



**FIG. 7**



**FIG. 8**