



US00D748209S

(12) **United States Design Patent**
Alaniz, III

(10) **Patent No.:** **US D748,209 S**
(45) **Date of Patent:** **** Jan. 26, 2016**

(54) **ELASTIC FABRIC ARM AND CHEST EXERCISE DEVICE**

(71) Applicant: **Pedro M. Alaniz, III**, Corpus Christi, TX (US)

(72) Inventor: **Pedro M. Alaniz, III**, Corpus Christi, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/474,600**

(22) Filed: **Nov. 17, 2014**

(51) **LOC (10) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/662**

(58) **Field of Classification Search**
USPC D2/502, 900, 627; D21/692, 662, 684, D21/408, 398, 672, 679; D29/100, 101.5, D29/124; D7/396.2, 387; D30/153, 152; D8/394, 382, 367, 349; D24/190, 206; D6/718.11, 387; D3/218, 226, 327, D3/221, 224; D12/133; 602/27, 16, 65, 4, 602/23, 62, 203; 482/124, 139, 123, 126, 482/106, 121, 904, 91, 148, 907, 92, 125, 482/129, 49, 55, 93, 69, 40, 43, 131, 74; 405/186, 185; 224/664, 934, 577, 236, 224/576, 586, 683, 666, 240, 660, 677, 901, 224/901.4, 901.8, 911, 681, 662, 910, 930, 224/680, 250, 578, 682, 684, 907; 2/322, 2/338, 920, 237, 312, 1, 311, 84, 87, 93, 2/660, 680, 94, 308, 321, 221; 128/95.1, 128/875, 882, 876, 845; 36/140, 50.1, 89
CPC A63B 21/0552; A63B 21/0557; A63B 21/0442; A63B 2208/0204; A63B 21/00069; A63B 21/0004; A63B 21/1449; A61F 5/0111; A61F 5/0125; A41F 9/002

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,374,177 A * 4/1921 Barry A61F 5/05841
602/16

2,808,267 A 10/1957 Heaton

(Continued)

OTHER PUBLICATIONS

Super Ram by Anderson Powerlifting LLC dated Dec. 7, 2013. Found online [Oct. 9, 2015] <http://www.andersonpowerlifting.com/product-p/super-ram-bench-press-trainer.htm?l=1&CartID=0>.*

(Continued)

Primary Examiner — Robert M Spear

Assistant Examiner — Ryan Harvey

(74) *Attorney, Agent, or Firm* — G. Turner Moller

(57) **CLAIM**

The ornamental design for an elastic fabric arm and chest exercise device, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of the elastic fabric arm and chest exercise device showing the arm cuffs in an expanded position;

FIG. 2 is a side elevation view thereof, the opposite side view being identical thereto;

FIG. 3 is a bottom view thereof;

FIG. 4 is a view of one end of FIG. 1;

FIG. 5 is a view of an opposite end of FIG. 1;

FIG. 6 is a top plan view thereof showing the arm cuffs in a collapsed position;

FIG. 7 is an end elevation view of one end of FIG. 6;


FIG. 8 is a side elevation view of FIG. 6;

FIG. 9 is an end elevation view of the opposite end of FIG. 6;

FIG. 10 is a bottom plan view of FIG. 6; and,

FIG. 11 is a perspective view of FIG. 1.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 5




Fig. 3




Fig. 4

Fig. 6




Fig. 7




Fig. 8




Fig. 9



Fig. 10




Fig. 11

