



US00D748275S

(12) **United States Design Patent**
Vosch et al.

(10) **Patent No.:** **US D748,275 S**
(45) **Date of Patent:** **** Jan. 26, 2016**

(54) **ELECTRODE PATCH ARRAY**
(71) Applicant: **Tesseract Sensors, LLC**, Sanford, FL (US)
(72) Inventors: **Michael J. Vosch**, Titusville, FL (US); **Benjamin M. Downey**, Sanford, FL (US)
(73) Assignee: **Tesseract Sensors, LLC**, Sanford, FL (US)

7,286,865 B2 10/2007 Nazeri
D565,183 S 3/2008 Cheng
D598,114 S 8/2009 Cryan
D615,660 S * 5/2010 Anderson et al. D24/187
D625,823 S * 10/2010 Schneider et al. D24/187

(Continued)

FOREIGN PATENT DOCUMENTS

EM 001384358-0001 10/2013
EM 001384358-0002 10/2013
EM 001384358-0003 10/2013
EM 001384358-0004 10/2013

(**) Term: **14 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/449,851**

Notice of Allowance dated Dec. 6, 2013, in related design U.S. Appl. No. 29/449,860, filed Mar. 15, 2013.

(22) Filed: **Mar. 15, 2013**

(Continued)

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/187**

(58) **Field of Classification Search**
USPC D24/168, 186-187, 200, 232; D13/182;
600/372-384, 391-397, 386; 607/62,
607/109, 121, 139, 149, 152, 153
See application file for complete search history.

Primary Examiner — T. Chase Nelson
Assistant Examiner — Mark Cavanna
(74) *Attorney, Agent, or Firm* — Olive Law Group, PLLC

(57) **CLAIM**
We claim the ornamental design for the electrode patch array, as shown and described.

(56) **References Cited**


DESCRIPTION

U.S. PATENT DOCUMENTS

5,042,481 A 8/1991 Iguchi
6,219,568 B1 4/2001 Kelly
D458,376 S * 6/2002 Rouns et al. D24/168
6,453,186 B1 9/2002 Lovejoy
D468,433 S 1/2003 Wagner
D469,540 S 1/2003 Holker
D471,281 S * 3/2003 Baura et al. D24/187
D475,138 S * 5/2003 Baura et al. D24/187
D478,173 S * 8/2003 Nielsen D24/187
6,609,018 B2 8/2003 Cory
6,654,626 B2 11/2003 Devlin
D495,055 S 8/2004 Silber
6,847,836 B1 1/2005 Sujdak
D536,673 S * 2/2007 Silber D24/187
D541,421 S 4/2007 Heasty

FIG. 1 is a top view of an electrode patch array showing our new design;
FIG. 2 is a bottom view thereof;
FIG. 3 is a side view thereof;
FIG. 4 is an opposite side view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a back view thereof;
FIG. 7 is a top perspective view thereof; and,
FIG. 8 is a bottom perspective thereof.
The broken lines are included for the purpose of illustrating portions of the electrode patch array that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

U.S. PATENT DOCUMENTS

7,970,450	B2	6/2011	Kroecker
D655,014	S	2/2012	Gilsdorf
D658,299	S	4/2012	McGusty
D658,768	S	5/2012	Parker III
D663,431	S	7/2012	Parker III
D663,849	S	7/2012	McGusty

Notice of Allowance dated Dec. 11, 2013, in related design U.S. Appl. No. 29/449,866, filed Mar. 15, 2013.

Non-Final Office Action mailed Dec. 5, 2013, for related U.S. Appl. No. 29/449,876, filed Mar. 15, 2013.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8