

US00D748420S

(12) **United States Design Patent**
Kim

(10) **Patent No.:** **US D748,420 S**

(45) **Date of Patent:** **** Feb. 2, 2016**

- (54) **BACK AND LUMBAR SUPPORT**
- (71) Applicant: **Sung Chol Kim**, Brea, CA (US)
- (72) Inventor: **Sung Chol Kim**, Brea, CA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/474,827**
- (22) Filed: **Feb. 23, 2015**
- (51) **LOC (10) Cl.** **06-01**
- (52) **U.S. Cl.**
USPC **D6/716.1**
- (58) **Field of Classification Search**
USPC D24/200, 211, 212, 213, 214, 215;
601/114, 120, 121, 124, 125, 130, 131,
601/134, 135, 136, 137; D6/716.1,
D6/334-338, 381, 716.4, 716
CPC A61H 19/30; A61H 19/32; A61H 19/34;
A61H 19/40; A61H 19/44; A61H 19/50;
A61H 19/00; A61H 2201/0153; A61H
2201/0207; A61H 2201/0263; A61H
2201/0111; A61H 2201/1253; A61H
2205/082; A61H 2205/085; A61H 15/0085;
A47C 1/02; A47C 17/00; A47C 17/02;
A47C 17/04; A47C 17/045; A47C 17/12;
A47C 17/132; A47C 17/136
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

- 4,350,152 A * 9/1982 Strakowski A61H 1/008
5/630
- 4,421,110 A * 12/1983 DeLisle A61H 7/001
601/134

- D312,694 S * 12/1990 Yanazaki D24/215
- 5,140,995 A * 8/1992 Uhl A63B 71/08
128/846
- D348,519 S * 7/1994 Cagle D24/211
- 5,328,447 A * 7/1994 Kapounek A61F 5/055
128/846
- D360,696 S * 7/1995 Chien-Chung D24/212
- D382,060 S * 8/1997 Jansen D24/211
- D393,723 S * 4/1998 Stojanovic D24/200
- D395,137 S * 6/1998 Summers D24/211
- D398,399 S * 9/1998 Vincent D24/143
- D405,887 S * 2/1999 Antoskow D24/211
- D413,985 S * 9/1999 Martin D24/211
- D435,109 S * 12/2000 Stojanovic D24/200
- D449,695 S * 10/2001 Ponton D24/200
- D488,868 S * 4/2004 Lundrigan D21/690
- D512,779 S * 12/2005 Kancilja D24/200
- D519,212 S * 4/2006 Kancilja D24/200
- 7,247,145 B2 * 7/2007 Kancilja A44B 11/006
128/845
- D614,308 S * 4/2010 Summers D24/211
- D639,971 S * 6/2011 Schwartz D24/200
- D664,220 S * 7/2012 Leier D21/695

* cited by examiner


Primary Examiner — Sandra Snapp

(57) **CLAIM**
The back and lumbar support design, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view
FIG. 2. is a front elevation view
FIG. 3. is a rear elevation view
FIG. 4 is a left elevation view
FIG. 5 is top plan view; and,
FIG. 6 is bottom plan view.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6