



US00D748475S

(12) **United States Design Patent**
Hunter et al.

(10) **Patent No.:** **US D748,475 S**
(45) **Date of Patent:** **** Feb. 2, 2016**

(54) **BOTTLE LID**

(71) Applicant: **Oxy Bump Corporation**, Miami, FL
(US)

(72) Inventors: **Shamila Hunter**, Miami, FL (US); **Lissa Marie Charron**, Miami, FL (US)

(73) Assignee: **Oxy Bump Corporation**, Miami, FL
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/496,618**

(22) Filed: **Jul. 15, 2014**

(51) **LOC (10) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/444**

(58) **Field of Classification Search**
USPC D9/434-436, 438, 443-450, 452-454,
D9/499; D7/387, 392, 393, 396.2, 510,
D7/511; D3/202, 294, 318; 215/28, 41,
215/201, 216, 224, 230, 235, 237, 243, 249,
215/256, 306, 316, 317, 396; 220/252,
220/254.1, 254.2-254.4, 258.2, 263, 367.1,
220/375, 711, 724, 730, 731, 837, 847;
222/109, 153.1, 153.11, 153.14, 464.1,
222/498, 546, 547, 562, 565, 566, 570, 621
CPC A61J 1/1412; B65D 1/02; B65D 1/323;
B65D 25/40; B65D 41/56; B65D 41/62;
B65D 47/06; B65D 47/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D205,732 S * 9/1966 Gould D9/526
D213,542 S * 3/1969 Douglas D9/504
D305,262 S * 12/1989 Nichols D24/115
D323,110 S * 1/1992 Simms D9/446

D382,803 S * 8/1997 Gavin D9/526
D398,225 S * 9/1998 Zaksenberg D9/520
D426,300 S * 6/2000 Conforti D24/115
D465,149 S * 11/2002 Bennett D9/691
D510,134 S * 9/2005 Lablaine D23/366
D575,643 S * 8/2008 Florio D9/435
D598,645 S * 8/2009 McSavaney D3/202

(Continued)

OTHER PUBLICATIONS

MiO Liquid Water Enhancer, Fruit Punch 1.62 fl oz (48ml); <http://www.drugstore.com/products/prod.asp?pid=343491&catid=296341&aid=338666&aparam=343491&kpid=343491>
(2014); printed Jul. 2, 2014.


Primary Examiner — Karen S Acker
Assistant Examiner — Wendy Arminio
(74) *Attorney, Agent, or Firm* — Amin Talati & Upadhye, LLC; George M. Carrera, Jr.

(57) **CLAIM**
The ornamental design for a bottle lid, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a bottle lid showing our new design in a position of use;
FIG. 2 is a top perspective view of the bottle lid;
FIG. 3 is a bottom perspective view of the bottle lid;
FIG. 4 is a front elevation view of the bottle lid;
FIG. 5 is a rear elevation view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a right side view thereof;
FIG. 8 is a top plan view thereof; and,
FIG. 9 is a bottom plan view thereof.
The broken lines in FIG. 1 showing a bottle depict environment and form no part of the claimed design. The broken lines in FIGS. 3 and 9 depict the boundaries of the claim and form no part thereof.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D604,166 S * 11/2009 Gallo D24/110
D616,307 S * 5/2010 Legros D9/435
D628,490 S * 12/2010 Sato D9/435
D653,547 S * 2/2012 Canuto D9/519

D672,607 S * 12/2012 Hainan D7/300
D712,741 S * 9/2014 Vukelic D9/435
D717,173 S * 11/2014 Wechsler D9/435
D717,515 S * 11/2014 Khan D99/5
D724,383 S * 3/2015 May D7/510

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

