



US00D748635S

(12) **United States Design Patent**
Hsu et al.(10) **Patent No.:** **US D748,635 S**
(45) **Date of Patent:** **** Feb. 2, 2016**(54) **PROTECTIVE FOLIO WITH KEYBOARD
FOR MULTIPLE TYPES OF INPUT DEVICES**2012/0140396 A1* 6/2012 Zeliff G01F 1/1628
361/679.09
2012/0211613 A1* 8/2012 Yang A45C 11/00
248/174
2012/0305413 A1* 12/2012 Chung A45C 11/00
206/45.23(71) Applicant: **Logitech Europe S.A.**, Lausanne (CH)
(72) Inventors: **Eric Hsu**, Zhubei (TW); **Malachy Spollen**, Lausanne (CH)(73) Assignee: **Logitech Europe S.A.**, Lausanne (CH)(**) Term: **14 Years**(21) Appl. No.: **29/506,910**(22) Filed: **Oct. 21, 2014**(51) LOC (10) Cl. **14-02**(52) U.S. Cl.
USPC **D14/440**(58) **Field of Classification Search**USPC D3/218, 215, 201, 294, 289, 900, 318;
D14/432, 440, 454, 402, 250;
428/40.1; 200/302.1
CPC ... G06F 1/1601; G06F 1/1626; G06F 1/1633;
G06F 1/1675; G06F 1/1679; G02F 1/1306;
G02F 1/133; G02F 1/133308; G02F 1/153;
G02F 1/1533; G02F 2001/133317; H04M
1/185; H04M 1/0252; H04B 1/3888; A45C
1/06; A45C 3/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D639,296 S * 6/2011 Tseng D14/345
D682,839 S * 5/2013 Sampson D14/447
D700,186 S * 2/2014 Feng D14/447
D704,689 S * 5/2014 Chang D14/250
D707,229 S * 6/2014 Almodova D14/440
9,033,147 B2 * 5/2015 Lee A45C 11/00
206/320
D734,340 S * 7/2015 Kim D14/440
2004/0159762 A1* 8/2004 Ghosh G06F 1/16
248/351
2006/0211458 A1* 9/2006 Pletikosa G06F 1/1626
455/575.3

(Continued)


Primary Examiner — Cynthia Underwood*(74) Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP(57) **CLAIM**

The ornamental design for a protective folio with keyboard for multiple types of input devices, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of our protective folio with keyboard for multiple types of input devices showing our new design in an open configuration; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a left side elevational view thereof; FIG. 7 is a right side elevational view thereof; and FIG. 8 is a perspective view showing the first embodiment of our new design in a closed configuration.

FIG. 9 is a perspective view of a second embodiment of our protective folio with keyboard for multiple types of input devices showing our new design in an open configuration; FIG. 10 is a top plan view thereof; FIG. 11 is a bottom plan view thereof; FIG. 12 is a front elevational view thereof; FIG. 13 is a back elevational view thereof; FIG. 14 is a left side elevational view thereof; FIG. 15 is a right side elevational view thereof; and, FIG. 16 is a perspective view showing the second embodiment of our new design in a closed configuration. The broken lines in the drawings depict environmental subject matter/or parts of the protective folio with keyboard for multiple types of input devices and form no part of the claimed design.

1 Claim, 16 Drawing Sheets

US D748,635 S

Page 2

(56)	References Cited				
	U.S. PATENT DOCUMENTS				
2012/0308981	A1* 12/2012 Libin	G09B 3/00 434/362	2013/0213838 A1*	8/2013 Tsai	G06F 1/1633 206/320
2013/0015088	A1* 1/2013 Wu	A45C 11/00 206/320	2013/0214661 A1*	8/2013 McBroom	G06F 1/1667 312/325
2013/0020216	A1* 1/2013 Chiou	G06F 1/1626 206/320	2013/0241381 A1*	9/2013 Hynecek	H05K 5/0217 312/240
2013/0140203	A1* 6/2013 Chiang	G06F 1/1628 206/320	2013/0264459 A1*	10/2013 McCosh	G06F 1/1626 248/688
				* cited by examiner	




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16