



US00D748791S

(12) **United States Design Patent**
Kampas et al.

(10) **Patent No.:** **US D748,791 S**
(45) **Date of Patent:** **** Feb. 2, 2016**

(54) **PART OF A PROSTHESIS**
(71) Applicant: **OTTO BOCK HEALTHCARE PRODUCTS GMBH, Vienna (AT)**
(72) Inventors: **Philipp Kampas, Vienna (AT); Bernhard Van Mazijk, Riederberg (AT); Sebastian Kulesa, Bovenden (DE); Martin Mitterer, Bad Reichenhall (DE); Stephan Lintner, Elsbethen (AT); Andre Marsiglia, Anif-Salzburg (AT); Stefano Cesari, Moosdorf (AT)**

623/27
4,911,724 A * 3/1990 Fikes A61F 2/60
623/37
5,152,800 A * 10/1992 Rothschild A61F 2/60
623/33
5,376,127 A * 12/1994 Swanson A61F 2/78
264/511
D383,542 S * 9/1997 Wellershaus D24/155
5,880,964 A * 3/1999 Schall A61F 2/5046
623/27
6,153,139 A * 11/2000 Marquette A61F 2/5046
264/219
6,597,965 B2 * 7/2003 Graves A61F 2/5046
623/27
D499,487 S * 12/2004 Bedard D24/155
D501,925 S * 2/2005 Bedard D24/155
7,438,725 B2 * 10/2008 Slemker A61F 2/64
623/39
D592,749 S * 5/2009 Muhlenberend D24/155
7,797,072 B2 * 9/2010 Summit A61F 2/5046
623/29
D721,810 S * 1/2015 Sigurdsson D24/155

(73) Assignee: **OTTO BOCK HEALTHCARE PRODUCTS GMBH, Vienna (AT)**

(**) Term: **14 Years**

(21) Appl. No.: **29/508,937**

(22) Filed: **Nov. 12, 2014**

(30) **Foreign Application Priority Data**

May 12, 2014 (EM) 002462119

(51) **LOC (10) CL.** **24-02**

(52) **U.S. CL.**
USPC **D24/155**

(58) **Field of Classification Search**
USPC D24/155
CPC A61F 2/80; A61F 2/60; A61F 2/76;
A61F 2/68; A61F 2/64; A61F 2220/0025;
A61F 2220/41; A61F 2002/607; A61F
2002/802; A61F 2002/5007
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,634,424 A * 4/1953 O’Gorman A61F 2/7843
623/37
3,422,462 A * 1/1969 Finnieston A61F 2/60
623/33
3,909,855 A * 10/1975 Barredo A61F 2/60

* cited by examiner


Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Charles Hanson
(74) *Attorney, Agent, or Firm* — Holland & Hart

(57) **CLAIM**
The ornamental design for a part of a prosthesis, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a part of a prosthesis according to the present invention;
FIG. 2 is a front view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines in the drawing views are included for the purpose of illustrating environment and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7