



US00D748903S

(12) **United States Design Patent**
Lee

(10) **Patent No.:** **US D748,903 S**
(45) **Date of Patent:** **** Feb. 9, 2016**

(54) **CRAMPON**

(71) Applicant: **Jung Hee Lee**, Gyeonggi-do (KR)

(72) Inventor: **Jung Hee Lee**, Gyeonggi-do (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/510,725**

(22) Filed: **Dec. 2, 2014**

(30) **Foreign Application Priority Data**

Nov. 13, 2014 (KR) 30-2014-0054683

(51) **LOC (10) CL.** **02-99**

(52) **U.S. Cl.**
USPC **D2/962; D2/946**

(58) **Field of Classification Search**
USPC D2/896, 946, 962, 906, 907, 908, 963;
36/113, 114, 122, 124-136, 59 R, 61,
36/62, 64, 65, 66, 67 R, 67 A, 67 B, 67 C,
36/67 D, 59 A, 59 B, 59 C, 59 D, 7.6, 7.7
CPC A43C 15/00; A43C 15/005; A43C 15/02;
A43C 15/04; A43C 15/06; A43C 15/061;
A43C 15/063; A43C 15/065; A43C 15/066;
A43C 15/068; A43C 15/08; A43C 15/09;
A43C 15/10; A43C 15/12; A43C 15/14;
A43C 15/16; A43C 15/161; A43C 15/162;
A43C 15/164; A43C 15/165; A43C 15/167;
A43C 15/168; A43C 15/18; A43C 13/00;
A43C 13/02; A43C 13/04; A43C 13/12;
A43C 13/14
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,408,730 A * 3/1922 Grein A43C 15/10
36/7.6

1,437,258 A * 11/1922 Miller A43C 15/10
36/62

1,607,450 A * 11/1926 Eubank A43C 15/10
36/62

2,450,768 A * 10/1948 Pulver A43C 15/10
36/7.6

2,532,485 A * 12/1950 Dowling A43C 15/10
36/132

2,538,182 A * 1/1951 Young A43C 15/10
36/7.6

4,525,939 A * 7/1985 McNeil A43C 15/06
36/114

D313,111 S * 12/1990 McKinstry D2/962

D376,255 S * 12/1996 Ehmann D2/962

5,909,945 A * 6/1999 Noy A43C 15/00
152/208

6,964,118 B2 * 11/2005 Parisotto A43C 15/061
36/62

6,966,127 B2 * 11/2005 Petzl A43C 15/068
36/7.6

7,428,788 B2 * 9/2008 Choi A43C 15/063
36/59 R

D694,503 S * 12/2013 Lee D2/946

* cited by examiner


Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — Kirton McConkie; Evan R. Witt

(57) **CLAIM**
The ornamental design for a crampon, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a crampon showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a perspective view thereof, shown in a used condition affixed to the bottom of a boot, in which the boot is shown in broken lines.
The broken lines shown in the drawings of a boot in FIG. 8 form no part of the claimed design.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8