

US00D749044S

(12) **United States Design Patent**
Huang

(10) **Patent No.:** **US D749,044 S**
(45) **Date of Patent:** **** Feb. 9, 2016**

(54) **CHARGER**

(71) Applicant: **Nokia Corporation**, Espoo (FI)

(72) Inventor: **Chao Huang**, Espoo (FI)

(73) Assignee: **MICROSOFT MOBILE OY**, Espoo (FI)

(**) Term: **14 Years**

(21) Appl. No.: **29/470,103**

(22) Filed: **Oct. 17, 2013**

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/108**

(58) **Field of Classification Search**
USPC D13/103, 107–110, 118–119, 133, 184,
D13/199; D14/251, 253, 432, 434;
320/107–115

CPC Y02E 60/10; Y02E 60/12; Y02E 60/122;
Y02E 60/124; Y02E 60/50; H01M 2/02;
H01M 2/022; H01M 2/0202; H01M 2/0207;
H01M 2/0212; H01M 2/1061; H01M 2/1022;
H01M 2/1055; H01M 2/1066; H01M 2/105;
H01M 2/20; H01M 2/202; H01M 2/204;
H01M 2/206; H01M 10/44; H01M 10/46;
H01M 10/465; H01M 10/482; H01M 2200/30;
H01M 2250/30; H01M 2250/40; H02J 7/00;
H02J 7/0003; H02J 7/0011; H02J 7/0013;
H02J 7/0054; H02J 7/0055; H02J 7/0057;
H02J 2007/0062

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,086,523 A * 4/1978 Izumi H01M 10/46
320/111
D350,725 S * 9/1994 Powers D13/103
D428,385 S * 7/2000 Luh D13/103
D505,389 S * 5/2005 Chang D13/107

D532,372 S * 11/2006 Keating D13/108
D539,216 S * 3/2007 Hamaguchi D13/103
D539,217 S * 3/2007 Hamaguchi D13/103
D539,218 S * 3/2007 Gaber D13/108
D557,658 S * 12/2007 Ledbetter D13/108
D624,920 S * 10/2010 Sheppard D14/435.1
D633,034 S * 2/2011 Heine D13/103

(Continued)

FOREIGN PATENT DOCUMENTS

AU 109246 10/1990
AU 337442 8/2011

(Continued)

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**


The ornamental design for a charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective front view of a charger, showing illuminable elements in a lightable sequence;
FIG. 2 is another perspective front view of a charger, showing illuminable elements in a lightable sequence;
FIG. 3 is another perspective front view of a charger, showing illuminable elements in a lightable sequence;
FIG. 4 is another perspective front view of a charger, showing illuminable elements in a lightable sequence;
FIG. 5 is another perspective front view of a charger, showing illuminable elements in a lightable sequence; and,
FIG. 6 is an alternative perspective front view of the charger from FIG. 5.

The broken line showing of the charger in is for illustrative purposes only and forms no part of the claimed design. The charger includes circular illuminable elements on the front face. Applicant recognizes inventive aspects of the charger, and portions thereof, with the circular elements illuminated in any of the single state illuminable patterns shown, or in the multi-state or sequence of illumination shown.

1 Claim, 3 Drawing Sheets



(56)		References Cited				FOREIGN PATENT DOCUMENTS		
U.S. PATENT DOCUMENTS						EP	000651138-0001	1/2007
D645,816	S *	9/2011	Sasada		D13/108	EP	000770441-0001	6/2007
8,014,130	B1 *	9/2011	Nguyen		H01R 13/447	GB	2077133	3/1998
					361/600	GB	2074933	5/1998
D664,920	S *	8/2012	Huang		D13/107	GB	2092766	6/1999
D676,379	S *	2/2013	Liu		D13/108	JP	1098785	1/2001
D686,155	S *	7/2013	Nguyen		D13/103	JP	1125940	11/2001
D703,134	S *	4/2014	Wong		D13/108	RU	83273	10/2012
D718,233	S *	11/2014	Aumiller		D13/108	WO	DM/077811	2/2012
D720,688	S *	1/2015	Popper		D13/103			
D730,282	S *	5/2015	Miller		D13/103			
D733,050	S *	6/2015	Chiang		D13/103			
D735,663	S *	8/2015	Miller		D13/103			
						* cited by examiner		




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6