



US00D749339S

(12) **United States Design Patent**  
**Higa**

(10) **Patent No.:** **US D749,339 S**

(45) **Date of Patent:** **\*\* Feb. 16, 2016**

(54) **COUNTERWEIGHT PILLOW SLING  
SLEEPING AID**

(71) Applicant: **Aoren Endeavors LLC**, Kapolei, HI  
(US)

(72) Inventor: **Aran Higa**, Kapolei, HI (US)

(73) Assignee: **AOREN ENDEAVORS LLC**,  
Honolulu, HI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/463,331**

(22) Filed: **Oct. 15, 2013**

(51) **LOC (10) Cl.** ..... **06-09**

(52) **U.S. Cl.**  
USPC ..... **D6/601**

(58) **Field of Classification Search**  
USPC ..... D6/595-601, 604, 605; D21/803, 809;  
D24/183, 190-193; 5/420, 489-492,  
5/630-651, 652, 655.3, 655.9, 656, 706,  
5/710, 690-692, 900, 902, 910, 922,  
5/928-930, 932, 935, 948, 953;  
128/202.18; 441/40, 66, 80-81, 127;  
D7/553.2, 553.5; 297/219.1, 219.12;  
D2/501  
CPC ..... A47G 9/10; A47G 9/1009; A47G  
2009/1018; A47G 9/1027; A47G 9/1036;  
A47G 9/1045; A47G 9/1063; A47G 9/1072;  
A47G 9/1081; A47G 9/109; A47G 9/101  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

6,164,726 A \* 12/2000 Reeves et al. .... 297/452.63  
6,957,462 B1 \* 10/2005 Wilcox ..... 5/636  
D534,389 S \* 1/2007 Chisholm et al. .... D6/601  
7,464,423 B2 \* 12/2008 Goodwin et al. .... 5/655  
D614,901 S \* 5/2010 Welch ..... D6/601

7,722,122 B2 \* 5/2010 Mittelstadt ..... 297/397  
D699,981 S \* 2/2014 Kummerfeld et al. .... D6/601  
D699,982 S \* 2/2014 Fair et al. .... D6/601  
8,683,614 B2 \* 4/2014 Leung et al. .... 2/46  
8,783,776 B1 \* 7/2014 Perkins ..... 297/392  
2007/0209115 A1 \* 9/2007 Carroll ..... 5/636  
2014/0259424 A1 \* 9/2014 Higa ..... 5/644

\* cited by examiner

*Primary Examiner* — Sheryl Lane

*Assistant Examiner* — Nathaniel D Buckner

(74) *Attorney, Agent, or Firm* — Steven R. Gray

(57) **CLAIM**


I claim the ornamental design for a counterweight pillow sling sleeping aid, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the inner side of the counterweight pillow sling sleeping aid;  
FIG. 2 is a bottom side perspective view of the outer side of the counterweight pillow sling sleeping aid shown in FIG. 1;  
FIG. 3 is a top plan view of the counterweight pillow sling sleeping aid shown in FIG. 1;  
FIG. 4 is a bottom plan view of the counterweight pillow sling sleeping aid shown in FIG. 1;  
FIG. 5 is an elevation view of the back of the counterweight pillow sling sleeping aid shown in FIG. 1;  
FIG. 6 is an elevation view of the front of the counterweight pillow sling sleeping aid shown in FIG. 1;  
FIG. 7 is a side view of the outside of the counterweight pillow sling sleeping aid shown in FIG. 1;  
FIG. 8 is the side view of the inside of the counterweight pillow sling sleeping aid shown in FIG. 1; and,  
FIG. 9 is an illustration of the counterweight pillow sling sleeping aid shown in FIG. 1 in its environment of use on a person in a sedentary position.

The broken lines showing a person in a sedentary position in FIG. 9 depict environmental matter and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9