



US00D749369S

(12) **United States Design Patent**
Cambridge et al.

(10) **Patent No.:** **US D749,369 S**

(45) **Date of Patent:** **** Feb. 16, 2016**

- (54) **FLOATING BEVERAGE HOLDER**
- (71) Applicants: **James B. Cambridge**, Muscatine, IA (US); **Linda K. Cambridge**, Muscatine, IA (US)
- (72) Inventors: **James B. Cambridge**, Muscatine, IA (US); **Linda K. Cambridge**, Muscatine, IA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/474,541**

(22) Filed: **Oct. 22, 2014**

(51) **LOC (10) Cl.** **07-06**

(52) **U.S. Cl.**
USPC **D7/619.1; D7/510**

(58) **Field of Classification Search**
USPC D7/619.1-625, 509-511; 215/338, 902; 441/1; 206/427; 220/560, 603, 902, 220/903, 737-741
CPC B63B 22/24; B65D 81/3886; A47G 2200/02; A47G 19/2266; A47G 23/0216
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,015,406 A 1/1962 Nolte
- 5,088,948 A * 2/1992 Scheurer A47G 19/2266 215/902
- 5,447,764 A * 9/1995 Langford A47G 23/0216 220/560
- 6,029,845 A 2/2000 Mueller

- 6,607,090 B1 8/2003 Doerr
- 6,616,493 B2 9/2003 Powell et al.
- 6,991,505 B1 1/2006 Wells
- 7,476,137 B2 * 1/2009 Stewart F03B 13/1815 441/1
- 8,025,146 B2 9/2011 Willis et al.
- 8,272,506 B1 9/2012 Flannery et al.
- 8,756,856 B1 * 6/2014 Girvin A01K 97/20 220/560
- 2003/0077958 A1 * 4/2003 Powell A45F 5/02 441/1
- 2012/0228175 A1 9/2012 Ressel et al.

* cited by examiner

Primary Examiner — Terry Wallace

(74) *Attorney, Agent, or Firm* — Suzanne Kikel



(57) **CLAIM**

The ornamental design for a floating beverage holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the floating beverage holder in an inoperative position.
 FIG. 2 is an exploded perspective view of the floating beverage holder of FIG. 1.
 FIG. 3 is a front view, rear view, left side view, and right side view of the floating beverage holder of FIG. 1.
 FIG. 4 is a top view thereof; and,
 FIG. 5 is a bottom view thereof.
 The claimed floating beverage holder when in an inoperative position is supported by a stand and when in an operative position is removed from the stand and allowed to float in a body of water, such as a swimming pool.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5