



US00D749507S

(12) **United States Design Patent**
Choi et al.

(10) **Patent No.:** **US D749,507 S**
(45) **Date of Patent:** **** Feb. 16, 2016**

(54) **CHARGER FOR ELECTRONIC DEVICE**

H01M 2200/30; H01M 2250/30; H01M 2250/40; B60L 11/182

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-Si, Gyeonggi-Do (KR)

See application file for complete search history.

(72) Inventors: **Jaewoong Choi**, Seoul (KR); **Yongseok Bang**, Yongin-si (KR)

(56) **References Cited**

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

U.S. PATENT DOCUMENTS

(**) Term: **14 Years**

D345,977 S *	4/1994	Nagele	D13/108
D346,798 S *	5/1994	Nagele	D13/108
D367,065 S *	2/1996	Wu	D14/251
D405,801 S *	2/1999	Nagele	D14/253
D466,476 S *	12/2002	Stratford	D13/108
D627,340 S *	11/2010	Lan	D14/253
D637,155 S *	5/2011	Jeon	D13/108
D721,073 S *	1/2015	Alesi	D14/253
2015/0188340 A1 *	7/2015	Edwards	H02J 7/0042 320/103

(21) Appl. No.: **29/499,915**

(22) Filed: **Aug. 20, 2014**

* cited by examiner

(30) **Foreign Application Priority Data**

Feb. 22, 2014 (KR) 30-2014-0009042

Primary Examiner — Rosemary K Tarcza

(51) **LOC (10) Cl.** **13-02**

Assistant Examiner — Sanjeev Paul

(52) **U.S. Cl.**
USPC **D13/108**

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce

(58) **Field of Classification Search**

(57) **CLAIM**

The ornamental design for charger for electronic device, as shown and described.

USPC D13/102–110, 118–119, 184, 199, 133,
D13/144; D14/251, 253, 432, 434, 356,
D14/155; D15/9; 439/300, 620.01, 638,
439/668–669, 675, 825; 320/107–115
CPC Y02E 60/12; Y02E 60/10; Y02E 60/122;
Y02E 60/124; Y02E 60/50; Y02T 90/14;
Y02T 90/122; Y02T 90/128; Y02T 90/163;
H02J 7/025; H02J 7/0042; H02J 7/0044;
H02J 7/0045; H02J 7/0003; H02J 7/00;
H02J 7/0011; H02J 7/0013; H02J 7/0054;
H02J 7/0055; H02J 7/0057; H02J 2007/0062;
H01F 38/14; H01R 13/6675; H01M 2/02;
H01M 2/022; H01M 2/0202; H01M 2/0207;
H01M 2/0212; H01M 2/1061; H01M 2/1022;
H01M 2/1055; H01M 2/1066; H01M 2/105;
H01M 2/204; H01M 10/44; H01M 10/46;
H01M 10/425; H01M 10/465; H01M 10/482;
H01M 10/4257; H01M 10/0436; H01M 10/48;

DESCRIPTION

FIG. 1 is the front perspective view of charger for electronic device showing our new design;
FIG. 2 is the front view thereof;
FIG. 3 is the rear view thereof;
FIG. 4 is the left-side view thereof;
FIG. 5 is the right-side view thereof;
FIG. 6 is the top-side plan view thereof;
FIG. 7 is the bottom-side plan view thereof;
FIG. 8 is a cross-sectional view taken along line 8-8 of FIG. 6;
and,
FIG. 9 is a cross-sectional view taken along line 9-9 of FIG. 6.
The broken lines are for environmental purposes only and form no part of the claimed design.

1 Claim, 9 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9

