



US00D749526S

(12) **United States Design Patent**
Johnson et al.

(10) **Patent No.:** **US D749,526 S**
(45) **Date of Patent:** **** Feb. 16, 2016**

(54) **ARTICULATING CONTACT PIN**

DESCRIPTION

- (71) Applicant: **Johnstech International Corporation**,
Minneapolis, MN (US)
- (72) Inventors: **David Johnson**, Wayzata, MN (US);
Sarosh Patel, Sunnyvale, CA (US);
John E. Nelson, Brooklyn Park, MN
(US)
- (73) Assignee: **Johnstech International Corporation**,
Minneapolis, MN (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/524,357**
- (22) Filed: **Apr. 20, 2015**

Related U.S. Application Data

- (62) Division of application No. 29/480,754, filed on Jan.
29, 2014, now Pat. No. Des. 727,269.
- (51) **LOC (10) Cl.** **13-03**
- (52) **U.S. Cl.**
USPC **D13/154**
- (58) **Field of Classification Search**
USPC D13/133, 147, 154, 184, 199
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,634,801 A	6/1997	Johnson
D393,862 S	4/1998	McInnes

(Continued)

Primary Examiner — Daniel Bui

(74) *Attorney, Agent, or Firm* — Altera Law Group, LLC


(57) **CLAIM**

The ornamental design for an articulating contact pin, as shown and described.

FIG. 1 is a front perspective view of a first embodiment of an articulating contact pin showing our new design;
 FIG. 2 is a rear perspective view thereof;
 FIG. 3 is a side elevation view thereof with the other side being a mirror image thereto;
 FIG. 4 is a rear elevation view thereof;
 FIG. 5 is a front elevation view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a front perspective view of the upper pin of the first embodiment of an articulating contact pin thereof;
 FIG. 9 is a rear perspective view thereof;
 FIG. 10 is a side elevation view thereof with the other side being a mirror image thereto;
 FIG. 11 is a rear elevation view thereof;
 FIG. 12 is a front elevation view thereof;
 FIG. 13 is a top plan view thereof;
 FIG. 14 is a bottom plan view thereof;
 FIG. 15 is a front perspective view of the lower pin of the first embodiment of an articulating contact pin thereof; showing our new design;
 FIG. 16 is a rear perspective view thereof;
 FIG. 17 is a side elevation view thereof with the other side being a mirror image thereto;
 FIG. 18 is a rear elevation view thereof;
 FIG. 19 is a front elevation view thereof;
 FIG. 20 is a top plan view thereof;
 FIG. 20 is a bottom plan view thereof;
 FIG. 22 is a front perspective view of a second embodiment of an articulating contact pin showing our new design;
 FIG. 23 is a rear perspective view thereof;
 FIG. 24 is a side elevation thereof with the other side being a mirror image thereto;
 FIG. 25 is a rear elevation view thereof;
 FIG. 26 is a front elevation view thereof;
 FIG. 27 is a top plan view thereof; and,
 FIG. 28 is a bottom plan view thereof.

The broken line in the figure drawings is included to show the unclaimed subject matter only and forms no part of the claimed design. The dash-dot line represents the boundary of the claimed design.

1 Claim, 28 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D568,247 S 5/2008 Ho et al.
D569,236 S 5/2008 Young, IV
D574,776 S 8/2008 Munch et al.
D574,777 S 8/2008 Munch et al.

D585,023 S 1/2009 Munch et al.
D636,736 S 4/2011 Otasu et al.
D696,203 S 12/2013 Kettern et al.
D711,836 S 8/2014 Johnson et al.
D719,923 S * 12/2014 Johnson D13/154
D727,269 S * 4/2015 Johnson D13/154
D731,983 S * 6/2015 Teranishi D13/154

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18



FIG. 20



FIG. 21




FIG. 22




FIG. 23




FIG. 24



FIG. 25




FIG. 26



FIG. 27



FIG. 28