



US00D749646S

(12) **United States Design Patent**
Turner et al.

(10) **Patent No.:** **US D749,646 S**

(45) **Date of Patent:** **** *Feb. 16, 2016**

(54) **COUNTERWEIGHT FOR WHEELED
LOADING SHOVEL VEHICLE**

(71) Applicant: **J.C. BAMFORD EXCAVATORS
LIMITED**, Uttoxeter (GB)

(72) Inventors: **Michael Turner**, Uttoxeter (GB); **Toby
Mellor**, Uttoxeter (GB); **Jason Burgess**,
Uttoxeter (GB); **Simon Davies**, Uttoxeter
(GB); **Stuart Jones**, Uttoxeter (GB);
Juan Carlos Ramires, Uttoxeter (GB);
John Boughton, Uttoxeter (GB)

(73) Assignee: **J.C. BAMFORD EXCAVATORS
LIMITED**, Uttoxeter (GB)

(*) Notice: This patent is subject to a terminal dis-
claimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/496,163**

(22) Filed: **Jul. 10, 2014**

(30) **Foreign Application Priority Data**

Jan. 10, 2014 (EM) 001399273

(51) **LOC (10) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/28**

(58) **Field of Classification Search**

USPC D15/10, 22-29, 30, 33, 31; 296/193.03,
296/193.08; 172/611, 776; 180/69.24, 89.1,
180/89.12, 89.13, 900, 326; 37/443, 379;
414/601, 602, 685, 687, 688, 694,
414/722-724, 699, 680, 698, 719, 743

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|--------------|---------|-----------------------|--------|
| D559,279 S * | 1/2008 | Sakitani et al. | D15/28 |
| D579,465 S * | 10/2008 | Ochi et al. | D15/28 |
| D582,947 S * | 12/2008 | Ueta et al. | D15/28 |
| D587,285 S * | 2/2009 | Murakami et al. | D15/28 |
| D678,358 S * | 3/2013 | Hiraoka et al. | D15/28 |
| D678,359 S * | 3/2013 | Hagura et al. | D15/28 |
| D680,136 S * | 4/2013 | Tsukamoto et al. | D15/28 |

* cited by examiner

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Marshall, Gerstein & Borun
LLP

(57) **CLAIM**

The ornamental design for a counterweight for a wheeled
loading shovel vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a front, right side, and top isometric view of a
counterweight for a wheeled loading shovel vehicle showing
the new design.

FIG. 2 is a top plan view of the counterweight for a wheeled
loading shovel vehicle.

FIG. 3 is a front elevation view of the counterweight for a
wheeled loading shovel vehicle.

FIG. 4 is an enlarged left side elevation view of the counter-
weight for a wheeled loading shovel vehicle.

FIG. 5 is an enlarged right side elevation view of the coun-
terweight for a wheeled loading shovel vehicle.


FIG. 6 is a bottom plan view of the counterweight for a
wheeled loading shovel vehicle; and,

FIG. 7 is a front, left side, and top isometric view of the
counterweight for a wheeled loading shovel vehicle.

The back forms no part of the claimed design.

The characteristic feature of the design resides in the color
contrast between the recessed internal portion and the sur-
rounding portions.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7