



US00D749973S

(12) **United States Design Patent**  
**Greves**

(10) **Patent No.:** **US D749,973 S**

(45) **Date of Patent:** **\*\* Feb. 23, 2016**

(54) **SAFETY SIGN FOR A VEHICLE**

(71) Applicant: **ZACAABEL, LLC**, Fort Myers, FL  
(US)

(72) Inventor: **Kenneth J. Greves**, Fort Myers, FL (US)

(73) Assignee: **ZACAABEL, LLC**, Ft. Myers, FL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/536,753**

(22) Filed: **Aug. 19, 2015**

(51) **LOC (10) Cl.** ..... **10-05**

(52) **U.S. Cl.**  
USPC ..... **D10/109.1**

(58) **Field of Classification Search**  
USPC ..... D10/109.1, 113.4; D20/10  
CPC ..... G09F 1/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D364,109 S	11/1995	Stanuch	
5,927,676 A	7/1999	Lefton	
D422,524 S	4/2000	Tam	
6,678,980 B2	1/2004	Arias	
D516,447 S	3/2006	Barnett	
D527,475 S	8/2006	Hall	
D556,617 S	12/2007	Darolfi	
7,370,602 B2	5/2008	Greves	
D584,841 S	1/2009	Macpherson	
D585,779 S *	2/2009	Rees	D10/109.1
D588,036 S *	3/2009	Rees	D10/109.1

D703,080 S *	4/2014	Greves	D10/113.4
D703,081 S *	4/2014	Greves	D10/113.4
2001/0041091 A1	11/2001	Coleman	
2005/0280554 A1	12/2005	Chan	

\* cited by examiner

*Primary Examiner* — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Standley Law Group LLP

(57) **CLAIM**

The ornamental design for a safety sign for a vehicle, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the safety sign for a vehicle, in a opened condition

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevation view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is a rear elevation view thereof;

FIG. 7 is a right side elevation view;

FIG. 8 is a bottom plan view;

FIG. 9 is a front perspective view of the safety sign for a vehicle, in a closed condition;


FIG. 10 is a rear perspective view of the FIG. 9 closed condition;

FIG. 11 is an environmental view of the safety sign for a vehicle, installed on a vehicle in the closed condition; and,

FIG. 12 is an environmental view of the safety sign for a vehicle, installed on a vehicle in the open condition.

The broken line showing of mounting holes and a portion of a semi-trailer is included for the purpose of illustrating portions of the "article" and forms no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG-4

FIG-5




FIG-6

FIG-7




FIG-8






FIG--10




FIG--9




FIG-11




FIG-12