



US00D750015S

(12) **United States Design Patent**
Scheifele

(10) **Patent No.:** **US D750,015 S**
(45) **Date of Patent:** **** Feb. 23, 2016**

(54) **TIRE SIDEWALL**

(71) Applicant: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(72) Inventor: **Kevin E. Scheifele**, Atwater, OH (US)

(73) Assignee: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/472,945**

(22) Filed: **Nov. 18, 2013**

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**
USPC D12/604, 605; D7/588, 396.4, 396.5;
152/523, 524, 525, 555
CPC B60C 13/00; B60C 13/001; B60C 13/02;
B60C 1/0025
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D207,572 S * 5/1967 Ueno D12/605
D281,127 S * 10/1985 Unger D7/588
D362,223 S * 9/1995 Attinello et al. D12/605
D369,769 S * 5/1996 Attinello et al. D12/605
D385,834 S * 11/1997 Ratliff, Jr. D12/605
D479,190 S * 9/2003 Maxwell D12/605
D483,010 S * 12/2003 Maxwell D12/605
D507,522 S 7/2005 Becker et al.
D543,932 S 6/2007 Shondel
D544,831 S 6/2007 Kikkawa et al.
D571,287 S 6/2008 Dixon
D577,329 S 9/2008 Umstot et al.
D577,330 S 9/2008 Miyasaka
D585,017 S * 1/2009 Shondel D12/605
D588,529 S * 3/2009 Reese et al. D12/605
D592,591 S * 5/2009 Kuwano D12/605

D593,486 S * 6/2009 Yonetsu D12/605
D596,117 S * 7/2009 Yonetsu D12/605
D608,274 S 1/2010 Takahashi
D608,275 S 1/2010 Maxwell
D609,177 S 2/2010 Osaka
D610,534 S 2/2010 Kuroishi
D629,745 S * 12/2010 Shondel D12/605
D632,641 S 2/2011 Sato
D638,354 S 5/2011 Strader et al.
D640,186 S 6/2011 Miyazaki
D640,188 S 6/2011 Strader et al.
D645,812 S 9/2011 Tokizaki
D647,044 S 10/2011 Takemoto

(Continued)

OTHER PUBLICATIONS

Simple_Metal_Mtl_DiamondPlate_pattern, Available online Aug. 8, 2010, <http://www.kaneva.com/asset/assetDetailsLandingPage.aspx?assetId=6381494&communityId=0>.*

Primary Examiner — Cynthia M Chin

(74) *Attorney, Agent, or Firm* — Shawn J. Fox

(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and described.

DESCRIPTION

FIG. 1 is a side elevation view of a tire sidewall showing my new design;

FIG. 2 is an enlarged fragmentary view of the upper quadrant of FIG. 1;



FIG. 3 is an enlarged fragmentary view of the lower quadrant of FIG. 1;

FIG. 4 is an enlarged fragmentary view thereof; and,

FIG. 5 is a side perspective view thereof.

The broken lines defining the tire tread and inner bead represent unclaimed environmental subject matter; the broken lines immediately adjacent the solid line showing the tire sidewall represent the boundaries of the claimed design but form no part thereof.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D647,473 S * 10/2011 Kujime D12/605

D649,111 S 11/2011 Tokizaki

D655,671 S * 3/2012 Yasunaga D12/605

D667,782 S 9/2012 Mukai

D676,805 S 2/2013 Iwabuchi

D680,490 S * 4/2013 Iwabuchi D12/605

2003/0084979 A1 5/2003 Matsumoto

* cited by examiner




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5