



US00D750113S

(12) **United States Design Patent**  
**Kettner et al.**

(10) **Patent No.:** **US D750,113 S**

(45) **Date of Patent:** **\*\* Feb. 23, 2016**

(54) **DISPLAY SCREEN OR A PORTION THEREOF  
HAVING AN ANIMATED GRAPHICAL USER  
INTERFACE**

(71) Applicant: **Ivoclar Vivadent AG**, Schaan (LI)

(72) Inventors: **Philipp Kettner**, Rankweil (AT); **Robert  
Grünenfelder**, Eschen (LI); **Michael  
Brotzge**, Koblach (AT); **Johannes  
Lorünser**, Buldenz (AT)

(73) Assignee: **IVOCLAR VIVADENT AG**, Schaan  
(LI)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/456,978**

(22) Filed: **Jun. 5, 2013**

(30) **Foreign Application Priority Data**

Dec. 5, 2012 (WO) ..... 707146201

(51) **LOC (10) Cl.** ..... **14-04**

(52) **U.S. Cl.**  
USPC ..... **D14/486**

(58) **Field of Classification Search**

USPC ..... D14/485-495; D18/24-33; D20/11, 12,  
D20/18, 22-28, 40

CPC ... G06F 3/0481; G06F 3/0482; G06F 3/0483;  
G06F 3/04812; G06F 3/0486; G06F 3/04815;  
G06F 3/04817; G06F 3/04845; G06F 3/04855;  
G06F 3/04886; G06F 3/048

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,373,488 B1 4/2002 Gasper et al.  
6,529,215 B2 3/2003 Golovchinsky et al.

(Continued)

*Primary Examiner* — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — Hodgson Russ LLP

(57) **CLAIM**

The ornamental design for a display screen or a portion thereof having an animated graphical user interface, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a display screen or a portion thereof having an animated graphical user interface showing our new design;

FIG. 2 is a front view of the second image thereof;

FIG. 3 is a front view of the third image thereof;

FIG. 4 is a front view of the fourth image thereof.

FIG. 5 is a front view of the fifth image thereof;

FIG. 6 is a front view of the sixth image thereof;

FIG. 7 is a front view of the seventh image thereof.

FIG. 8 is a front view of the eighth image thereof;

FIG. 9 is a front view of the ninth image thereof;

FIG. 10 is a front view of the tenth image thereof;

FIG. 11 is a front view of the eleventh image thereof;


FIG. 12 is a front view of the twelfth image thereof; and,

FIG. 13 is a front view of the thirteenth image thereof.

The outer edge of the display screen is understood to be congruent with the outer edge of the graphical user interface. The appearance of the animated image sequentially transitions between the images shown in FIGS. 1-13. The process or period in which one image transitions to another image forms no part of the claimed design.

The broken lines illustrate graphical elements that form no part of the claimed design.

**1 Claim, 11 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

7,302,644	B2	11/2007	Holtz et al.						
7,480,865	B2 *	1/2009	Lin .....	715/727					
D593,578	S *	6/2009	Ball et al. ....	D14/488					
D638,853	S *	5/2011	Brinda .....	D14/488					
8,275,394	B2 *	9/2012	Mattila et al. ....	455/456.3					
8,312,374	B2	11/2012	Ozawa et al.						
8,484,578	B2 *	7/2013	Gordner et al. ....	715/808					
8,627,192	B2 *	1/2014	Lanahan et al. ....	715/204					
8,769,438	B2	7/2014	Mangum et al.						
D716,338	S *	10/2014	Lee .....	D14/488					
8,896,524	B2	11/2014	Birnbaum et al.						
2008/0155433	A1	6/2008	Robertson et al.						
2008/0209323	A1 *	8/2008	Park .....	715/716					
					2009/0007018	A1	1/2009	Ikeda et al.	
					2009/0019141	A1	1/2009	Bush et al.	
					2009/0049411	A1	2/2009	Shim et al.	
					2009/0125826	A1	5/2009	Haggerty et al.	
					2009/0204920	A1 *	8/2009	Beverley et al. ....	715/768
					2010/0306708	A1	12/2010	Trenz et al.	
					2011/0078109	A1 *	3/2011	Griggs et al. ....	707/609
					2011/0154188	A1	6/2011	Forstall et al.	
					2011/0283188	A1 *	11/2011	Farrenkopf et al. ....	715/702
					2012/0110457	A1	5/2012	Friedlander et al.	
					2012/0268500	A1 *	10/2012	Chang et al. ....	345/690
					2013/0117671	A1	5/2013	Long et al.	
					2013/0254660	A1 *	9/2013	Fujioka .....	715/707
					2013/0263058	A1	10/2013	Hoerentrup et al.	
					2014/0258854	A1	9/2014	Li et al.	
					2014/0289620	A1	9/2014	Xie et al.	

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4






Fig. 5




Fig. 6




Fig. 7




Fig. 8






Fig. 9




Fig. 10




Fig. 11




Fig. 12










	Self-Test	114 °C
	Furnace Head	<input type="radio"/>
	Vacuum	<input checked="" type="radio"/>
	Infrared Technology	<input type="radio"/>
	Temperature Calibration	<input checked="" type="radio"/>
	Dehumidification	<input checked="" type="radio"/>
	Maintenance and Service	<input type="radio"/>
	Power Supply	<input type="radio"/>
	Software Version	E0.18.005

Fig. 13