



US00D750283S

(12) **United States Design Patent**  
**Hu et al.**

(10) **Patent No.:** **US D750,283 S**  
(45) **Date of Patent:** **\*\* Feb. 23, 2016**

(54) **LIGHT-EMITTING DIODE LAMP**

**DESCRIPTION**

(71) Applicant: **EPISTAR CORPORATION**, Hsinchu (TW)

(72) Inventors: **Wei-Chiang Hu**, Hsinchu (TW);  
**Keng-Chuan Chang**, Hsinchu (TW);  
**Chiu-Lin Yao**, Hsinchu (TW)

(73) Assignee: **EPISTAR CORPORATION**, Hsinchu (TW)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/502,077**

(22) Filed: **Sep. 11, 2014**

(30) **Foreign Application Priority Data**

Mar. 11, 2014 (TW) ..... 103301386

(51) **LOC (10) Cl.** ..... **26-04**

(52) **U.S. Cl.**  
USPC ..... **D26/2**

(58) **Field of Classification Search**  
USPC ..... D26/1-4; 313/313, 315, 316, 317, 318,  
313/493; 315/52, 53, 56, 57, 58  
CPC ..... H01J 5/48; H01J 5/50; H01J 19/54;  
F21V 5/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D464,445 S \* 10/2002 Honda ..... D26/2  
D482,142 S \* 11/2003 Honda ..... D26/2  
D521,659 S \* 5/2006 Chen ..... D26/2  
D627,494 S \* 11/2010 Wu ..... D26/2

\* cited by examiner


*Primary Examiner* — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.

(57) **CLAIM**

The ornamental design for a light-emitting diode lamp, as shown and described.

FIG. 1 is a front, top-right perspective view of a first embodiment of a light-emitting diode lamp showing our new design; FIG. 2 is a front, bottom-left perspective view of the light-emitting diode lamp of FIG. 1; FIG. 3 is a front view of the light-emitting diode lamp of FIG. 1, the rear view being a mirror image; FIG. 4 is a right side elevational view of the light-emitting diode lamp of FIG. 1, the left side view being a mirror image; FIG. 5 is a top plan view of the light-emitting diode lamp of FIG. 1; FIG. 6 is a bottom plan view of the light-emitting diode lamp of FIG. 1; FIG. 7 is a front, top-right perspective view of a second embodiment of the light-emitting diode lamp showing our new design; FIG. 8 is a front, bottom-left perspective view of the light-emitting diode lamp of FIG. 7; FIG. 9 is a front view of the light-emitting diode lamp of FIG. 7, the rear view being a mirror image; FIG. 10 is a right side elevational view of the light-emitting diode lamp of FIG. 7, the left side view being a mirror image; FIG. 11 is a top plan view of the light-emitting diode lamp of FIG. 7; FIG. 12 is a bottom plan view of the light-emitting diode lamp of FIG. 7; FIG. 13 is a front, top-right perspective view of a third embodiment of a light-emitting diode lamp showing our new design with the upper portion of the lamp being transparent as indicated by the transparent shading thereon; FIG. 14 is a front, bottom-left perspective view of the light-emitting diode lamp of FIG. 13; FIG. 15 is a front view of the light-emitting diode lamp of FIG. 13, the rear view being a mirror image; FIG. 16 is a right side elevational view of the light-emitting diode lamp of FIG. 13, the left side view being a mirror image; FIG. 17 is a top plan view of the light-emitting diode lamp of FIG. 13; FIG. 18 is a bottom plan view of the light-emitting diode lamp of FIG. 13; FIG. 19 is a front, top-right perspective view of a fourth embodiment of the light-emitting diode lamp showing our



new design with the upper portion of the lamp being transparent as indicated by the transparent shading thereon;  
FIG. 20 is a front, bottom-left perspective view of the light-emitting diode lamp of FIG. 19;  
FIG. 21 is a front view of the light-emitting diode lamp of FIG. 19, the rear view being a mirror image;  
FIG. 22 is a right side elevational view of the light-emitting diode lamp of FIG. 19, the left side view being a mirror image;  
FIG. 23 is a top plan view of the light-emitting diode lamp of FIG. 19;  
FIG. 24 is a bottom plan view of the light-emitting diode lamp of FIG. 19;  
FIG. 25 is a front, top-right perspective view of a fifth embodiment of a light-emitting diode lamp showing our new design;  
FIG. 26 is a front, bottom-left perspective view of the light-emitting diode lamp of FIG. 25;  
FIG. 27 is a front view of the light-emitting diode lamp of FIG. 25, the rear view being a mirror image;  
FIG. 28 is a right side elevational view of the light-emitting diode lamp of FIG. 25, the left side view being a mirror image;  
FIG. 29 is a top plan view of the light-emitting diode lamp of FIG. 25;  
FIG. 30 is a bottom plan view of the light-emitting diode lamp of FIG. 25;  
FIG. 31 is a front, top-right perspective view of a sixth embodiment of the light-emitting diode lamp showing our new design;  
FIG. 32 is a front, bottom-left perspective view of the light-emitting diode lamp of FIG. 31;  
FIG. 33 is a front view of the light-emitting diode lamp of FIG. 31, the rear view being a mirror image;  
FIG. 34 is a right side elevational view of the light-emitting diode lamp of FIG. 31, the left side view being a mirror image;  
FIG. 35 is a top plan view of the light-emitting diode lamp of FIG. 31;

FIG. 36 is a bottom plan view of the light-emitting diode lamp of FIG. 31;  
FIG. 37 is a front, top-right perspective view of a seventh embodiment of a light-emitting diode lamp showing our new design with the upper portion of the lamp being transparent as indicated by the transparent shading thereon;  
FIG. 38 is a front, bottom-left perspective view of the light-emitting diode lamp of FIG. 37;  
FIG. 39 is a front view of the light-emitting diode lamp of FIG. 37, the rear view being a mirror image;  
FIG. 40 is a right side elevational view of the light-emitting diode lamp of FIG. 37, the left side view being a mirror image;  
FIG. 41 is a top plan view of the light-emitting diode lamp of FIG. 37;  
FIG. 42 is a bottom plan view of the light-emitting diode lamp of FIG. 37;  
FIG. 43 is a front, top-right perspective view of an eighth embodiment of the light-emitting diode lamp showing our new design with the upper portion of the lamp being transparent as indicated by the transparent shading thereon;  
FIG. 44 is a front, bottom-left perspective view of the light-emitting diode lamp of FIG. 43;  
FIG. 45 is a front view of the light-emitting diode lamp of FIG. 43, the rear view being a mirror image;  
FIG. 46 is a right side elevational view of the light-emitting diode lamp of FIG. 43, the left side view being a mirror image;  
FIG. 47 is a top plan view of the light-emitting diode lamp of FIG. 43; and,  
FIG. 48 is a bottom plan view of the light-emitting diode lamp of FIG. 43.  
The upper portion of the light-emitting diode lamp is broken to indicate an indeterminate length such that no particular length for the lamp is being claimed.  
The broken line showing of the light-emitting diode lamp is for the purpose of illustrating environment structure and forms no part of the claimed design.

**1 Claim, 40 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14




FIG. 15




FIG. 16






FIG. 17




FIG. 18




FIG. 19



FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26






FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36






FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45






FIG. 46




FIG. 47




FIG. 48