



US00D750514S

(12) **United States Design Patent**  
**Levinson et al.**

(10) **Patent No.:** **US D750,514 S**  
(45) **Date of Patent:** **\*\* Mar. 1, 2016**

(54) **DISTANCE MEASUREMENT DEVICE WITH FLIP-UP PROTECTOR SCREEN**

FOREIGN PATENT DOCUMENTS

WO 2005/088247 A1 9/2005

(71) Applicant: **KAPRO INDUSTRIES LTD.**, Bikat Beit Hakerem (IL)

OTHER PUBLICATIONS

(72) Inventors: **Amy Levinson**, Upper Galilee (IL); **Yossi Palatshe**, Tiberias (IL)

Kapro Industries Ltd., Laser Distance Mesasuerer—370 Kaprometer K4. Available online at <http://kapro.com/product/370-kaprometer-k4-laser-distance-measurer/>.

(73) Assignee: **Kapro Industries Ltd.**, Bikat Beit Hakerem (IL)

*Primary Examiner* — Antoine D Davis

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — Novick, Kim & Lee, PLLC; Harold L. Novick

(21) Appl. No.: **29/502,610**

(22) Filed: **Sep. 17, 2014**

(51) **LOC (10) Cl.** ..... **10-04**

(52) **U.S. Cl.**

USPC ..... **D10/70; D10/78**

(58) **Field of Classification Search**

USPC ..... D10/70, 78

CPC ..... G01C 3/00; G01C 3/02; G01C 3/04;

G01C 3/06; G01C 3/08; G01C 3/085; G01C

3/10; G01C 3/12; G01C 3/16; G01C 3/14;

G01C 3/18; G01C 3/20; G01C 3/22; G01C

3/24; G01C 3/26; G01C 3/28; G01C 3/30;

G01C 3/32; G01S 7/4813

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D385,875	S	*	11/1997	Harris et al.	.....	D14/138 AA
6,324,888	B1	*	12/2001	Schmidt et al.	.....	73/1.79
D497,817	S	*	11/2004	Lord	.....	D10/78
D520,888	S	*	5/2006	Sydowski et al.	.....	D10/81
D543,475	S	*	5/2007	Janky	.....	D10/78
D634,227	S	*	3/2011	Marzynski et al.	.....	D10/78
D711,263	S	*	8/2014	Elrod	.....	D10/78
2001/0045507	A1	*	11/2001	Yamazaki et al.	.....	250/206.1
2005/0128465	A1	*	6/2005	Skultety-Betz et al.	.....	356/4.01
2005/0151957	A1	*	7/2005	Stierle et al.	.....	356/5.15
2007/0189751	A1	*	8/2007	Yoon et al.	.....	396/147

(Continued)

(57) **CLAIM**

The ornamental design for a distance measurement device with flip-up protector screen, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a distance measurement device with flip-up protector screen with the flip-up protector screen in an open position;

FIG. 2 is a top plan view of the distance measurement device with flip-up protector screen of FIG. 1;

FIG. 3 is a right side elevation view of the distance measurement device with flip-up protector screen of FIG. 1, the left side elevation view being a mirror image thereof;

FIG. 4 is a front elevation view of the distance measurement device with flip-up protector screen of FIG. 1;


FIG. 5 is a rear elevation view of the distance measurement device with flip-up protector screen of FIG. 1;

FIG. 6 is a bottom plan view of the distance measurement device with flip-up protector screen of FIG. 1; and,

FIG. 7 is a front perspective view of the distance measurement device with flip-up protector screen of FIG. 1 with the flip-up protector screen in a closed position.

The dashed lines of the push-buttons indicate that the push-buttons form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



# US D750,514 S

Page 2

---

(56)

## References Cited

### U.S. PATENT DOCUMENTS

2009/0097011	A1*	4/2009	Henschel	.....	356/4.01
2010/0097333	A1*	4/2010	Skultety-Betz	.....	345/173
2010/0103406	A1*	4/2010	Zimmermann	.....	356/4.01
2010/0225896	A1*	9/2010	Wolf et al.	.....	356/4.01
2011/0266425	A1*	11/2011	Kallabis	.....	250/239
2013/0229641	A1*	9/2013	Wolst et al.	.....	356/4.01
2014/0071432	A1*	3/2014	Dunne	.....	356/5.01

\* cited by examiner




FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7