



US00D750516S

(12) **United States Design Patent**
Myers et al.



(10) **Patent No.:** **US D750,516 S**
(45) **Date of Patent:** **** Mar. 1, 2016**

- (54) **ELECTRONIC DEVICE HOLDER**
- (71) Applicant: **S.P.M. FLOW CONTROL, INC.**, Fort Worth, TX (US)
- (72) Inventors: **Jeff Myers**, Fort Worth, TX (US); **Scott Hunter**, Arlington, TX (US); **Ben Ward**, Fort Worth, TX (US)
- (73) Assignee: **S.P.M. Flow Control, Inc.**, Fort Worth, TX (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/503,568**
- (22) Filed: **Sep. 26, 2014**
- (51) **LOC (10) Cl.** **10-04**
- (52) **U.S. Cl.**
USPC **D10/80; D3/218; D14/253**
- (58) **Field of Classification Search**
USPC **D3/201, 203.1, 203.2, 202, 215, 218; D10/74, 80, 103; D14/251, 252, 253, D14/451**
CPC **A45C 11/00; A45C 11/001; A45C 11/002; A45C 11/003; A45F 5/00; A45F 2005/002; A45F 2005/006; A45F 2005/008; A45F 2200/05; A45F 2200/0508; A45F 2200/0516; A45F 2200/0525; A45F 2200/055; Y10S 224/904; Y10S 224/929**
See application file for complete search history.

| | | | |
|----------------|---------|----------------------|---------|
| 4,916,641 A | 4/1990 | Bybee | |
| 5,063,775 A | 11/1991 | Walker, Sr. et al. | |
| 5,105,881 A | 4/1992 | Thoms et al. | |
| D326,927 S | 6/1992 | Catalina | |
| 5,269,180 A | 12/1993 | Dave et al. | |
| 5,360,967 A | 11/1994 | Perkin et al. | |
| 5,372,195 A | 12/1994 | Swanson et al. | |
| 5,377,104 A | 12/1994 | Sorrells et al. | |
| D354,677 S | 1/1995 | Troyer | |
| D365,927 S * | 1/1996 | Cho | D3/218 |
| D368,218 S | 3/1996 | Klein, III | |
| 5,509,303 A | 4/1996 | Georgi | |
| D371,370 S | 7/1996 | Fenton et al. | |
| 5,722,490 A | 3/1998 | Ebinger | |
| D406,590 S | 3/1999 | Heiligenstein et al. | |
| D408,269 S | 4/1999 | Ross | |
| D408,716 S | 4/1999 | Vesledahl | |
| 6,123,394 A | 9/2000 | Jeffrey | |
| 6,346,886 B1 | 2/2002 | De La Huerga | |
| 6,457,529 B2 | 10/2002 | Calder et al. | |
| 6,567,752 B2 | 5/2003 | Cusumano et al. | |
| 6,592,822 B1 | 7/2003 | Chandler | |
| 6,597,175 B1 | 7/2003 | Brisco | |
| 6,648,606 B2 | 11/2003 | Sabini et al. | |
| D492,670 S | 7/2004 | Hung et al. | |
| D495,223 S | 8/2004 | Altman | |
| 6,820,694 B2 | 11/2004 | Willberg et al. | |
| 6,829,542 B1 | 12/2004 | Reynolds et al. | |
| 6,831,571 B2 | 12/2004 | Bartel | |
| 6,922,641 B2 | 7/2005 | Batzinger et al. | |
| 6,989,764 B2 | 1/2006 | Thomeer et al. | |
| 7,064,668 B2 | 6/2006 | Porad | |
| 7,069,776 B2 | 7/2006 | Tudor | |
| D527,378 S | 8/2006 | Raymond et al. | |
| 7,083,391 B2 | 8/2006 | Sievert et al. | |
| 7,096,718 B2 | 8/2006 | Matzner et al. | |
| 7,096,961 B2 | 8/2006 | Clark et al. | |
| 7,137,451 B2 | 11/2006 | Smith | |
| D535,982 S | 1/2007 | Inoue | |
| 7,159,654 B2 | 1/2007 | Ellison et al. | |
| D538,630 S | 3/2007 | Sergi | |
| 7,239,977 B2 | 7/2007 | Fantana et al. | |
| 7,242,317 B2 | 7/2007 | Silvers | |
| 7,259,675 B2 | 8/2007 | Baker et al. | |
| D551,662 S | 9/2007 | Buren et al. | |
| 7,267,798 B2 | 9/2007 | Chandler | |
| 7,272,529 B2 | 9/2007 | Hogan et al. | |
| 7,301,474 B2 | 11/2007 | Zimmerman | |
| 7,308,331 B2 | 12/2007 | Bjornson | |
| 7,383,882 B2 | 6/2008 | Lerche et al. | |
| 7,389,870 B2 * | 6/2008 | Slappay | 206/305 |
| D573,589 S | 7/2008 | Montgomery et al. | |
| 7,395,188 B1 | 7/2008 | Goebel et al. | |

(56) **References Cited**
U.S. PATENT DOCUMENTS

| | | |
|-------------|--------|-----------------|
| 2,007,203 A | 7/1935 | Kraeft |
| 2,191,782 A | 2/1940 | Valane |
| 3,331,385 A | 7/1967 | Taylor |
| 3,465,572 A | 9/1969 | Thomas |
| 3,742,756 A | 7/1973 | Seager |
| 3,808,879 A | 5/1974 | Rogers |
| 4,044,833 A | 8/1977 | Volz |
| 4,329,925 A | 5/1982 | Hane et al. |
| 4,432,064 A | 2/1984 | Barker et al. |
| 4,574,880 A | 3/1986 | Handke |
| 4,866,607 A | 9/1989 | Anderson et al. |



E&P, "New Wireless Solution Improves Visibility, Value, Safety," Terence Leung, 2010, p. 20.

"International Preliminary Report on Patentability, by the IPEA/US, mailed Jul. 16, 2014, re PCT/US2013/042345".

International Search Report and Written Opinion, dated Nov. 23, 2011, re PCT/US2011/034863.

"International Search Report and Written Opinion mailed Dec. 2, 2013, by the ISA/US, re PCT/US2013/042345".

Kurita T., et al., "Network Wireless Sensor for Remote Monitoring of Gas Wells," Fuji Electric Review Journal, 2006, vol. 53 (1), pp. 17-20.

"Mexico Office Action, mailed Sep. 19, 2013, re App No. MX/a/2012/012444".

"Mexico office action re App No. MX/F/2012/003572".

"Mexico Office Action, received Jun. 13, 2014, re App No. MX/a/2012/012444".

"Notice of Allowance mailed Apr. 12, 2006, by the USPTO, re U.S. Appl. No. 10/755,456".

"Notice of Allowance, mailed May 16, 2014, by the USPTO, re U.S. Appl. No. 29/420,448".

"Notice of Allowance mailed Oct. 7, 2011, by the USPTO, re U.S. Appl. No. 29/393,452".

"Notice of Allowance mailed Oct. 7, 2011, by the USPTO, re U.S. Appl. No. 29/393,453".

"Notice of Allowance mailed Oct. 7, 2011, by the USPTO, re U.S. Appl. No. 29/393,454".

"Office Action mailed Aug. 30, 2005, by the USPTO, re U.S. Appl. No. 10/755,456".

"Office Action mailed Feb. 21, 2006, by the USPTO, re U.S. Appl. No. 10/755,456".

"Office Action mailed Oct. 7, 2005, by the USPTO, re U.S. Appl. No. 10/755,456".

"Office Action mailed Sep. 17, 2013, by the USPTO, re U.S. Appl. No. 13/099,307".

"Office Action mailed Sep. 30, 2014, by the USPTO, re U.S. Appl. No. 13/099,307".

"Pakistan office action re App No. 16438-D".

PC-102-Dome specification sheet, Available at <http://troirfid.com> and yahoo.sub.site.sub.admin/assets/docs/PC-102.sub/Dome.277173131.xls, last visited Jul. 12, 2011.

Petersen S., et al., "A Survey of Wireless Technology for the Oil and Gas Industry," Society of Petroleum Engineers, 2008 SPE Intelligent Energy Conference and Exhibition, Feb. 25-27, 2008, Amsterdam, The Netherlands.

"Russian Office Action dated Oct. 21, 2013, re App No. 2012503905".

Schempf, Hagen, Ph.D., "GasNet: Gas Main Sensor and Communications Network System, Phase 1 Topical Report," Document No. REP-GOV, DOE-020303, Work Performed by Automatika, Inc., Pittsburgh, PA15238, Feb. 27, 2003.

TROI-Home, <http://www.troirfid.com>, last visited Jul. 12, 2011.

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Haynes and Boone LLP

(57)

CLAIM

The ornamental design for an electronic device holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electronic device holder showing our new design according to a first embodiment;

FIG. 2 is another perspective view of the first embodiment; FIG. 3 is yet another perspective view of the first embodiment;

FIG. 4 is a front elevational view of the first embodiment;

FIG. 5 is a right side elevational view of the first embodiment;

FIG. 6 is a left side elevational view of the first embodiment;

FIG. 7 is a rear elevational view of the first embodiment;

FIG. 8 is a top plan view of the first embodiment;

FIG. 9 is a bottom plan view of the first embodiment;

FIG. 10 is a perspective view of the electronic device holder showing our new design according to a second embodiment;

FIG. 11 is another perspective view of the second embodiment;

FIG. 12 is yet another perspective view of the second embodiment;

FIG. 13 is a front elevational view of the second embodiment;

FIG. 14 is a right side elevational view of the second embodiment;

FIG. 15 is a left side elevational view of the second embodiment;

FIG. 16 is a rear elevational view of the second embodiment;

FIG. 17 is a top plan view of the second embodiment;

FIG. 18 is a bottom plan view of the second embodiment;

FIG. 19 is a perspective view of the electronic device holder showing our new design according to a third embodiment;

FIG. 20 is another perspective view of the third embodiment;

FIG. 21 is yet another perspective view of the third embodiment;

FIG. 22 is a front elevational view of the third embodiment;

FIG. 23 is a right side elevational view of the third embodiment;

FIG. 24 is a left side elevational view of the third embodiment;

FIG. 25 is a rear elevational view of the third embodiment;

FIG. 26 is a top plan view of the third embodiment;

FIG. 27 is a bottom plan view of the third embodiment;

FIG. 28 is a perspective view of the electronic device holder showing our new design according to a fourth embodiment;

FIG. 29 is another perspective view of the fourth embodiment;

FIG. 30 is yet another perspective view of the fourth embodiment;

FIG. 31 is a front elevational view of the fourth embodiment;

FIG. 32 is a right side elevational view of the fourth embodiment;

FIG. 33 is a left side elevational view of the fourth embodiment;

FIG. 34 is a rear elevational view of the fourth embodiment;

FIG. 35 is a top plan view of the fourth embodiment; and,

FIG. 36 is a bottom plan view of the fourth embodiment.

The broken lines in FIGS. 1, 10, 19, and 28 form no part of the claimed design.

1 Claim, 16 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36