



US00D750516S

(12) **United States Design Patent**
Myers et al.



(10) **Patent No.:** **US D750,516 S**
(45) **Date of Patent:** **** Mar. 1, 2016**

- (54) **ELECTRONIC DEVICE HOLDER**
- (71) Applicant: **S.P.M. FLOW CONTROL, INC.**, Fort Worth, TX (US)
- (72) Inventors: **Jeff Myers**, Fort Worth, TX (US); **Scott Hunter**, Arlington, TX (US); **Ben Ward**, Fort Worth, TX (US)
- (73) Assignee: **S.P.M. Flow Control, Inc.**, Fort Worth, TX (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/503,568**
- (22) Filed: **Sep. 26, 2014**
- (51) **LOC (10) Cl.** **10-04**
- (52) **U.S. Cl.**
USPC **D10/80; D3/218; D14/253**
- (58) **Field of Classification Search**
USPC **D3/201, 203.1, 203.2, 202, 215, 218; D10/74, 80, 103; D14/251, 252, 253, D14/451**
CPC **A45C 11/00; A45C 11/001; A45C 11/002; A45C 11/003; A45F 5/00; A45F 2005/002; A45F 2005/006; A45F 2005/008; A45F 2200/05; A45F 2200/0508; A45F 2200/0516; A45F 2200/0525; A45F 2200/055; Y10S 224/904; Y10S 224/929**
See application file for complete search history.

4,916,641	A	4/1990	Bybee	
5,063,775	A	11/1991	Walker, Sr. et al.	
5,105,881	A	4/1992	Thoms et al.	
D326,927	S	6/1992	Catalina	
5,269,180	A	12/1993	Dave et al.	
5,360,967	A	11/1994	Perkin et al.	
5,372,195	A	12/1994	Swanson et al.	
5,377,104	A	12/1994	Sorrells et al.	
D354,677	S	1/1995	Troyer	
D365,927	S	1/1996	Cho	D3/218
D368,218	S	3/1996	Klein, III	
5,509,303	A	4/1996	Georgi	
D371,370	S	7/1996	Fenton et al.	
5,722,490	A	3/1998	Ebinger	
D406,590	S	3/1999	Heiligenstein et al.	
D408,269	S	4/1999	Ross	
D408,716	S	4/1999	Vesledahl	
6,123,394	A	9/2000	Jeffrey	
6,346,886	B1	2/2002	De La Huerga	
6,457,529	B2	10/2002	Calder et al.	
6,567,752	B2	5/2003	Cusumano et al.	
6,592,822	B1	7/2003	Chandler	
6,597,175	B1	7/2003	Brisco	
6,648,606	B2	11/2003	Sabini et al.	
D492,670	S	7/2004	Hung et al.	
D495,223	S	8/2004	Altman	
6,820,694	B2	11/2004	Willberg et al.	
6,829,542	B1	12/2004	Reynolds et al.	
6,831,571	B2	12/2004	Bartel	
6,922,641	B2	7/2005	Batzinger et al.	
6,989,764	B2	1/2006	Thomeer et al.	
7,064,668	B2	6/2006	Porad	
7,069,776	B2	7/2006	Tudor	
D527,378	S	8/2006	Raymond et al.	
7,083,391	B2	8/2006	Sievert et al.	
7,096,718	B2	8/2006	Matzner et al.	
7,096,961	B2	8/2006	Clark et al.	
7,137,451	B2	11/2006	Smith	
D535,982	S	1/2007	Inoue	
7,159,654	B2	1/2007	Ellison et al.	
D538,630	S	3/2007	Sergi	
7,239,977	B2	7/2007	Fantana et al.	
7,242,317	B2	7/2007	Silvers	
7,259,675	B2	8/2007	Baker et al.	
D551,662	S	9/2007	Buren et al.	
7,267,798	B2	9/2007	Chandler	
7,272,529	B2	9/2007	Hogan et al.	
7,301,474	B2	11/2007	Zimmerman	
7,308,331	B2	12/2007	Bjornson	
7,383,882	B2	6/2008	Lerche et al.	
7,389,870	B2	6/2008	Slappay	206/305
D573,589	S	7/2008	Montgomery et al.	
7,395,188	B1	7/2008	Goebel et al.	

(56) **References Cited**
U.S. PATENT DOCUMENTS

2,007,203	A	7/1935	Kraeft
2,191,782	A	2/1940	Valane
3,331,385	A	7/1967	Taylor
3,465,572	A	9/1969	Thomas
3,742,756	A	7/1973	Seager
3,808,879	A	5/1974	Rogers
4,044,833	A	8/1977	Volz
4,329,925	A	5/1982	Hane et al.
4,432,064	A	2/1984	Barker et al.
4,574,880	A	3/1986	Handke
4,866,607	A	9/1989	Anderson et al.



US D750,516 S

Page 2

7,400,263 B2 7/2008 Snider et al.
7,412,898 B1 8/2008 Smith et al.
D578,521 S 10/2008 Sergi et al.
7,433,789 B1 10/2008 Balestra
7,477,160 B2 1/2009 Lemenager et al.
7,484,625 B2 2/2009 Scott et al.
D597,086 S 7/2009 Sergi et al.
7,557,716 B2 7/2009 Morbitzer et al.
D598,274 S 8/2009 Nerskov
7,579,950 B2 8/2009 Lerch et al.
7,603,296 B2 10/2009 Whiteley et al.
7,606,682 B2 10/2009 Denny et al.
D603,383 S 11/2009 Nyalamadugu et al.
7,619,523 B2 11/2009 Durtschi et al.
D607,442 S 1/2010 Su et al.
7,657,468 B1 2/2010 Whiteley et al.
7,664,685 B1 2/2010 Whiteley et al.
7,684,936 B2 3/2010 Bechhoefer
D620,483 S 7/2010 Conrad et al.
7,819,182 B2 10/2010 Adamek
7,823,640 B2 11/2010 Flanders
7,832,258 B2 11/2010 Mudge et al.
7,849,619 B2 12/2010 Mosher, Jr. et al.
7,893,832 B2 2/2011 Laackmann
7,912,678 B2 3/2011 Denny et al.
7,928,922 B2 4/2011 King
D651,591 S 1/2012 Hunter et al.
D651,592 S 1/2012 Hunter et al.
D651,593 S 1/2012 Hunter et al.
8,116,990 B2 2/2012 Koul
D655,081 S 3/2012 Maravilla et al.
8,485,448 B2 7/2013 Maizlin et al.
D690,687 S 10/2013 Sun et al.
D713,825 S * 9/2014 Witkowski et al. D14/230
8,857,683 B2 * 10/2014 Cameron et al. 224/267
D726,702 S * 4/2015 Umlauf D14/250
D731,171 S * 6/2015 Upchurch et al. D3/203.2
2001/0047283 A1 11/2001 Melick et al.
2002/0158120 A1 10/2002 Zierolf
2003/0139982 A1 7/2003 Schwartz et al.
2003/0192690 A1 10/2003 Carlson et al.
2003/0209133 A1 11/2003 Greenfield et al.
2004/0051368 A1 3/2004 Caputo et al.
2004/0052202 A1 3/2004 Brollier
2004/0074974 A1 4/2004 Senba et al.
2004/0088115 A1 5/2004 Guggari et al.
2004/0107823 A1 6/2004 Kiley et al.
2005/0087235 A1 4/2005 Skorpik et al.
2006/0022056 A1 2/2006 Sakama et al.
2006/0028344 A1 2/2006 Forster
2006/0043199 A1 3/2006 Baba et al.
2006/0076419 A1 4/2006 Johnson
2007/0018825 A1 1/2007 Morbitzer et al.
2007/0042820 A1 2/2007 Cloonan
2007/0124220 A1 5/2007 Griggs et al.
2007/0159336 A1 7/2007 Tethrake et al.
2007/0171075 A1 7/2007 Ryu
2007/0181726 A1 8/2007 Ishikawa et al.
2007/0226487 A1 9/2007 Li et al.
2008/0009185 A1 1/2008 Knoll et al.
2008/0029541 A1 2/2008 Wallace et al.
2009/0006153 A1 1/2009 Greiner et al.
2009/0058610 A1 3/2009 Krebs et al.
2009/0112308 A1 4/2009 Kassem
2009/0188675 A1 7/2009 Bloom et al.
2009/0205820 A1 8/2009 Koederitz et al.
2009/0208295 A1 8/2009 Kinert et al.
2010/0051286 A1 3/2010 McStay et al.
2010/0096455 A1 4/2010 Binmore
2010/0123586 A1 5/2010 Baba et al.
2010/0326219 A1 12/2010 Nelson et al.
2011/0052423 A1 3/2011 Gambier et al.
2011/0060568 A1 3/2011 Goldfine et al.
2011/0139877 A1 6/2011 Szakelyhidi et al.
2011/0233283 A1 9/2011 Hansen
2011/0240747 A1 10/2011 Stewart et al.
2011/0270525 A1 11/2011 Hunter

2011/0273296 A1 11/2011 Laase et al.
2012/0061091 A1 3/2012 Radi
2013/0317750 A1 11/2013 Hunter

FOREIGN PATENT DOCUMENTS

AR 84750 11/2012
AU 346763 2/2013
AU 346764 2/2013
AU 346765 2/2013
AU 346766 2/2013
CA 1333962 C 1/1995
CA 2486126 A1 10/2005
CA 2515233 C 10/2009
CA 2604118 C 6/2010
CN 1862278 A 11/2006
CN 101038639 A 9/2007
CN 201035846 Y 3/2008
CN 201142169 Y 10/2008
CN 101320259 A 12/2008
CN 101561676 A 10/2009
CN 102003167 A 4/2011
CN 1920901 B 6/2011
CN 102312728 A 1/2012
CN ZL201230542463 10/2013
DE 102009043267 A1 4/2011
EM 002132621-0001 11/2012
EM 002132621-0002 11/2012
EP 0280489 A2 8/1988
EP 1895452 A1 3/2008
FR 2936039 A1 3/2010
FR 2955936 A1 8/2011
GB 2419671 A 5/2006
GB 2475195 A 5/2011
JP 11352243 12/1999
JP 2002352199 A 12/2002
JP 2003035380 A 2/2003
JP 2003139271 A 5/2003
JP 2003185056 A 7/2003
JP 2004213945 A 7/2004
JP 2005181111 A 7/2005
JP 2005335737 A 12/2005
JP 2008033706 A 2/2008
JP 2009083576 A 4/2009
JP 2010152662 A 7/2010
JP 4767148 B2 9/2011
KR 20050105674 A 11/2005
KR 20060125151 A 12/2006
KR 849955 B1 8/2008
KR 20100012277 A 2/2010
KR 20120065631 A 6/2012
NO 083874 3/2013
PK PK16438 5/2013
SG 146464 A1 10/2008
SG D2012/1277 F 12/2012
SG D2012/1278 B 12/2012
TW M305600 U 2/2007
TW M305862 U 2/2007
WO WO-2008012933 A1 1/2008
WO WO-2009089580 A1 7/2009
WO WO-2010018356 A2 2/2010
WO WO-2010086596 A1 8/2010
WO WO-2011137460 A2 11/2011
WO WO-2012094503 A2 7/2012
WO WO-2012119048 A2 9/2012
WO WO-2013177353 A2 11/2013

OTHER PUBLICATIONS

“Australian Exam Report, by IP Australia, issued Jul. 26, 2013, re App No. 2011245111”.
“Azerbaijan office action dated Sep. 17, 2013, re App No. S20120046”.
“Canadian Exam Report, by the CIPO, dated May 2, 2014, re App No. 2797081”.
“Canadian Exam Report dated Jan. 13, 2014, by the CIPO, re App No. 148446”.
“Canadian Exam Report, mailed Aug. 20, 2013, by the CIPO, re App No. 148446”.

E&P, "New Wireless Solution Improves Visibility, Value, Safety," Terence Leung, 2010, p. 20.

"International Preliminary Report on Patentability, by the IPEA/US, mailed Jul. 16, 2014, re PCT/US2013/042345".

International Search Report and Written Opinion, dated Nov. 23, 2011, re PCT/US2011/034863.

"International Search Report and Written Opinion mailed Dec. 2, 2013, by the ISA/US, re PCT/US2013/042345".

Kurita T., et al., "Network Wireless Sensor for Remote Monitoring of Gas Wells," Fuji Electric Review Journal, 2006, vol. 53 (1), pp. 17-20.

"Mexico Office Action, mailed Sep. 19, 2013, re App No. MX/a/2012/012444".

"Mexico office action re App No. MX/F/2012/003572".

"Mexico Office Action, received Jun. 13, 2014, re App No. MX/a/2012/012444".

"Notice of Allowance mailed Apr. 12, 2006, by the USPTO, re U.S. Appl. No. 10/755,456".

"Notice of Allowance, mailed May 16, 2014, by the USPTO, re U.S. Appl. No. 29/420,448".

"Notice of Allowance mailed Oct. 7, 2011, by the USPTO, re U.S. Appl. No. 29/393,452".

"Notice of Allowance mailed Oct. 7, 2011, by the USPTO, re U.S. Appl. No. 29/393,453".

"Notice of Allowance mailed Oct. 7, 2011, by the USPTO, re U.S. Appl. No. 29/393,454".

"Office Action mailed Aug. 30, 2005, by the USPTO, re U.S. Appl. No. 10/755,456".

"Office Action mailed Feb. 21, 2006, by the USPTO, re U.S. Appl. No. 10/755,456".

"Office Action mailed Oct. 7, 2005, by the USPTO, re U.S. Appl. No. 10/755,456".

"Office Action mailed Sep. 17, 2013, by the USPTO, re U.S. Appl. No. 13/099,307".

"Office Action mailed Sep. 30, 2014, by the USPTO, re U.S. Appl. No. 13/099,307".

"Pakistan office action re App No. 16438-D".

PC-102-Dome specification sheet, Available at <http://troirfid.com> and yahoo.sub.site.sub.admin/assets/docs/PC-102.sub/Dome.277173131.xls, last visited Jul. 12, 2011.

Petersen S., et al., "A Survey of Wireless Technology for the Oil and Gas Industry," Society of Petroleum Engineers, 2008 SPE Intelligent Energy Conference and Exhibition, Feb. 25-27, 2008, Amsterdam, The Netherlands.

"Russian Office Action dated Oct. 21, 2013, re App No. 2012503905".

Schempf, Hagen, Ph.D., "GasNet: Gas Main Sensor and Communications Network System, Phase 1 Topical Report," Document No. REP-GOV, DOE-020303, Work Performed by Automatika, Inc., Pittsburgh, PA15238, Feb. 27, 2003.

TROI-Home, <http://www.troirfid.com>, last visited Jul. 12, 2011.

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Haynes and Boone LLP

(57)

CLAIM

The ornamental design for an electronic device holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electronic device holder showing our new design according to a first embodiment;

FIG. 2 is another perspective view of the first embodiment; FIG. 3 is yet another perspective view of the first embodiment;

FIG. 4 is a front elevational view of the first embodiment;

FIG. 5 is a right side elevational view of the first embodiment;

FIG. 6 is a left side elevational view of the first embodiment;

FIG. 7 is a rear elevational view of the first embodiment;

FIG. 8 is a top plan view of the first embodiment;

FIG. 9 is a bottom plan view of the first embodiment;

FIG. 10 is a perspective view of the electronic device holder showing our new design according to a second embodiment;

FIG. 11 is another perspective view of the second embodiment;

FIG. 12 is yet another perspective view of the second embodiment;

FIG. 13 is a front elevational view of the second embodiment;

FIG. 14 is a right side elevational view of the second embodiment;

FIG. 15 is a left side elevational view of the second embodiment;

FIG. 16 is a rear elevational view of the second embodiment;

FIG. 17 is a top plan view of the second embodiment;

FIG. 18 is a bottom plan view of the second embodiment;

FIG. 19 is a perspective view of the electronic device holder showing our new design according to a third embodiment;

FIG. 20 is another perspective view of the third embodiment;

FIG. 21 is yet another perspective view of the third embodiment;

FIG. 22 is a front elevational view of the third embodiment;

FIG. 23 is a right side elevational view of the third embodiment;

FIG. 24 is a left side elevational view of the third embodiment;

FIG. 25 is a rear elevational view of the third embodiment;

FIG. 26 is a top plan view of the third embodiment;

FIG. 27 is a bottom plan view of the third embodiment;

FIG. 28 is a perspective view of the electronic device holder showing our new design according to a fourth embodiment;

FIG. 29 is another perspective view of the fourth embodiment;

FIG. 30 is yet another perspective view of the fourth embodiment;

FIG. 31 is a front elevational view of the fourth embodiment;

FIG. 32 is a right side elevational view of the fourth embodiment;

FIG. 33 is a left side elevational view of the fourth embodiment;

FIG. 34 is a rear elevational view of the fourth embodiment;

FIG. 35 is a top plan view of the fourth embodiment; and,

FIG. 36 is a bottom plan view of the fourth embodiment.

The broken lines in FIGS. 1, 10, 19, and 28 form no part of the claimed design.

1 Claim, 16 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36