



US00D750554S

(12) **United States Design Patent**  
**Iwabuchi**

(10) **Patent No.:** **US D750,554 S**  
(45) **Date of Patent:** **\*\* Mar. 1, 2016**

(54) **SIDEWALL PORTION OF AN AUTOMOBILE TIRE**

(71) Applicant: **BRIDGESTONE CORPORATION**,  
Chuo-ku, Tokyo (JP)

(72) Inventor: **Sotaro Iwabuchi**, Chuo-ku (JP)

(73) Assignee: **BRIDGESTONE CORPORATION**,  
Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/492,781**

(22) Filed: **Jun. 3, 2014**

(30) **Foreign Application Priority Data**

Dec. 4, 2013 (JP) ..... 2013-028436

(51) **LOC (10) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/605**

(58) **Field of Classification Search**

USPC ..... D12/536, 559, 561, 604, 605, 512, 519,  
D12/522, 537-538, 542, 544, 551, 552, 554,  
D12/563, 568-603; D7/588, 396.4, 396.5;  
152/523, 524, 525, 555, 209.1-209.9,  
152/209.11-209.19, 209.21-209.28, 455;  
D11/2-4, 26

CPC ..... B60C 13/00; B60C 13/001; B60C 13/02;  
B60C 1/0025; B60C 11/03; B60C 11/0304;  
B60C 11/1218; B60C 11/1236; B60C  
11/1281; B60C 2011/1213; B60C 2200/06;  
B60C 1/00; B60C 11/0302; B60C 11/0306;  
B60C 11/0309

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D542,220 S *	5/2007	Shondel	.....	D12/605
D549,165 S *	8/2007	Shondel	.....	D12/605
D584,682 S *	1/2009	Tanaka	.....	D12/605
D598,371 S *	8/2009	Misumi	.....	D12/605
D599,285 S *	9/2009	Misumi	.....	D12/605
D618,165 S *	6/2010	Sato	.....	D12/605
D647,473 S *	10/2011	Kujime	.....	D12/605
D662,039 S *	6/2012	Miyasaka	.....	D12/605
D662,877 S *	7/2012	Arrant	.....	D12/605
D667,369 S *	9/2012	Fontaine	.....	D12/605
D668,603 S *	10/2012	Iwabuchi	.....	D12/605
D684,109 S *	6/2013	Iwabuchi	.....	D12/605
D709,821 S *	7/2014	Fujita	.....	D12/605

\* cited by examiner

*Primary Examiner* — Garth Rademaker

*Assistant Examiner* — Katie Mroczka

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC



(57) **CLAIM**

The ornamental design for a sidewall portion of an automobile tire, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of sidewall portion of an automobile tire according to my design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a top view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a rear view thereof;  
FIG. 6 is a fragmentary enlarged view showing the details of the sidewall portion defined by cross-section by lines A-A and B-B in FIG. 2; and,  
FIG. 7 is a section view taken along line 7-7 in FIG. 6.  
The broken lines shown on the sidewall in FIGS. 1, 2 and 7 illustrate portions of the sidewall of an automobile tire that form no part of the claimed design. The remaining broken lines in FIGS. 1-7 illustrate environment that forms no part of the claimed design.


**1 Claim, 7 Drawing Sheets**



*FIG. 1*



*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*

