



US00D750648S

(12) **United States Design Patent**  
**Hatta**

(10) **Patent No.:** **US D750,648 S**  
(45) **Date of Patent:** **\*\* Mar. 1, 2016**

(54) **REMOTE CONTROLLER WITH GRAPHICAL USER INTERFACE**

D450,305 S \* 11/2001 Masuzoe et al. .... D13/168  
D464,328 S \* 10/2002 Vasquez et al. .... D13/164  
D478,051 S \* 8/2003 Sagawa ..... D13/168  
D478,595 S \* 8/2003 Istvan et al. .... D14/486

(71) Applicant: **Hidetoshi Hatta**, Chiyoda-Ku (JP)

(Continued)

(72) Inventor: **Hidetoshi Hatta**, Chiyoda-Ku (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Mitsubishi Electric Corporation**,  
Tokyo (JP)

JP 2007-065861 A 3/2007  
JP 1349449 S 7/2007

(\*\*) Term: **14 Years**

(Continued)

(21) Appl. No.: **29/450,543**

OTHER PUBLICATIONS

(22) Filed: **Mar. 19, 2013**

Japanese Office Action (Decision of Refusal) Jul. 9, 2013, Patent Application No. 2012-022688.

(30) **Foreign Application Priority Data**

(Continued)

Sep. 20, 2012 (JP) ..... 2012-022688

(51) **LOC (10) Cl.** ..... **14-04**

*Primary Examiner* — Kevin Rudzinski

(52) **U.S. Cl.**  
USPC ..... **D14/486**

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(58) **Field of Classification Search**  
USPC ..... D13/162, 164, 168; D10/49, 50;  
D14/218, 443, 485-495; 236/1 C, 51;  
341/22, 34, 176, 333; 345/156, 169,  
345/173; 348/734; 340/4.3, 4.31, 4.42,  
340/12.22, 12.23, 12.24, 13.21, 13.24, 12,  
340/28, 12.5; 463/39; 455/352; 700/17, 65,  
700/83, 276, 277, 278; 715/200, 700, 762,  
715/744, 760, 746, 747, 733, 736, 751, 752,  
715/753, 702, 716, 769, 764, 765; 709/204,  
709/206, 217, 219, 223  
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a remote controller with graphical user interface, as shown and described.

**DESCRIPTION**


FIG. 1 is a front, top and right side perspective view of a remote controller with graphical user interface, showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is an enlarged screen image thereof; and,  
FIG. 9 is a reference enlarged screen image showing in use.  
The broken lines showing the remote controller and portions of the graphical user interface in the drawings form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D310,660 S \* 9/1990 Ishida ..... D14/399  
5,369,740 A \* 11/1994 Naylor ..... 700/17  
D364,573 S \* 11/1995 Pearsall ..... D10/50  
5,609,770 A \* 3/1997 Zimmerman et al. .... 210/739  
D444,793 S \* 7/2001 Richter ..... D14/486

**1 Claim, 7 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D478,895 S \* 8/2003 Oikawa ..... D14/218  
 D486,834 S \* 2/2004 Allen et al. .... D14/486  
 D492,665 S \* 7/2004 Lee ..... D14/218  
 D492,691 S \* 7/2004 Kortis ..... D14/486  
 D493,148 S \* 7/2004 Shibata et al. .... D13/168  
 D501,463 S \* 2/2005 Hisatsune ..... D14/218  
 D512,691 S \* 12/2005 Hisatsune ..... D13/164  
 7,010,756 B2 \* 3/2006 Nagasaka et al. .... 715/810  
 7,047,092 B2 \* 5/2006 Wimsatt ..... 700/83  
 D525,982 S \* 8/2006 Suzuki ..... D14/486  
 D527,011 S \* 8/2006 Bixler ..... D14/486  
 7,152,806 B1 \* 12/2006 Rosen ..... 236/94  
 D546,295 S \* 7/2007 Marchetto et al. .... D13/168  
 7,240,075 B1 \* 7/2007 Nemirofsky et al. .... 1/1  
 D570,363 S \* 6/2008 Ulm et al. .... D14/487  
 D575,792 S \* 8/2008 Benson ..... D14/486  
 D586,355 S \* 2/2009 Mori et al. .... D14/486  
 D607,417 S \* 1/2010 Liu ..... D13/164  
 D623,606 S \* 9/2010 Nakai et al. .... D13/168  
 D631,888 S \* 2/2011 Vance et al. .... D14/486  
 D632,699 S \* 2/2011 Judy et al. .... D14/486  
 D641,714 S \* 7/2011 Kataoka et al. .... D13/168  
 D641,715 S \* 7/2011 Kataoka et al. .... D13/168  
 D641,716 S \* 7/2011 Kataoka et al. .... D13/168  
 D642,544 S \* 8/2011 Kataoka et al. .... D13/168  
 D645,003 S \* 9/2011 Kataoka et al. .... D13/168  
 D649,557 S \* 11/2011 Duchene ..... D14/488  
 D652,051 S \* 1/2012 Judy et al. .... D14/486  
 D652,337 S \* 1/2012 Molik ..... D11/3

D659,151 S \* 5/2012 Loken et al. .... D14/485  
 D665,396 S \* 8/2012 Williams et al. .... D14/486  
 D667,838 S \* 9/2012 Magee et al. .... D14/486  
 D670,659 S \* 11/2012 Ishikawa et al. .... D13/168  
 D691,164 S \* 10/2013 Lim et al. .... D14/486  
 D691,622 S \* 10/2013 Shaffer ..... D14/486  
 D693,360 S \* 11/2013 Gardner et al. .... D14/486  
 D693,777 S \* 11/2013 Sakai et al. .... D13/168  
 2005/0229110 A1 \* 10/2005 Gegner et al. .... 715/800  
 2005/0281577 A1 \* 12/2005 Tamura et al. .... 399/81  
 2007/0247338 A1 \* 10/2007 Marchetto ..... 341/22  
 2008/0273014 A1 \* 11/2008 Lowles et al. .... 345/173  
 2009/0139847 A1 \* 6/2009 Yoon et al. .... 200/5 A  
 2009/0242368 A1 \* 10/2009 Chang et al. .... 200/310  
 2010/0122897 A1 \* 5/2010 Larsson ..... 200/5 A  
 2011/0037718 A1 \* 2/2011 Stephanick et al. .... 345/173  
 2013/0087628 A1 \* 4/2013 Nelson et al. .... 236/51

FOREIGN PATENT DOCUMENTS

JP 1350343 S 2/2008  
 JP 1401042 S 10/2010

OTHER PUBLICATIONS

Japanese Office Action dated Mar. 19, 2013 issued in Japanese Design Application No. 2012-022688.  
 Japanese Office Action dated Apr. 22, 2014 issued in corresponding Japanese Design Patent Application No. 2012-22688. English-language Translation. Language English-Translation.

\* cited by examiner

Fig. 1






Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8






Fig. 9

