



US00D750693S

(12) **United States Design Patent**
Sammons et al.

(10) **Patent No.:** **US D750,693 S**
(45) **Date of Patent:** **** Mar. 1, 2016**

- (54) **ELECTRONIC COMMUNICATION DEVICE WITH WEARABLE HOUSING**
- (71) Applicant: **H4 Engineering, Inc.**, San Antonio, TX (US)
- (72) Inventors: **Alexander G. Sammons**, San Antonio, TX (US); **Christopher T. Boyle**, San Antonio, TX (US); **Scott K. Taylor**, San Antonio, TX (US)
- (73) Assignee: **H4 Engineering, Inc.**, San Antonio, TX (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/495,836**
- (22) Filed: **Jul. 3, 2014**
- (51) **LOC (10) Cl.** **16-05**
- (52) **U.S. Cl.**
USPC **D16/237; D16/242**
- (58) **Field of Classification Search**
USPC D16/205, 208, 211, 214, 218–220, 235, D16/237–250, 302, 303; D8/349, 354, 363, D8/394, 395
CPC G03B 17/02; G03B 17/14; G03B 17/26; G03B 17/30; G03B 17/56; G03B 17/561–17/568; H04N 5/2251–5/2254; H04N 7/18; H04N 7/181; H04N 7/183; F16M 11/14; F16M 11/26; F16M 13/04
See application file for complete search history.

D443,632 S *	6/2001	Johansson	D16/237
D478,608 S	8/2003	Briks et al.	
D484,797 S	1/2004	Kipperman et al.	
D492,295 S	6/2004	Glatt	
D529,447 S	10/2006	Greenfield	
D544,437 S	6/2007	Hussaini et al.	
D556,571 S	12/2007	Jalet	
D557,204 S	12/2007	Panebianco et al.	
D591,231 S	4/2009	Wung et al.	
D592,131 S	5/2009	Heinzen et al.	
D604,605 S	11/2009	Chung et al.	
D606,492 S	12/2009	Steinfels	
D623,124 S	9/2010	Nomi et al.	
D643,808 S	8/2011	Shaper	
D653,693 S	2/2012	Jannard et al.	
D654,018 S	2/2012	Conley et al.	
D658,700 S	5/2012	Jannard et al.	
D659,091 S	5/2012	Sasada et al.	
D680,952 S	4/2013	Henderson et al.	
D684,210 S	6/2013	Boyle et al.	
D685,836 S *	7/2013	French	D16/219
D687,768 S	8/2013	Minamikawa	
D689,017 S	9/2013	Ambrose et al.	
D689,537 S *	9/2013	Campbell	D16/237
D690,199 S	9/2013	Lee et al.	
D696,670 S *	12/2013	Schiller	D14/440
D703,719 S	4/2014	Boyle et al.	
8,704,904 B2	4/2014	Boyle et al.	
D704,762 S	5/2014	Boyle et al.	
D714,374 S *	9/2014	Sammons	D16/237
D716,363 S *	10/2014	Apter	D16/245
8,970,689 B2 *	3/2015	Campbell	H04N 5/2252 348/335
9,025,080 B2 *	5/2015	Samuels	H04N 5/2254 348/207.99
D742,858 S *	11/2015	Morisawa	D14/218
2010/0060747 A1 *	3/2010	Woodman	G03B 17/02 348/222.1
2013/0162852 A1	6/2013	Boyle et al.	
2013/0199251 A1	8/2013	Taylor et al.	
2013/0229528 A1	9/2013	Taylor et al.	
2013/0230293 A1	9/2013	Boyle et al.	
2013/0242105 A1	9/2013	Boyle et al.	

(56) **References Cited**
U.S. PATENT DOCUMENTS


D121,995 S	8/1940	May
D162,281 S	3/1951	Bernzott et al.
D162,295 S	3/1951	Gardner
D183,954 S	11/1958	Storm et al.
D189,760 S	2/1961	Teague et al.
D200,604 S	3/1965	Waterman
D207,806 S	5/1967	Braun
D295,739 S	5/1988	Lanci et al.
D343,354 S	1/1994	Ashley et al.
D349,162 S	7/1994	Nordstrom et al.
D374,858 S	10/1996	Chu
D412,338 S	7/1999	Goto et al.
D412,520 S	8/1999	Krastel et al.
D427,965 S	7/2000	Wu
D428,796 S	8/2000	van Ochten

* cited by examiner

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Vy Koenig

(74) *Attorney, Agent, or Firm* — Volk & McElroy, LLP;
Michael D. Volk, Jr.



(57)

CLAIM

The ornamental design for an electronic communication device with wearable housing, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electronic communication device with wearable housing showing our new design. To further illustrate the details of our new design and to avoid overcrowding in FIG. 1-6, FIGS. 7-14 show an alternate position of our new design wherein the electronic communication device is shown separated from the wearable housing. FIG. 2 is a front view of our new design shown in FIG. 1. FIG. 3 is a top view of our new design shown in FIG. 1. FIG. 4 is a bottom view of our new design shown in FIG. 1. FIG. 5 is a rear view of our new design shown in FIG. 1. FIG. 6 is a right side view of our new design shown in FIG. 1. The left side view is a mirror image of the right side view shown in FIG. 6. FIG. 7 is an alternate position right side view of our new design showing the electronic communication device separated from the wearable housing. FIG. 8 is a front perspective view of our new design showing the electronic communication device separated from the wearable housing.

FIG. 9 is a front view of our new design showing the electronic communication device separated from the wearable housing.

FIG. 10 is a rear perspective view of our new design showing the electronic communication device separated from the wearable housing.

FIG. 11 is another front perspective view of our new design showing the electronic communication device separated from the wearable housing.

FIG. 12 is another rear perspective view of our new design showing the electronic communication device separated from the wearable housing.

FIG. 13 is a top view of our new design showing the electronic communication device separated from the wearable housing; and,

FIG. 14 is a bottom view of our new design showing the electronic communication device separated from the wearable housing.

The broken lines in FIGS. 7-14, along with the corresponding structures in FIGS. 1-6, depict portions of the electronic communication device with wearable housing that form no part of the claimed design. Additionally, the broken lines in FIG. 1 illustrate an environmental strap and form no part of the claimed design.

1 Claim, 11 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 9




FIG. 10




FIG. 11




FIG. 12





FIG. 13





FIG. 14